

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

### Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Code:** C993, C993-6  
**Product Name:** Silicone Instant Gasket Maker - Clear
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- 1.3 Details of the Supplier of the Safety Data Sheet:**
- |                          |   |                      |               |
|--------------------------|---|----------------------|---------------|
| <b>Company Name:</b>     | CYCLO INDUSTRIES, INC.<br>902 SOUTH US HIGHWAY 1<br>JUPITER, FL 33477 | <b>Phone Number:</b> | (800)843-7813 |
| <b>Web site address:</b> | www.cyclo.com   |                      |               |
| <b>Information:</b>      | First Aid Emergency (Outside U.S.)                                    |                      | (312)906-6194 |
- 1.4 Emergency telephone number:**
- |                           |                         |               |
|---------------------------|-------------------------|---------------|
| <b>Emergency Contact:</b> | First Aid Emergency     | (800)752-7869 |
|                           | CHEMTREC (703) 527-3887 | (800)424-9300 |

### Section 2. Hazards Identification

- 2.1 Classification of the Substance or Mixture:**
- 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]:**  
**Serious Eye Damage/Eye Irritation, Category 2A**  
**Skin Corrosion/Irritation, Category 2**  
**Target Organ Systemic Toxicity (single exposure), Category 3**
- 2.2 Label Elements:**
- 2.2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]:**



**GHS Signal Word:** Warning

**GHS Hazard Phrases:**

H303: May be harmful if swallowed.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.

**GHS Precaution Phrases:**

P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors in a well-ventilated area.  
P260: Do not breathe dust/fume/gas/mist/vapours/spray.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:**

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P363: Wash contaminated clothing before reuse.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.


**GHS Storage and Disposal Phrases:**

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation.

P405: Store locked up.

### Hazard Rating System:



### 2.3 Adverse Human Health Effects and Symptoms:

## Section 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
17689-77-9	Ethyltriacetoxysilane	1.0 -5.0 %	241-677-4 NA	Eye Damage 2A: H319 Skin Corr. 2: H315 TOST (SE) 3: H335 H336
4253-34-3	Methyltriacetoxysilane	1.0 -5.0 %	224-221-9 NA	Eye Damage 2A: H319 Skin Corr. 2: H315 TOST (SE) 3: H335 H336

## Section 4. First Aid Measures

- 4.1 Description of First Aid Measures:** If swallowed, rinse mouth. Do NOT induce vomiting. If inhaled, remove victim to fresh air and keep at rest in a position comfortable for breathing. If on skin, remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call physician immediately if adverse reaction occurs.

## Section 5. Fire Fighting Measures

- 5.1 Suitable Extinguishing Media:** On large fires use dry chemical, foam or water spray. On small fires use CO<sub>2</sub>, dry chemical or water spray. Water can be used to cool fire exposed containers.
- 5.2 Flammable Properties and Hazards:** No data available.
- Flash Pt:** > 212.00 F (100.0 C) Method Used: Closed Cup
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** No data.
- 5.3 Fire Fighting Instructions:** Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.



## Section 6. Accidental Release Measures

**6.3 Methods and Material For Containment and Cleaning Up:** Observe all personal protection equipment recommendations described in Sections 5 and 8. Wipe up or scrape up and contain for salvage or disposal. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases.

## Section 7. Handling and Storage

**7.1 Precautions To Be Taken in Handling:** Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Keep out of the reach of children.

**7.2 Precautions To Be Taken in Storing:** Use reasonable care and store away from oxidizing materials. Keep container closed and store away from water or moisture.

## Section 8. Exposure Controls/Personal Protection

**8.1 Exposure Parameters:**

CAS #	Partial Chemical Name	Britain EH40	France VL	Europe
17689-77-9	Ethyltriacetoxysilane	No data.	No data.	No data.
4253-34-3	Methyltriacetoxysilane	No data.	No data.	No data.
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
17689-77-9	Ethyltriacetoxysilane	No data.	No data.	No data.
4253-34-3	Methyltriacetoxysilane	No data.	No data.	No data.

**8.2 Exposure Controls:**

**8.2.1 Engineering Controls (Ventilation etc.):** Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. IH personnel can assist in judging the adequacy of existing engineering controls.

**8.2.2 Personal protection equipment:**

**Eye Protection:** Safety glasses at a minimum.

**Protective Gloves:** Nitrile, rubber, butyl rubber.

**Other Protective Clothing:** No data available.

**Respiratory Equipment (Specify Type):** Respiratory protection is not needed under ambient conditions. If vapor/mist/dust/fumes are generated when material is heated or handled, the following is advised. General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29CFR 1910.134) and use NIOSH/MSHA approved respirators.



## Section 9. Physical and Chemical Properties

### 9.1 Information on Basic Physical and Chemical Properties

**Physical States:**  Gas  Liquid  Solid  
**Appearance and Odor:** Black paste with acetic acid odor.  
**Melting Point:** No data.  
**Boiling Point:** No data.  
**Flash Pt:** > 212.00 F (100.0 C) Method Used: Closed Cup  
**Evaporation Rate:** No data.  
**Explosive Limits:** LEL: No data. UEL: No data.  
**Vapor Pressure (vs. Air or mm Hg):** No data.  
**Vapor Density (vs. Air = 1):** No data.  
**Specific Gravity (Water = 1):** 1.007 at 25.0 C (77.0 F)  
**Solubility in Water:** No data.  
**Autoignition Pt:** No data.

### 9.2 Other Information

**Percent Volatile:** 2.9 % by weight.

## Section 10. Stability and Reactivity

**10.1 Reactivity:** No data available.  
**10.2 Stability:** Unstable  Stable   
**10.3 Conditions To Avoid - Hazardous Reactions:** No data available.  
**Possibility of Hazardous Reactions:** Will occur  Will not occur   
**10.4 Conditions To Avoid - Instability:** No data available.  
**10.5 Incompatibility - Materials To Avoid:** Oxidizing material can cause a reaction. Water, moisture or humid air can cause hazardous vapors to form.  
**10.6 Hazardous Decomposition Or Byproducts:** No data available.



## Section 11. Toxicological Information

**11.1 Information on Toxicological Effects:** No data available.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
17689-77-9	Ethyltriacetoxysilane	n.a.	n.a.	n.a.	n.a.
4253-34-3	Methyltriacetoxysilane	n.a.	n.a.	n.a.	n.a.

## Section 12. Ecological Information

## Section 13. Disposal Considerations

**13.1 Waste Disposal Method:** Dispose of contents/container in accordance with local/regional/national/international regulation.

## Section 14. Transport Information

**14.1 LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Not-Restricted  
**DOT Hazard Class:**  
**UN/NA Number:**

**14.1 LAND TRANSPORT (European ADR/RID):**

**ADR/RID Shipping Name:** Not-Restricted  
**UN Number:**  
**Hazard Class:**

**14.2 MARINE TRANSPORT (IMDG/IMO):**

**IMDG/IMO Shipping Name:** Not-Restricted

**14.3 AIR TRANSPORT (ICAO/IATA):**

**ICAO/IATA Shipping Name:** Not-Restricted

## Section 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
17689-77-9	Ethyltriacetoxysilane	No	No	No
4253-34-3	Methyltriacetoxysilane	No	No	No

**CAS # Hazardous Components (Chemical Name)**

17689-77-9 Ethyltriacetoxysilane

4253-34-3 Methyltriacetoxysilane

**Other US EPA or State Lists**

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

**CAS # Hazardous Components (Chemical Name)**

17689-77-9 Ethyltriacetoxysilane

4253-34-3 Methyltriacetoxysilane

**International Regulatory Lists**

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes



## Section 16. Other Information

**Revision Date:** 06/02/2014

**Additional Information About** No data available.

**This Product:**

**Company Policy or  
Disclaimer:**

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.