

MATERIAL SAFETY DATA SHEET

Product Trade Name: CAUSTIC FLAKE

Revision Date: 03-Feb-2014

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: CAUSTIC FLAKE
Synonyms: None
Chemical Family: Hydroxide
Application: pH Control

Manufacturer/Supplier Halliburton Energy Services
P.O. Box 1431
Duncan, Oklahoma 73536-0431
Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	ACGIH TLV-TWA	OSHA PEL-TWA
Sodium hydroxide	1310-73-2	60 - 100%	2 mg/m ³	2 mg/M3

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory burns. May be harmful if swallowed.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse. Destroy or properly dispose of contaminated shoes.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

5. FIRE FIGHTING MEASURES

Flash Point/Range (F):	Not Determined
Flash Point/Range (C):	Not Determined
Flash Point Method:	Not Determined
Autoignition Temperature (F):	Not Determined
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (%):	Not Determined
Flammability Limits in Air - Upper (%):	Not Determined

Fire Extinguishing Media All standard firefighting media.

Special Exposure Hazards May form explosive mixtures with strong acids. Reaction with steel and certain other metals generates flammable hydrogen gas.

Special Protective Equipment for Fire-Fighters Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

NFPA Ratings: Health 3, Flammability 0, Reactivity 1

HMS Ratings: Health 3, Flammability 0, Reactivity 1 Health 3, Flammability 0, Physical Hazard 1 , PPE: Eos

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary Measures Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning / Absorption Neutralize to pH of 6-8. Scoop up and remove.

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Wash hands after use. Launder contaminated clothing before reuse.

Storage Information Store away from acids. Store in a cool, dry location.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Localized ventilation should be used to control dust levels.

Respiratory Protection Dust/mist respirator. (N95, P2/P3)

Hand Protection Impervious rubber gloves.

Skin Protection Full protective chemical resistant clothing.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid
Color:	White to off white
Odor:	Odorless
pH:	14
Specific Gravity @ 20 C (Water=1):	2.13
Density @ 20 C (lbs./gallon):	Not Determined
Bulk Density @ 20 C (lbs/ft3):	71.5
Boiling Point/Range (F):	2535
Boiling Point/Range (C):	1390
Freezing Point/Range (F):	Not Determined
Freezing Point/Range (C):	Not Determined
Vapor Pressure @ 20 C (mmHg):	Not Determined
Vapor Density (Air=1):	Not Determined
Percent Volatiles:	Not Determined
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Soluble
Solubility in Solvents (g/100ml):	Soluble in alcohols
VOCs (lbs./gallon):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	40

10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	None anticipated
Incompatibility (Materials to Avoid)	Strong acids. Peroxides. Halogenated compounds. Prolonged contact with aluminum, lead, or zinc may liberate flammable hydrogen.
Hazardous Decomposition Products	None known.
Additional Guidelines	Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure

Acute Toxicity

Inhalation	Causes severe respiratory burns. May cause chemical pneumonia.
Eye Contact	Causes severe eye burns.
Skin Contact	Causes severe burns.
Ingestion	Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure may cause erosion of the teeth.

LD50 Oral:	140 - 340 mg/kg; (rat)
LD50 Dermal:	1350 mg/kg; (rabbit)

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide	1310-73-2	No data available	1350 mg/kg (Rabbit)	No data available

12. ECOLOGICAL INFORMATION

Ecotoxicological Information

Ecotoxicity Product

Acute Fish Toxicity:	Not determined
Acute Crustaceans Toxicity:	Not determined
Acute Algae Toxicity:	Not determined

Ecotoxicity Substance

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium hydroxide	1310-73-2	No information available	LC50: 45.4 mg/l (Oncorhynchus mykiss)	No information available	EC50(48 h): 40.4 mg/L (Ceriodaphnia sp.)

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Substances	CAS Number	Persistence and Degradability
Sodium hydroxide	1310-73-2	The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Does not bioaccumulate

Substances	CAS Number	Log Pow
Sodium hydroxide	1310-73-2	No information available

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging This bag may contain residue of a hazardous material. Some authorities may regulate such containers as hazardous waste. Dispose of container according to national or local regulations.

14. TRANSPORT INFORMATION

US DOT

UN Number:	UN1823
UN Proper Shipping Name:	Sodium Hydroxide, Solid
Transport Hazard Class(es):	8
Packing Group:	II
NAERG:	NAERG 154

US DOT Bulk

DOT (Bulk) Not Applicable

Canadian TDG u10

UN Number:	UN1823
UN Proper Shipping Name:	Sodium Hydroxide, Solid

Transport Hazard Class(es): 8
Packing Group: II

IMDG/IMO

UN Number: UN1823
UN Proper Shipping Name: Sodium Hydroxide, Solid
Transport Hazard Class(es): 8
Packing Group: II
EMS: EmS F-A, S-B

IATA/ICAO

UN Number: UN1823
UN Proper Shipping Name: Sodium Hydroxide, Solid
Transport Hazard Class(es): 8
Packing Group: II

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable
Special Precautions for User: None

Labels: Corrosive

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances Not applicable

EPA SARA (311,312) Hazard Class Acute Health Hazard

EPA SARA (313) Chemicals This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372: Sodium Hydroxide//1310-73-2

EPA CERCLA/Superfund Reportable Spill Quantity EPA Reportable Spill Quantity is 1000 Pounds based on Sodium hydroxide (CAS: 1310-73-2).

EPA RCRA Hazardous Waste Classification If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class E Corrosive Material

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS

Not applicable

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

*****END OF MSDS*****