

**SAFETY DATA SHEET****1 Identification of the substance or preparation and of the company/undertaking**

Product Name: **Ceramigrade Abrashield - Base**  
 Datasheet Number: 725291-B 3. 0. 0  
 Use of the substance/preparation: Polymer repair system  
 Product Part Number: 725291  
 Head Office: Wilhelmsen Ships Service AS  
 address: PO Box 33 - Lysaker - Norway  
 Name of Supplier: Wilhelmsen Ships Service AS  
 Address of Supplier: Willem Barentszstraat 50  
 3165AB  
 Rotterdam  
 The Netherlands  
 Telephone: +31 10 4877 777  
 Fax: +31 10 4877 888  
 Responsible Person: Patrick Rijssdijk, Product HSE Manager, Tel.: +31 6 349 440 35  
 Email: Patrick.Rijssdijk@Wilhelmsen.com  
 Emergency Telephone: \*\*ONLY TO BE USED IN CASE OF AN INCIDENT\*\*  
 NCEC: +44 1865 407333, CHEMTREC (800) 424 9300  
 American Chemistry Council +1 703 527 3887,  
 Greece +30 210 7793777

**2 Hazards identification**

- Odour: Characteristic odour
- Appearance: dark, grey, paste, insoluble in water
- Contact with eyes: Causes redness and irritation
- Contact with skin: In cases of severe exposure, irritation may develop, May cause sensitisation by skin contact (R43)
- Inhalation: May cause irritation
- Ingestion: Not regarded as a potential route of exposure., In cases of severe exposure, gastrointestinal disturbances may develop



Irritant



Dangerous for the Environment

**3 Composition/information on ingredients**

Chemical Name	Concentration	CAS Number	EC Number	R Phrases*	Symbols
Bisphenol A Epoxy Resin	20-40	25068-38-6	500-033-5	R36/38, 43, 51/53	Xi, N
Non classified ingredients	60-80	-	-	-	-

\*See Section 16

**4 First aid measures**

## 4 First aid measures (....)

### Contact with skin

- Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water
- Seek medical attention if irritation persists
- Contaminated clothing should be laundered before reuse

### Contact with eyes

- If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes
- Irrigate eyes thoroughly whilst lifting eyelids
- Seek medical advice

### Ingestion

- Do not induce vomiting
- Give water or milk to drink
- Seek medical advice

### Inhalation

- Remove patient to fresh air
- When in doubt or symptoms persist, seek medical attention

### General

- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

---

## 5 Fire-fighting measures

- Flash point > 145 deg C (CC)
- Smoke from fires is irritating
- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

---

## 6 Accidental release measures

### Personal Precautions

- Wear protective clothing as per section 8

### Environmental Precautions

- Do not allow to enter public sewers and watercourses

### Clean Up Actions

- Absorb spillage in suitable inert material
- Ventilate the area and wash spill site after material pick-up is complete

---

## 7 Handling and storage

### Handling

- When using do not eat, drink or smoke (S20/21)
- Wash hands thoroughly after using this substance

### Storage

- Keep only in the original container in a cool, well ventilated place (S3/9/49)

---

## 8 Exposure controls and personal protection

### Exposure Limits

- There are no recommended or established controls for this product

---

## 8 Exposure controls and personal protection (....)

### Exposure controls

- No special precautions are required for this product

### Occupational exposure controls

- Wear plastic or rubber gloves
- Wear goggles giving complete eye protection



Goggles



Gloves



No Smoking

---

## 9 Physical and chemical properties

- Odour: Characteristic odour
- Appearance: dark, grey, paste, insoluble in water
- Alkaline
- Insoluble in water
- Specific gravity 1.88 g/cm<sup>3</sup>
- Flash point > 145 deg C (CC)

## 10 Stability and reactivity

- This article is considered stable under normal conditions, No hazardous reactions known if used for its intended purpose
- Avoid overheating, Keep away from frost
- See Section 5

## 11 Toxicological information

### Toxicological information

- No experimental data available

### Inhalation

- May cause irritation

### Contact with skin

- May cause sensitisation by skin contact (R43)
- In cases of severe exposure, irritation may develop

### Contact with eyes

- Causes redness and irritation

### Ingestion

- Not regarded as a potential route of exposure.
- The ingestion of significant quantities may cause gastro-intestinal disturbances

### Carcinogenicity

- No evidence of carcinogenic effects

## 12 Ecological information

### Ecotoxicity

- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R51/53)

## 12 Ecological information (....)

### Mobility

- Sinks in water

### Persistence and Biodegradability

- Most components in this product are not readily biodegradable.

### Bioaccumulation Potential

- No information available

### Other Adverse Effects

- No environmental problems are expected when the product is used / handled correctly. In its intended use, the product will not be released into the environment.

---

## 13 Disposal considerations

### Disposal considerations

- Do not discharge into drains or the environment, dispose to an authorised waste collection point
- Disposal should be in accordance with local, state or national legislation

---

## 14 Transport information

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy Resin, mixture)

### Emergency Action Code

UN

### Road/Rail (ADR/RID)

Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy Resin,
ADR UN No.:	3082
ADR Packing Group.:	III
ADR-RID Labels:	9

### Sea (IMDG)

Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy Resin,
IMDG UN No.:	3082
IMDG Pack Group.:	III
IMDG subrisk:	N/A
IMDG Flashpoint:	N/A

### Air (ICAO/IATA)

Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy Resin,
ICAO Un No.:	3082
ICAO Packing Group.:	III
ICAO Labels:	9 + Marine Pollutant

### DOT / CFR (US Department of Transportation)

DOT Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A Epoxy Resin,
Hazardous Material:	Bisphenol A Epoxy Resin, mixture
Identification Number:	UN3082
DOT subrisk:	N/A
DOT Flashpoint:	N/A

## 15 Regulatory information



Irritant



Dangerous for the Environment

### Risk Phrases

- Irritating to eyes and skin (R36/38)
- May cause sensitisation by skin contact (R43)
- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment (R51/53)

### Safety Phrases

- Avoid contact with skin and eyes (S24/25)
- After contact with skin, wash immediately with plenty of soap and water (S28)
- Avoid release to the environment. Refer to special instructions/Safety data sheets (S61)

---

## 16 Other information

Text of R and S phrase codes used in this safety data sheet:- R36/38: Irritating to eyes and skin; R43: May cause sensitisation by skin contact; R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC)

This Safety Data Sheet is provided in compliance with The Dangerous Preparations Directive (88/379/EEC)

This Safety Data Sheet is provided in compliance with The Safety Data Sheets Directive (2001/58EC)