HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: CHARGE, CSG CUTTER, HMX, C3633045

Revision Date: 21-Dec-2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: CHARGE, CSG CUTTER, HMX, C3633045

Synonyms: None **Chemical Family:** Explosive

Application: Explosive Charge

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Tungsten	7440-33-7	Unknown	5 mg/m ³	Not applicable
Graphite	7782-42-5	Unknown	2 mg/m ³	15 mg/m ³
Iron	7439-89-6	Unknown	Not applicable	10 mg/m ³
Cyclotetramethylenetetranitramin e (HMX)	2691-41-0	5 - 10%	Not applicable	Not applicable
Copper	7440-50-8	Unknown	1 mg/m ³	1 mg/m ³
Corrosion resistant steel	Mixture	Unknown	Not applicable	Not applicable
Desensitizing wax	Mixture	Unknown	Not applicable	Not applicable
Aluminum	7429-90-5	Unknown	1 mg/m ³	15 mg/m ³

3. HAZARDS IDENTIFICATION

Hazard Overview Explosive. May cause eye, skin, and respiratory irritation. May cause headache,

dizziness, and other central nervous system effects. May be harmful if swallowed.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin Wash with soap and water. Get medical attention if irritation persists.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Treat symptomatically.

CHARGE, CSG CUTTER, HMX, C3633045 Page 1 of 6

5. FIRE FIGHTING MEASURES

Flash Point/Range (F):

Flash Point/Range (C):

Flash Point Method:

Autoignition Temperature (F):

Autoignition Temperature (C):

Flammability Limits in Air - Lower (%):

Flammability Limits in Air - Upper (%):

Not Determined

Not Determined

Not Determined

Fire Extinguishing Media None. Do NOT fight fire. Isolate area and evacuate personnel to a safe area. Guard

against intruders. Allow fire to burn itself out.

Special Exposure Hazards May detonate with impact or on heating. May explode and throw fragments 1 mile or

more in fire. Evacuate all persons, including emergency responders.

Special Protective Equipment for Not applicable.

Fire-Fighters

NFPA Ratings: Health 1, Flammability 3, Reactivity 4
HMIS Ratings: Health 1, Flammability 3, Reactivity 4

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Use only competent persons for cleanup.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate area and remove sources of friction, impact, heat, low level electrical current,

and RF energy. Remove ignition sources and work with non-sparking tools.

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Wash hands after use. Do NOT consume

food, drink, or tobacco in contaminated areas. Launder contaminated clothing before

reuse.

Storage Information Store only in ATF approved magazines. Keep away from friction, impact, and heat.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area.

Respiratory Protection Dust/mist respirator. (N95, P2/P3)

Hand Protection Cloth gloves.

Skin Protection Cotton coveralls, undergarments, and socks. Conductive soled shoes.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid Color: Metallic

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor: Odorless :Ha Not Determined Specific Gravity @ 20 C (Water=1): Not Determined Density @ 20 C (lbs./gallon): Not Determined Bulk Density @ 20 C (lbs/ft3): Not Determined **Boiling Point/Range (F):** Not Determined Boiling Point/Range (C): Not Determined Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined Solubility in Water (g/100ml): Insoluble Not Determined Solubility in Solvents (g/100ml): VOCs (lbs./gallon): Not Determined Viscosity, Dynamic @ 20 C (centipoise): Not Determined Viscosity, Kinematic @ 20 C (centistokes): Not Determined Partition Coefficient/n-Octanol/Water: Not Determined Molecular Weight (g/mole): Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid May detonate with friction, impact, heat, and low level electrical current.

Incompatibility (Materials to

Avoid)

Strong acids. Strong alkalis.

Hazardous Decomposition

Products

Shrapnel. Oxides of nitrogen. Metal oxides. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation. Product does not present exposures health hazards

during normal handling and use. However, this product is an explosive material and uncontrolled detonation may cause severe physical injury including death. All explosives are dangerous and must be handles carefully and used following

approved safety procedures under the direction of competent, experience persons in

accordance with all applicable regulations and ordinances.

Inhalation May cause effects to the blood and blood system. May cause central nervous system

depression including headache, dizziness, drowsiness, incoordination, slowed

reaction time, slurred speech, giddiness and unconsciousness.

May cause damage to the nervous, urinary, and reproductive systems. Nitrogen

oxides generated during use are irritating to the respiratory system.

Skin Contact May be absorbed through the skin and contribute to the symptoms listed under

ingestion. Nitrogen oxides generated during use are skin irritants.

Eye Contact May cause eye irritation.

Ingestion May cause abdominal pain, vomiting, nausea, and diarrhea.

Aggravated Medical Conditions None known.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause blood forming system, nervous, urinary

tract and reproductive system damage. Prolonged or repeated exposure may cause

embryo and fetus toxicity.

Other Information None known.

Toxicity Tests

Oral Toxicity: Not determined

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive / Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not applicable

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Store only in ATF approved magazines. Do NOT reuse container.

14. TRANSPORT INFORMATION

Land Transportation

DOT

UN0059, Charges, Shaped, 1.1D, II EX8908238 NAERG 112

Canadian TDG

Charges, Shaped, 1.1D, UN0059, II EX8908238

ADR

UN0059, Charges, Shaped, 1.1D, II EX8908238

Air Transportation

ICAO/IATA

UN0059, Charges, Shaped, 1.1D, II EX8908238

Sea Transportation

IMDG

UN0059, Charges, Shaped, 1.1D, II EX8908238 EmS F-B, S-X

Other Transportation Information

Labels: Explosive 1.1D

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

EPA SARA (313) Chemicals

This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:

Lead//7439-92-1 Copper//7440-50-8

EPA CERCLA/Superfund Reportable Spill Quantity

EPA Reportable Spill Quantity is 400 Pounds based on Lead (CAS: 7439-92-1).

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:

Reactivity D003

California Proposition 65 The California Proposition 65 regulations apply to this product.

MA Right-to-Know Law One or more components listed.

CHARGE, CSG CUTTER, HMX, C3633045 Page 5 of 6 NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class F Dangerously Reactive Material

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For guestions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer StatementThis information is furnished without warranty, expressed or implied, as to accuracy

or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

END OF MSDS