# SAFETY DATA SHEET



1. Identification

**Product identifier** CIMSTAR® 60C-HFP with FACT™

METALWORKING FLUID

Other means of identification

SDS number Not applicable B00406 **Product code** 

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

**Emergency telephone** 

number

**Emergency telephone** 

number (outside USA)

513-458-8100

905-319-1919

1-800-424-9300 (CHEMTREC)

1-703-527-3887 (CHEMTREC)

Supplier

Milacron Canada Corp. Company name

1175 Appleby Line Road, Unit B-1 **Address** 

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

**Emergency telephone** 

number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin irritation Category 2

Serious eye irritation Category 2A

**Environmental hazards** Not classified.

Label elements



Signal word Warning

Causes skin irritation. Causes serious eye irritation. **Hazard statement** 

**Precautionary statement** 

Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves. Prevention

SDS Canada Material name: CIMSTAR® 60C-HFP with FACT™ 1 / 10

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF IN Response

> EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Store away from incompatible materials. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	≤30
C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN		63449-39-8	≤10
ALCOHOLS, C12-14, ETHOXYLATED PROPOXYLATED		68439-51-0	≤5
MONOISOPROPANOLAMINE		78-96-6	≤5
AMINOMETHYLPROPANOL		124-68-5	≤3
MONOETHANOLAMINE		141-43-5	≤3
Other components below reportable le	evels		≤75

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell. Under normal

conditions of intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

redness, swelling, and blurred vision. Skin irritation.

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, keep head

low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

unwell.

Most important symptoms/effects, acute and

delaved

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Foam, Dry chemical powder, Carbon dioxide (CO2), Use extinguishing measures that are Suitable extinguishing media

appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move equipment/instructions containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

SDS Canada

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

### 7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

_	_	_		
^	С	൨	ı	ч
$\overline{}$	·	u		

	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3
US. ACGIH Threshold Limit Values	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
(5.15.11.15.5)	TWA	3 ppm
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Sc	hedule 1, Table 2)
, ,	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
		3 ppm
Canada. British Columbia OELs. (6 Safety Regulation 296/97, as amen		ts for Chemical Substances, Occupational Health and
-	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
,	TWA	3 ppm

Material name: CIMSTAR® 60C-HFP with FACT™

SDS Canada 3 / 10 

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Value Type MONOETHANOLAMINE STEL 6 ppm (CAS 141-43-5) **TWA** 3 ppm

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Value **Type** MONOETHANOLAMINE **STEL** 6 ppm (CAS 141-43-5) **TWA** 3 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

MONOETHANOLAMINE STEL 15 mg/m3 (CAS 141-43-5) 6 ppm **TWA** 7.5 mg/m3 3 ppm

**Type** 

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Value

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

**Hand protection** Use protective gloves made of: Nitrile.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

**CLEAR Appearance** Physical state Liquid. Liquid. **Form** 

Color Not available. Odor **CHEMICAL** Not available. **Odor threshold** 

Melting point/freezing point < 28 °F (< -2.2 °C) > 212 °F (> 100 °C) Initial boiling point and boiling

range

Flash point

Not Applicable

Like water when diluted **Evaporation rate** 

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient (n-octanol/water)

Not available.

**Auto-ignition temperature Decomposition temperature** 

Not available. Not available.

**Viscosity** 

Not available.

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing. pH in aqueous solution 8.7 @ 5% Specific gravity 1.042

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

Heat, flames and sparks. Contact with incompatible materials.

cancer causing nitrosamines.

Hazardous decomposition

Conditions to avoid

products

Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

### 11. Toxicological information

Information on likely routes of exposure

Inhalation Not classified.

Causes skin irritation. Skin contact Eye contact Causes eye irritation. Not classified.

Ingestion

Symptoms related to the physical, chemical and

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

toxicological characteristics

Information on toxicological effects

Not classified. **Acute toxicity** 

Components **Test Results Species** 

ALCOHOLS, C12-14, ETHOXYLATED PROPOXYLATED (CAS 68439-51-0)

Acute Oral Liquid

LD50 Rat > 2000 mg/kg

AMINOMETHYLPROPANOL (CAS 124-68-5)

**Acute Dermal** Liquid

> 2000 mg/kg LD50 Rabbit

SDS Canada 5 / 10

Components	Species	Test Results
Oral		
Liquid		
LD50	Rat	2900 mg/kg
C14-C17 MEDIUM CHAIN	CHLORINATED PARAFFIN (CAS 63449-39	9-8)
<u>Acute</u>		
Dermal		
Liquid		0.0005
NOEL	Human	0.0065 mg/kg
Oral		
<i>Liquid</i> NOAEL	Rat	23 mg/kg, 90 days
	Rat	25 Hg/kg, 90 days
<u>Chronic</u>		
Inhalation <i>Mist</i>		
NOEL	Rat	6.7 mg/m³
Oral		on mg····
Liquid		
LD50	Rodent	15000 mg/kg
NOAEL	Rat	100 mg/kg, 90 days
MONOETHANOLAMINE (C	CAS 141-43-5)	3 3, 44 44,
Acute (C	3.16 111 10 0,	
Dermal		
LD50	Rabbit	1025 mg/kg
Oral		
LD50	Guinea pig	620 mg/kg
	Mouse	700 mg/kg
	Rat	10.2 g/kg
MONOISOPROPANOLAM		
Acute	(0.10.10.0)	
Dermal		
Liquid		
LD50	Rabbit	1576 mg/kg
Inhalation		
Mist		
LC0	Rat	1005 mg/m³, 3 hours
Oral		
Liquid		
LD50	Rat	2813 mg/kg
	TED NAPHTHENIC DISTILLATES (CAS 64	742-52-5)
<u>Acute</u>		
Dermal		
Liquid	Dobbit	> E000 malka
LD50	Rabbit	> 5000 mg/kg
Inhalation		
<i>Mist</i> LC50	Rat	> 5 mg/l, 4 hours
	rat	> 5 mg/l, 4 mours
Oral Liquid		
<i>Liquid</i> LD50	Rat	> 5000 mg/kg
LDOU	Nut	- Jood mg/kg

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes eve irritation.

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> MONOETHANOLAMINE (CAS 141-43-5) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not classified.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not available. Carcinogenicity

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Specific target organ toxicity - repeated

exposure

Not classified.

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Not classified.

**Further information** The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

Components Species **Test Results** 

ALCOHOLS, C12-14, ETHOXYLATED PROPOXYLATED (CAS 68439-51-0)

Aquatic Acute

Fish LC50 Ide, silver or golden orfe (Leuciscus 1 - 10 mg/l

idus)

AMINOMETHYLPROPANOL (CAS 124-68-5)

**Aquatic** 

Acute

EC50 Crustacea Daphnia 193 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 190 mg/l, 96 hours

C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN (CAS 63449-39-8)

Aquatic

Acute

Fish LC50 Bluegill (Lepomis macrochirus) > 0.1 mg/l, 96 hours

MONOETHANOLAMINE (CAS 141-43-5)

**Aquatic** 

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

MONOISOPROPANOLAMINE (CAS 78-96-6)

Aquatic

LC50 Fish Goldfish (Carassius auratus) 210 mg/l, 96 hours

Acute

Crustacea EC50 Daphnia 109 mg/l, 48 hours

SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES (CAS 64742-52-5)

**Aquatic** 

Acute

Crustacea EC50 Daphnia > 1000 mg/l, 48 hours

Material name: CIMSTAR® 60C-HFP with FACT™ SDS Canada Version #: 01 7 / 10 Issue date: 12-01-2016

Components **Species Test Results** 

LC50 Fathead minnow (Pimephales promelas) > 30000 mg/l, 96 hours Fish

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31MONOISOPROPANOLAMINE -0.93

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions** 

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

**TDG** 

UN3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (C14-C17 MEDIUM CHAIN **UN proper shipping name** 

CHLORINATED PARAFFIN), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IATA** 

**UN** number UN3082

**UN** proper shipping name Environmentally hazardous substance, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED

PARAFFIN)

Transport hazard class(es)

9 Class Subsidiary risk Packing group Ш **Environmental hazards** Yes 91 **ERG Code** 

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Allowed with restrictions.

aircraft

Allowed with restrictions. Cargo aircraft only

**IMDG** 

**UN** number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (C14-C17 MEDIUM CHAIN UN proper shipping name

CHLORINATED PARAFFIN), MARINE POLLUTANT

Transport hazard class(es)

9 Class Subsidiary risk Packing group Ш

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Environmental hazards** 

Marine pollutant Yes EmS F-A, S-F


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG; TDG



### Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

### 15. Regulatory information

#### Canadian regulations

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

### International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Montreal Protocol** 

Not applicable.

**Basel Convention** 

Not applicable.

#### International Inventories

Country(s) or regionInventory nameOn inventory or exempt (yes/no)\*AustraliaAustralian Inventory of Chemical Substances (AICS)NoCanadaDomestic Substances List (DSL)No

Material name: CIMSTAR® 60C-HFP with FACT™

Country(s) or region	Inventory name On inventory or exemp	t (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country(s)	

<sup>&#</sup>x27;A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other information

Issue date 12-01-2016

Version # 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Product and Company Identification: Product and Company Identification **Revision information** 

Hazards Identification: US Hazard Categories Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Transport Information: Material Transportation Information

Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Product Uses

HazReg Data: Pacific Rim GHS: Classification

Material name: CIMSTAR® 60C-HFP with FACT™

SDS Canada 10 / 10