# SAFETY DATA SHEET



1. Identification

**Product identifier** CIMTECH® 304MA with InSol™ Technology

METALWORKING FLUID

Other means of identification

SDS number Not applicable B00005 **Product code** 

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

**Emergency telephone** 

number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier

Milacron Canada Corp. Company name

**Address** 1175 Appleby Line Road, Unit B-1

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

905-319-1919

**Emergency telephone** number (outside USA) 1-703-527-3887 (CHEMTREC)

Not available. **Supplier** 

2. Hazard(s) identification

Not classified. Physical hazards

**Health hazards** Serious eye irritation

**Environmental hazards** Not classified.

Label elements



Warning Signal word

**Hazard statement** Causes serious eye irritation.

**Precautionary statement** 

Prevention Wash thoroughly after handling. Wear eye protection/face protection.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Category 2A

Store away from incompatible materials. **Storage** 

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: CIMTECH® 304MA with InSol™ Technology 

Other hazards None known.

Supplemental information The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
TRIETHANOLAMINE		102-71-6	≤35
NEODECANOIC ACID		26896-20-8	≤12
PELARGONIC ACID		112-05-0	≤3
ISOPROPANOLAMINE		78-96-6	≤1.5
Other components below reports	able levels		≤70

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, Ingestion

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** 

Show this safety data sheet to the doctor in attendance. If exposed or concerned: Get medical

advice/attention.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Alcohol resistant foam. Dry powder. Carbon dioxide (CO2). Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting

Specific methods

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CIMTECH® 304MA with InSol™ Technology SDS Canada Version #: 01 Issue date: 05-07-2017 2/8

# Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

#### 7. Handling and storage

#### Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

# **US. ACGIH Threshold Limit Values**

	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Alberta OELs (Occupatio	nal Health & Safety Code, Sc	hedule 1, Table 2)
	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. British Columbia OELs. ( Safety Regulation 296/97, as amer		s for Chemical Substances, Occupational Health and
,	Type	Value

oalety Regulation 230/37, as amended	Туре	Value
TRIETHANOLAMINE (CAS	TWA	5 mg/m3

# Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

	туре	value
TRIETHANOLAMINE (CAS	TWA	5 mg/m3
102-71-6)		

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

	Туре	Value	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	3.1 mg/m3	
,		0.5 ppm	

# Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

	Туре	Value	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	

#### **Biological limit values**

102-71-6)

No biological exposure limits noted for the ingredient(s).

# Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Material name: CIMTECH® 304MA with InSol™ Technology

Version #: 01 Issue date: 05-07-2017 3 / 8

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Hand protection Use protective gloves made of: Nitrile.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**CLEAR Appearance Physical state** Liquid. **Form** Liquid. Color Not available.

Odor CHEMICAL **Odor threshold** Not available.

8.2 pН

Melting point/freezing point < 16 °F (< -8.9 °C) > 212 °F (> 100 °C) Initial boiling point and boiling

range

Not Applicable Flash point

**Evaporation rate** Like water when diluted

Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

100 % Water Miscible Solubility (water)

**Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

**Explosive properties** Not explosive. Oxidizing properties Not oxidizing. pH in aqueous solution 8.0 @ 5% Specific gravity 1.069

#### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form Incompatible materials

cancer causing nitrosamines.

**Hazardous decomposition** 

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Not classified. Not classified. Skin contact

Causes eye irritation. Eye contact

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Information on toxicological effects

**Acute toxicity** Not known.

Components **Species Test Results** 

ISOPROPANOLAMINE (CAS 78-96-6)

**Acute** 

**Dermal** 

Liquid

LD50 Rabbit 1576 mg/kg

Oral Liquid

LD50 Rat 2813 mg/kg

NEODECANOIC ACID (CAS 26896-20-8)

**Acute** 

**Dermal** 

Liquid

LD50 Rabbit > 3640 mg/kg

Inhalation

Vapor

LC50 Rat > 3 mg/l

Oral Liquid

LD50 Rat 2066 mg/kg

PELARGONIC ACID (CAS 112-05-0)

**Acute** 

**Dermal** 

Liquid

LD50 Rat > 2000 mg/kg

Oral

Liauid

LD50 Rat > 2000 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

**Acute** 

Dermal

LD50 Rabbit 2000 mg/kg

Material name: CIMTECH® 304MA with InSol™ Technology

SDS Canada 

Components **Species Test Results** 

Oral Liquid

LD50 Rat 4190 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Not classified.

Serious eve damage/eve

Causes eve irritation.

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> TRIETHANOLAMINE (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

TRIETHANOLAMINE (CAS 102-71-6) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Not classified.

**Further information** The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

### 12. Ecological information

Contains a substance which causes risk of hazardous effects to the environment. **Ecotoxicity** 

Components		Species	Test Results
ISOPROPANOLAMIN	E (CAS 78-96-6)		
Aquatic			
Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	109 mg/l, 48 hours
NEODECANOIC ACID	CAS 26896-20-8	)	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	50 - 1000 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	100 - 300 mg/l, 96 hours
PELARGONIC ACID (	(CAS 112-05-0)		
Aquatic			
Acute			
Crustacea	EC50	Daphnia	96 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	91 mg/l, 96 hours

Material name: CIMTECH® 304MA with InSol™ Technology

Components **Species Test Results** 

TRIETHANOLAMINE (CAS 102-71-6)

**Aquatic** 

EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours Crustacea Fish LC50 Fathead minnow (Pimephales promelas) 10610 - 13010 mg/l, 96 hours

#### Persistence and degradability

#### Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

**ISOPROPANOLAMINE** -0.93PELARGONIC ACID 3.42 **TRIETHANOLAMINE** -1

Mobility in soil This product is miscible in water.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

**TDG** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

#### 15. Regulatory information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS Canadian regulations

contains all the information required by the HPR.

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### **Kyoto protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

#### 16. Other information

05-07-2017 Issue date

Version # 01

NFPA ratings Health: 1

> Flammability: 0 Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer** 

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Yes

materials or in any process, unless specified in the text.

Product and Company Identification: Product and Company Identification **Revision information** 

> Hazards Identification: US Hazard Categories Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Experimental Data

HazReg Data: North America

GHS: Classification

Material name: CIMTECH® 304MA with InSol™ Technology

SDS Canada 8/8

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)