## SAFETY DATA SHEET



1. Identification

Product identifier CIMTECH® 3100-VLZ

METALWORKING FLUID

Other means of identification

SDS number Not applicable
Product code B01204

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

Emergency telephone

number

Emergency telephone number (outside USA)

1-800-424-9300 (CHEMTREC)

513-458-8100

905-319-1919

1-703-527-3887 (CHEMTREC)

**Supplier** 

Company name Milacron Canada Corp.

Address 1175 Appleby Line Road, Unit B-1

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

Emergency telephone

number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Eye irritation Category 2B

Environmental hazards Not classified.

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement Causes eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling.

**Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Material name: CIMTECH® 3100-VLZ

Version #: 01 Issue date: 07-18-2016

1 / 8

The classified hazards shown on this SDS are associated with the product concentrate. These hazards are not expected under recommended use conditions and dilution.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
TRIETHANOLAMINE		102-71-6	≤30
NEODECANOIC ACID		26896-20-8	≤10
NONANOIC (PELARGONIC) ACIE	)	112-05-0	≤5
Other components below reportab	le levels		≤80

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell. Under normal

conditions of intended use, this material is not expected to be an inhalation hazard.

Rinse with water. If skin irritation or rash occurs: Get medical advice/attention. Take off Skin contact

contaminated clothing and wash before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

redness, swelling, and blurred vision.

Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, keep head Ingestion

low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

#### 5. Fire-fighting measures

Suitable extinguishing media

Foam. Water fog. Dry powder. Carbon dioxide (CO2). Use extinguishing measures that are

appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting

equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

No unusual fire or explosion hazards noted. General fire hazards

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CIMTECH® 3100-VLZ SDS Canada 2/8

# Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

## 7. Handling and storage

#### Precautions for safe handling

To avoid thermal decomposition, do not overheat. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Store in original tightly closed container. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

#### **US. ACGIH Threshold Limit Values**

Туре	Value
TWA	5 mg/m3
al Health & Safety Code, Sc	hedule 1, Table 2)
Туре	Value
TWA	5 mg/m3
	ts for Chemical Substances, Occupational Health and
Туре	Value
TWA	5 mg/m3
2006, The Workplace Safety	And Health Act)
Туре	, Value
TWA	5 mg/m3
<b>Exposure to Biological or C</b>	hemical Agents)
Туре	Value
TWA	3.1 mg/m3
	0.5 ppm
f Labor - Regulation Respec	ting the Quality of the Work Environment)
Туре	Value
TWA	5 mg/m3
ological exposure limits noted	for the ingredient(s).
	TWA  nal Health & Safety Code, Sc Type  TWA  Occupational Exposure Limit ded)  Type  TWA  2006, The Workplace Safety Type  TWA  Exposure to Biological or C Type  TWA  f Labor - Regulation Respec Type  TWA

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

eyewash station. Eye wash fountain and emergency showers are recommended.

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

Appropriate engineering

controls

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye wash fountain is

recommended.

Skin protection

**Hand protection** Use protective gloves made of: Nitrile.

**Other** Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.

Odor CHEMICAL
Odor threshold Not available.

**pH** 7.7

Melting point/freezing point  $< 24 \,^{\circ}\text{F} (< -4.4 \,^{\circ}\text{C})$ Initial boiling point and boiling  $> 212 \,^{\circ}\text{F} (> 100 \,^{\circ}\text{C})$ 

range

Flash point Not Applicable

**Evaporation rate** Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

pH in aqueous solution 7.5 @ 5%

Specific gravity 1.055

#### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Heat, flames and sparks. Contact with incompatible materials.

**Incompatible materials** Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

## 11. Toxicological information

#### Information on likely routes of exposure

InhalationHealth injuries are not known or expected under normal use.Skin contactHealth injuries are not known or expected under normal use.

**Eye contact** Causes eye irritation.

**Ingestion** Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and

physical, chemical and toxicological

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, reduces, swelling, and blurred vision.

redness, swelling, and blurred vision.

#### Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components Species Test Results

NEODECANOIC ACID (CAS 26896-20-8)

<u>Acute</u>

characteristics

Dermal

Liquid

LD50 Rabbit > 3640 mg/kg

Inhalation

Vapor

LC50 Rat > 3 mg/l

Mist

LD50 Rat > 511 mg/m³

**Oral** *Liquid* 

LD50 Rat 2066 mg/kg

NONANOIC (PELARGONIC) ACID (CAS 112-05-0)

**Acute** 

Dermal

LD50 Rabbit > 5000 mg/kg

Liquid

LD50 Rat > 2000 mg/kg

Oral

LD50 Mouse 15000 mg/kg

Liquid

LD50 Rat > 2000 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

**Acute** 

**Dermal** 

Liquid

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Guinea pig 5300 mg/kg

 SDS Canada

Components **Species Test Results** 

Liquid

LD50 4190 mg/kg Rat

Skin corrosion/irritation Not classified.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> TRIETHANOLAMINE (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

TRIETHANOLAMINE (CAS 102-71-6) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not classified.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ Not classified.

toxicity - single exposure

Specific target organ

toxicity - repeated

exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Not classified.

The classification for health and environmental hazards is derived by a combination of calculation **Further information** 

methods and test data, if available.

#### 12. Ecological information

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

Components	Species	Test Results
NEODECANOIC ACID (CAS 26896-20-8)		

Aquatic

Acute

Crustacea EC50 Daphnia 50 - 1000 mg/l, 48 hours Fish LC50 Rainbow trout, donaldson trout 100 - 300 mg/l, 96 hours

(Oncorhynchus mykiss)

NONANOIC (PELARGONIC) ACID (CAS 112-05-0)

Aquatic

Acute

Crustacea EC50 Daphnia 96 mg/l, 48 hours Fish LC50 Rainbow trout, donaldson trout 91 mg/l, 96 hours

(Oncorhynchus mykiss)

TRIETHANOLAMINE (CAS 102-71-6)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 10610 - 13010 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Material name: CIMTECH® 3100-VLZ SDS Canada

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Partition coefficient n-octanol / water (log Kow)

NONANOIC (PELARGONIC) ACID 3.42
TRIETHANOLAMINE -1

**Mobility in soil** This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

**TDG** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

#### 15. Regulatory information

Canadian regulations

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Kyoto protocol** 

Not applicable.

**Montreal Protocol** 

Not applicable.

N | - 4 | - - - | | - - | - | - | - |

Not applicable.

## **International Inventories**

**Basel Convention** 

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes

Material name: CIMTECH® 3100-VLZ SDS Canada

7/8

On inventory or exempt (yes/no)\* Country(s) or region Inventory name China Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Europe No Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances No (PICCS)

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

#### 16. Other information

**Issue date** 07-18-2016

Version # 01

United States & Puerto Rico

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Yes

materials or in any process, unless specified in the text.

**Revision information** Product and Company Identification: Product Codes

Hazards Identification: US Hazard Categories Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Product Uses

HazReg Data: North America

GHS: Classification

Material name: CIMTECH® 3100-VLZ

Version #: 01 Issue date: 07-18-2016

8 / 8