SAFETY DATA SHEET



1. Identification

Product identifier CIMTECH® 310 with InSol™ Technology

METALWORKING FLUID

Other means of identification

SDS number Not applicable
Product code B00155

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

Emergency telephone

number

Emergency telephone

number (outside USA)

513-458-8100

905-319-1919

1-800-424-9300 (CHEMTREC)

1-703-527-3887 (CHEMTREC)

Supplier

Company name Milacron Canada Corp.

Address 1175 Appleby Line Road, Unit B-1

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

Emergency telephone

number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Eye irritation Category 2B

Environmental hazards Not classified.

Label elements

Hazard symbol None.

Signal word Warning

Hazard statement Causes eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Material name: CIMTECH® 310 with InSol™ Technology

Version #: 02 Revision date: 10-18-2016 Issue date: 07-18-2016

1 / 8

The classified hazards shown on this SDS are associated with the product concentrate. These hazards are not expected under recommended use conditions and dilution.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
TRIETHANOLAMINE		102-71-6	≤30
NEODECANOIC ACID		26896-20-8	≤10
SEBACIC ACID		111-20-6	≤7
MONOISOPROPANOLAMINE		78-96-6	≤3
Other components below reportable	le levels		≤75

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell. Under normal

conditions of intended use, this material is not expected to be an inhalation hazard.

Rinse with water. If skin irritation or rash occurs: Get medical advice/attention. Take off Skin contact

contaminated clothing and wash before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, keep head Ingestion

low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information** Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Suitable extinguishing media

Foam. Water fog. Dry powder. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CIMTECH® 310 with InSol™ Technology

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Alberta OELs (Occupation	ial Health & Safety Code, Sc	hedule 1, Table 2)
	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amen		ts for Chemical Substances, Occupational Health and
	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
,	2006. The Workplace Safety	And Health Act)
Canada. Manitoba OELs (Reg. 217/	2006, The Workplace Safety Type	And Health Act) Value
,	•	·
Canada. Manitoba OELs (Reg. 217/	Type TWA	Value 5 mg/m3
Canada. Manitoba OELs (Reg. 217/ TRIETHANOLAMINE (CAS 102-71-6)	Type TWA	Value 5 mg/m3
Canada. Manitoba OELs (Reg. 217/ TRIETHANOLAMINE (CAS 102-71-6)	Type TWA Exposure to Biological or C	Value 5 mg/m3 hemical Agents)
Canada. Manitoba OELs (Reg. 217/ TRIETHANOLAMINE (CAS 102-71-6) Canada. Ontario OELs. (Control of TRIETHANOLAMINE (CAS	Type TWA Exposure to Biological or C Type	Value 5 mg/m3 hemical Agents) Value
Canada. Manitoba OELs (Reg. 217/ TRIETHANOLAMINE (CAS 102-71-6) Canada. Ontario OELs. (Control of TRIETHANOLAMINE (CAS 102-71-6)	Type TWA Exposure to Biological or C Type TWA	Value 5 mg/m3 hemical Agents) Value 3.1 mg/m3
Canada. Manitoba OELs (Reg. 217/ TRIETHANOLAMINE (CAS 102-71-6) Canada. Ontario OELs. (Control of TRIETHANOLAMINE (CAS 102-71-6)	Type TWA Exposure to Biological or C Type TWA	Value 5 mg/m3 hemical Agents) Value 3.1 mg/m3 0.5 ppm
Canada. Manitoba OELs (Reg. 217/ TRIETHANOLAMINE (CAS 102-71-6) Canada. Ontario OELs. (Control of TRIETHANOLAMINE (CAS 102-71-6)	Type TWA Exposure to Biological or C Type TWA f Labor - Regulation Respec	Value 5 mg/m3 hemical Agents) Value 3.1 mg/m3 0.5 ppm ting the Quality of the Work Environment)

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

eyewash station. Eye wash fountain and emergency showers are recommended.

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

Material name: CIMTECH® 310 with InSol™ Technology

Appropriate engineering

controls

SDS Canada

Version #: 02 Revision date: 10-18-2016 Issue date: 07-18-2016

3 / 8

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye wash fountain is

recommended.

Skin protection

Hand protection Use protective gloves made of: Nitrile.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.
Odor Chemical

Odor threshold Not available.

pH 8.1

Melting point/freezing point $< 13 \,^{\circ}\text{F} (< -10.6 \,^{\circ}\text{C})$ Initial boiling point and boiling $> 212 \,^{\circ}\text{F} (> 100 \,^{\circ}\text{C})$

range

Flash point Not Applicable

Evaporation rate Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

pH in aqueous solution 7.8 @ 5%

Specific gravity 1.077

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

InhalationNot classified.Skin contactNot classified.

Eye contact Causes eye irritation.

Ingestion Not classified.

Symptoms related to the physical, chemical and

toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Not classified.

Components Species Test Results

MONOISOPROPANOLAMINE (CAS 78-96-6)

Acute Dermal

Liquid

LD50 Rabbit 1576 mg/kg

Inhalation

Mist

LC0 Rat 1005 mg/m³, 3 hours

Oral

Liquid

LD50 Rat 2813 mg/kg

NEODECANOIC ACID (CAS 26896-20-8)

<u>Acute</u>

Dermal

Liquid

LD50 Rabbit > 3640 mg/kg

Inhalation

Vapor

LC50 Rat > 3 mg/l

Mist

LD50 Rat > 511 mg/m³

Oral

Liquid

LD50 Rat 2066 mg/kg

SEBACIC ACID (CAS 111-20-6)

Acute

Dermal

Solid

LD50 Rabbit 1175 mg/kg

Oral

Solid

LC50 Rat > 4500 mg/l

Material name: CIMTECH® 310 with InSol™ Technology

Version #: 02 Revision date: 10-18-2016 Issue date: 07-18-2016

 Components
 Species
 Test Results

 LD50
 Rat
 2750 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Guinea pig 5300 mg/kg

Liquid

LD50 Rat 4190 mg/kg

Skin corrosion/irritation Not classified.

Erythema value 0.7000 Oedema value 0.0000

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

TRIETHANOLAMINE (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

TRIETHANOLAMINE (CAS 102-71-6) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not classified.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ

toxicity - repeated

exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not classified.

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

EcotoxicityContains a substance which causes risk of hazardous effects to the environment.

Components Species Test Results

MONOISOPROPANOLAMINE (CAS 78-96-6)

Aquatic

Fish LC50 Goldfish (Carassius auratus) 210 mg/l, 96 hours

Acute

Crustacea EC50 Daphnia 109 mg/l, 48 hours

NEODECANOIC ACID (CAS 26896-20-8)

Aquatic

Acute

Crustacea EC50 Daphnia 50 - 1000 mg/l, 48 hours

Material name: CIMTECH® 310 with InSol™ Technology

Version #: 02 Revision date: 10-18-2016 Issue date: 07-18-2016

^{*} Estimates for product may be based on additional component data not shown.

Components		Species	Test Results
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	100 - 300 mg/l, 96 hours
SEBACIC ACID (CAS	111-20-6)		
Aquatic			
Acute			
Crustacea	EC50	Daphnia	85.7 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	97 mg/l, 96 hours
TRIETHANOLAMINE (CAS 102-71-6)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10610 - 13010 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

MONOISOPROPANOLAMINE -0.93
SEBACIC ACID 2.19
TRIETHANOLAMINE -1

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Material name: CIMTECH® 310 with InSol™ Technology

Version #: 02 Revision date: 10-18-2016 Issue date: 07-18-2016

7/8

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

16. Other information

Issue date 07-18-2016 10-18-2016 **Revision date**

Version # 02

United States & Puerto Rico

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

On inventory or exempt (yes/no)*

Yes

materials or in any process, unless specified in the text.

Product and Company Identification: Alternate Trade Names **Revision information**

Inventory name

Hazard(s) identification: Supplemental information Physical & Chemical Properties: Multiple Properties

Physical and chemical properties: Odor

Toxicological Information: Toxicological Property Data

Toxicological information: Acute toxicity Toxicological information: Corrosivity Toxicological information: Ingestion Toxicological information: Inhalation Toxicological information: Skin contact

SDS Canada Version #: 02 Revision date: 10-18-2016 Issue date: 07-18-2016 8/8