# HALLIBURTON

# **MATERIAL SAFETY DATA SHEET**

Product Trade Name: CL-21 CROSSLINKER

**Revision Date:** 

02-Jan-2013

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: Synonyms: Chemical Family: Application:	CL-21 CROSSLINKER None Blend Crosslinker
Manufacturer/Supplier	Halliburton Energy Services P.O. Box 1431 Duncan, Oklahoma 73536-0431 Emergency Telephone: (281) 575-5000
Prepared By	Chemical Compliance Telephone: 1-580-251-4335 e-mail: fdunexchem@halliburton.com

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Alkanolamine chelate of		30 - 60%	5 mg/m³	5 mg/m³
zirconium				
Propanol	71-23-8	30 - 60%	100 ppm	200 ppm

#### 3. HAZARDS IDENTIFICATION

**Hazard Overview** May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and other central nervous system effects. May be harmful if swallowed. May be absorbed through the skin. Repeated overexposure may cause liver and kidney effects. Flammable.

#### 4. FIRST AID MEASURES

Inhalation	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
Skin	Wash with soap and water. Get medical attention if irritation persists.
Eyes	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
Ingestion	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.
Notes to Physician	Not Applicable

# 5. FIRE FIGHTING MEASURES

Flash Point/Range (F): Flash Point/Range (C): Flash Point Method: Autoignition Temperature (F): Autoignition Temperature (C): Flammability Limits in Air - Lowe Flammability Limits in Air - Uppe		72 22 Not Determined Not Determined Not Determined Not Determined
Fire Extinguishing Media	Carbon Dioxide, Dry C	hemicals, Foam.
Special Exposure Hazards	May be ignited by heat, sparks or flames. Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce toxic gases.	
Special Protective Equipment fo Fire-Fighters	<ul> <li>Full protective clothing fire fighting personnel.</li> </ul>	and approved self-contained breathing apparatus required for
NFPA Ratings: HMIS Ratings:	Health 1, Flammability Health 1, Flammability	

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measure	s Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas.
Environmental Precautionary Measures	Prevent from entering sewers, waterways, or low areas.
Procedure for Cleaning / Absorption	Isolate spill and stop leak where safe. Remove ignition sources and work with non- sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

|--|

Handling Precautions	Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another.
Storage Information	Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls	Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.
Respiratory Protection	Organic vapor respirator.
Hand Protection	Impervious rubber gloves.
Skin Protection	Rubber apron.
Eye Protection	Chemical goggles; also wear a face shield if splashing hazard exists.
Other Precautions	Eyewash fountains and safety showers must be easily accessible.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Color: Odor: pH: Specific Gravity @ 20 C (Water=1): Density @ 20 C (Ibs./gallon): Bulk Density @ 20 C (Ibs/ft3): Boiling Point/Range (F): Boiling Point/Range (C): Freezing Point/Range (C): Freezing Point/Range (C): Vapor Pressure @ 20 C (mmHg): Vapor Density (Air=1): Percent Volatiles: Evaporation Rate (Butyl Acetate=1): Solubility in Water (g/100ml): Solubility in Solvents (g/100ml): VOCs (Ibs./gallon): Viscosity, Dynamic @ 20 C (centipoise): Viscosity, Kinematic @ 20 C (centistokes):	Liquid Clear light yellow Alcohol 9 1.06 8.83 Not Determined Not Determined Not Determined Not Determined Not Determined Not Determined 48 Not Determined Miscible Not Determined Not Determined Not Determined Not Determined Not Determined Not Determined
Viscosity, Kinematic @ 20 C (centistokes): Partition Coefficient/n-Octanol/Water: Molecular Weight (g/mole):	Not Determined Not Determined Not Determined

### 10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	Keep away from any contact with water.
Incompatibility (Materials to Avoid)	Strong oxidizers.
Hazardous Decomposition Products	Olefins. Flammable hydrocarbons. Carbon monoxide and carbon dioxide.
Additional Guidelines	Not Applicable

# 11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Eye or skin contact, inhalation.
Inhalation	May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.
Skin Contact	May cause skin irritation. May be absorbed through the skin and produce effects similar to those caused by inhalation and/or ingestion.
Eye Contact	May cause severe eye irritation.
Ingestion	Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea, and diarrhea. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

Aggravated Medical Conditions	Lung disorders.	
Chronic Effects/Carcinogenicity	Repeated overexposure may cause liver and kidney effects.	
Other Information	None known.	
Toxicity Tests		
Oral Toxicity:	LD50: > 11,000 mg/kg (Rat)	
Dermal Toxicity:	Not determined	
Inhalation Toxicity:	Not determined	
Primary Irritation Effect:	Not determined	
Carcinogenicity	Not determined	
Genotoxicity:	Not determined	
Reproductive / Developmental Toxicity:	Not determined	
12. ECOLOGICAL INFORMATION		
Mobility (Water/Soil/Air)	Not determined	

wobinty (water/Son/All)	Not determined
Persistence/Degradability	Not determined

# Bio-accumulation

#### **Ecotoxicological Information**

Acute Fish Toxicity:	TLM96: 388 mg/l (Pimephales promelas)	
Acute Crustaceans Toxicity:Not determined		
Acute Algae Toxicity:	Not determined	
Chemical Fate Information	Not determined	
Other Information	Not applicable	

Not determined

#### 13. DISPOSAL CONSIDERATIONS

Disposal Method	Disposal should be made in accordance with federal, state, and local regulations.
Contaminated Packaging	Follow all applicable national or local regulations.

#### 14. TRANSPORT INFORMATION

#### Land Transportation

#### DOT

UN1274,n-Propanol Solution, 3, II, (22 C) NAERG 129

Canadian TDG n-Propanol Solution, 3, UN1274, II, (22 C)

#### ADR

UN1274,n-Propanol Solution, 3, II

#### **Air Transportation**

#### ICAO/IATA

UN1274,n-Propanol Solution, 3, II

#### Sea Transportation

#### IMDG

UN1274,n-Propanol Solution, 3, II, (22 C) EmS F-E, S-D

#### **Other Transportation Information**

Labels:

Flammable Liquid

### 15. REGULATORY INFORMATION

#### **US Regulations**

US TSCA Inventory	All components listed on inventory or are exempt.
EPA SARA Title III Extremely Hazardous Substances	Not applicable
EPA SARA (311,312) Hazard Class	Acute Health Hazard Chronic Health Hazard Fire Hazard
EPA SARA (313) Chemicals	This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).
EPA CERCLA/Superfund Reportable Spill Quantity	Not applicable.
EPA RCRA Hazardous Waste Classification	If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:
	Ignitability D001
California Proposition 65	All components listed do not apply to the California Proposition 65 Regulation.
MA Right-to-Know Law	One or more components listed.
NJ Right-to-Know Law	One or more components listed.
PA Right-to-Know Law	One or more components listed.
Canadian Regulations	
Canadian DSL Inventory	All components listed on inventory or are exempt.

# 16. OTHER INFORMATION

# The following sections have been revised since the last issue of this MSDS Not applicable

Additional Information	For additional information on the use of this product, contact your local Halliburton representative.	
	For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.	
Disclaimer Statement	This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.	
***END OF MSDS***		

CL-21 CROSSLINKER Page 6 of 6