MATERIAL SAFETY DATA SHEET



Issuing Date: 27-Nov-2013 Revision Date: 27-Nov-2013 Version 1

1. Product and Company Information

Product ID: 96629471_NA

Product name Clairol Professional Flare Permanent Cream (CRÈME PERMANENTE) Lightest Golden

Blonde

Product Type Finished Product - Professional Use Only

Recommended Use Personal Beauty Care Product

Synonyms No information available

Manufacturer The Procter & Gamble Company

Sharon Woods Innovation Center 11510 Reed Hartman Highway

Cincinnati OH 45202

E-mail address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887

Mexico toll free in country: 01-800-681-9531

2. Hazards Identification

EMERGENCY OVERVIEW

Risk of serious damage to eyes Irritating to respiratory system and skin

OSHA Regulatory Status Consumer Products as defined by the U.S. Consumer Product Safety Act which are used

as intended (typical consumer duration and frequency) are exempt from the OSHA Hazard Communication Standard. When used in a professional setting (at a much higher frequency and duration than a typical consumer) this material would be considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910.1200).

WHMIS Not subject to WHMIS classification.

Principle Routes of Exposure Eye Contact. Skin Contact. Inhalation.

General Hazards

This is a personal care or cosmetic product that is safe for consumers and other users

under normal and reasonably foreseeable use

3. Composition/information on Ingredients

Chemical name	CAS-No	Weight %
Poly(oxy-1,2-ethanediyl), alpha-(9Z)-9-octadecen-1-yl-omega-hydroxy-	9004-98-2	5 - 10
Ammonia solution	1336-21-6	3 - 7
Alcohols, C12-15, ethoxylated	68131-39-5	1 - 5
Isopropanol	67-63-0	1 - 5
Quaternary ammonium compounds, trimethylsoya alkyl, chlorides	61790-41-8	1 - 5
2-Aminoethanol	141-43-5	1 - 5

4. First aid measures

General advice When symptoms persist or in all cases of doubt seek medical advice.

Eye Contact Hair colorants can cause severe allergic reactions. Rinse immediately with plenty of water,

also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the

Revision Date: 27-Nov-2013

first 5 minutes, then continue rinsing. Consult a physician. Get medical attention

immediately if symptoms occur.

Skin Contact Hair colorants can cause severe allergic reactions. If skin problems occur, discontinue use.

Wash off immediately with soap and plenty of water. Remove and wash contaminated

clothing before re-use. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of water. Do NOT induce vomiting. If

symptoms persist, call a physician.

Inhalation Move to fresh air. Get medical attention if irritation persists.

Protection of First-aidersUse personal protective equipment.

Most important symptoms/effects,

acute and delayed

None known.

Notes to Physician Treat symptomatically.

5. Fire-fighting measures

Flash Point > 95 °C / > 203 °F

Suitable extinguishing media Dry chemical, CO₂, water spray or alcohol-resistant foam.

Extinguishing media which shall not No information available.

be used for safety reasons

Special Hazard None known based on information supplied.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions Avoid contact with skin, eyes and inhalation of vapors.

Advice for emergency responders Use personal protective equipment.

Environmental Precautions Household: Do not discharge product into natural waters without pre-treatment or

adequate dilution. Non-household: Should not be released into the environment.

Revision Date: 27-Nov-2013

Methods for containment Non-household: Prevent further leakage or spillage if safe to do so. Prevent product from

entering drains.

Methods for cleaning up Non-household: Contain spillage, and then collect with non-combustible absorbent

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for

disposal according to local / national regulations (see section 13).

7. Handling and Storage

Advice on safe handling Keep out of the reach of children. Observe label precautions.

Technical measures/Storage conditions

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place.

8. Exposure Controls/Personal Protection

Exposure guidelines

Chemical name	C	CAS-No	ACGIH T	LV	OS	HA PEL		Mexico OEL
Isopropanol	6	67-63-0	STEL: 400 TWA: 200	ppm	(vacated) (vacated) (vacated)	ppm TWA: 980 mg/m³ TWA: 400 ppm rWA: 980 mg/m³ STEL: 500 ppm TEL: 1225 mg/m³	Me: Me Mex	exico: TWA 400 ppm kico: TWA 980 mg/m³ exico: STEL 500 ppm ico: STEL 1225 mg/m³
2-Aminoethano	1	41-43-5	STEL: 6 p TWA: 3 p	•	(vacated) (vacated) (vacated	m TWA: 6 mg/m³ l) TWA: 3 ppm TWA: 8 mg/m³) STEL: 6 ppm STEL: 15 mg/m³	M	co: TWA 3 ppm Mexico: TWA 8 mg/m³ lexico: STEL 6 ppm xico: STEL 15 mg/m³
Chemical name	CAS-No		Alberta	Que	ebec	Ontario TWA	ΕV	British Columbia
Isopropanol	67-63-0			985 n STEL: 500	ppm TWA: ng/m³ ppm STEL: mg/m³	TWA: 200 ppi STEL: 400 pp		TWA: 200 ppm STEL: 400 ppm
2-Aminoethanol	141-43-5	TV	TWA: 3 ppm WA: 7.5 mg/m³ STEL: 6 ppm FEL: 15 mg/m³	mg STEL: 6 p	m TWA: 7.5 /m³ pm STEL: ng/m³	TWA: 3 ppm STEL: 6 ppm		TWA: 3 ppm STEL: 6 ppm

Engineering Measures Not applicable.

Personal protective equipment

Eye protection Safety glasses with side-shields. If splashes are likely to occur, wear:. Tightly fitting safety

goggles.

Hand protection Rubber/latex/neoprene or other suitable chemical resistant gloves.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory protection Use only with adequate ventilation.

Thermal hazards Not applicable.

Handle in accordance with good industrial hygiene and safety practice. Use personal **Hygiene measures**

protective equipment as required.

See section 6 for more information. **Environmental exposure controls**

9. Physical and Chemical Properties

Physical State @20°C

Appearance yellow. red. gel. Odor characteristic

Property Values NOTE

pH VALUE 9.0 - 11.0Melting/freezing point

No information available Boiling point/boiling range No information available Flash Point > 95 °C / > 203 °F **Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limits in Air

Upper Flammability Limit No information available lower flammability limit No information available **Vapor Pressure** No information available **Vapor Density** No information available **Relative Density** No information available **Water Solubility** No information available Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available No information available **Autoignition Temperature** decomposition temperature No information available

Viscosity of Product No information available **Bulk density** No information available

Chemical name	Partition Coefficient (n-octanol/water)		
Ammonia solution	13.8		
Isopropanol	0.05		
2-Aminoethanol	-2.3 (OECD 107, shake-flask method, pH 6.8 7.3 and 25 C)		

VOC content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

Oxidizing properties No information available

10. Stability and Reactivity

Reactivity None under normal use conditions.

stability Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to avoid None under normal processing.

Materials to avoid None in particular.

Hazardous decomposition products None under normal use.

11. Toxicological Information

Product Information

Acute Toxicity Risk of serious damage to eyes. Irritating to respiratory system and skin.

Principle Routes of Exposure Eye Contact. Skin Contact. Inhalation.

Inhalation Irritating to respiratory system.

Skin Contact Irritating to skin.

Ingestion No known effect based on information supplied.

Eye Contact Risk of serious damage to eyes.

Chemical name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonia solution	1336-21-6	350 mg/kg (Rat)	-	•
Isopropanol	67-63-0	5840 mg/kg bw (Similar to OECD 401; standard acute method; rat)	13120 mg/kg bw (Similar to OECD 402; standard acute method; rabbit)	> 24.578732 mg/L air (Similar to OECD 403; standard acute method; rat; 6 h)
2-Aminoethanol	141-43-5	1089 mg/kg bw (OECD 401, rat)	1000 mg/kg (rabbit)	-

Chronic toxicity

Corrosivity No known effect.

Sensitization May cause sensitization of susceptible persons.

Neurological effects No known effect.

Reproductive Toxicity The product contains no substances known to be hazardous to health in concentrations

which need to be taken into account.

Germ Cell Mutagenicity There are no known mutagenic chemicals in this product.

Developmental toxicityNo known effect. **Teratogenicity**No known effect.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

12. Ecological Information

Ecotoxicity

Acute Toxicity

Chemical name	CAS-No	Toxicity to algae	Toxicity to fish	Toxicity to Microorganisms	Toxicity to daphnia and other aquatic invertebrates	Toxicity to other organisms
Ammonia solution	1336-21-6	-	0.89 mg/L (Freshwater; no other test conditions indicated)	-	0.101 mg/L (Daphnia magna; no other test conditions indicated)	-
Isopropanol	67-63-0	melanotus; static)	9640 mg/L (Similar to OECD 203 and U.S. Environmental Protection Agency Committee on Methods for Toxicity Tests with Aquatic Organisms (1975); Pimephales promelas; flow-through; freshwater)	putida; static; freshwater; 16 h)	(Similar to OECD	3.2 % (Guideline not indicated; Drosophila melanogaster; 1 d)
2-Aminoethanol	141-43-5	Guideline 201, Selenastrum	349 mg/L (Guideline: Directive 92/69/EEC, C.1., semi-static, Cyprinus carpio)		65 mg/L (EU Method C.2, Daphnia magna, static)	-

Chronic toxicity

Chemical name	CAS-No	Toxicity to algae	Toxicity to fish	Toxicity to Microorganisms	Toxicity to daphnia and other aquatic invertebrates	Toxicity to other organisms
Isopropanol	67-63-0				140.9 mg/L (Daphnia magna; freshwater; 16 d)	
2-Aminoethanol	141-43-5		1.2 mg/L (OECD 210, Oryzias latipes)			

Persistence and degradability

Chemical name	Ready Test Results	Persistence and degradability
Isopropanol	53 % (Similar to EU Method C.5 and EU Method C.6; aerobic; sewage, domestic (adaptation not specified); O2 consumption; 5 d)	
2-Aminoethanol	DOC removal: >90% (OECD 301 A)	O2 consumption: 83% (OECD 301 C)

Bioaccumulative potential

No information available.

Mobility

Chemical name	KOC Values
2-Aminoethanol	1.167 (Calculated value)

Other adverse effects

No information available

13. Disposal Considerations

Waste from Residues / Unused

Products

Household: Do not discharge product into natural waters without pre-treatment or adequate dilution. **Non-household:** Should not be released into the environment. Dispose

Revision Date: 27-Nov-2013

of in accordance with local regulations.

Contaminated packaging Dispose of in accordance with local regulations.

California Hazardous Waste Codes 331

(non-household setting)

14. Transport Information

DOT Not regulated

Special Provisions (If shipped in NON BULK packaging by ground transport)

TDG

UN/ID no UN3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class 9
Packing group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Ammonia, Alcohols, C12-15,

ethoxylated), 9, III, MARINE POLLUTANT, Ltd. Qty.

MEX

UN/ID no UN3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class 9
Packing group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Ammonia, Alcohols, C12-15,

ethoxylated), 9, III, MARINE POLLUTANT, Ltd. Qty.

IATA

UN3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class 9
Packing group III
ERG Code 9L

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Ammonia, Alcohols, C12-15,

ethoxylated), 9, III, Ltd. Qty.

IATA comment Can also be shipped as ID8000 Consumer Commodity

<u>ICAO</u>

UN/ID no UN3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class 9
Packing group II

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Ammonia, Alcohols, C12-15,

ethoxylated), 9, III, Ltd. Qty.

ICAO Comment Can also be shipped as ID8000 Consumer Commodity

IMDG

UN/ID no UN3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

 Hazard Class
 9

 Packing group
 III

 EmS-No
 F-A, S-F

Description

UN3082, Environmentally hazardous substance, liquid, n.o.s. (Ammonia, Alcohols, C12-15, ethoxylated), 9, III, MARINE POLLUTANT, Ltd. Qty.

Revision Date: 27-Nov-2013

15. Regulatory information

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

	Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Γ	Ammonia solution	1336-21-6	5.15838	1.0
Γ	Isopropanol	67-63-0	3.5	1.0

SARA 311/312 Hazard Categories

Acute health hazard	yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ammonia solution	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg
			final RQ

Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonia solution	1000 lb	-	-	X

Chemical name	New Jersey
Propylene glycol	X
Ammonia solution	X
Isopropanol	X
2-Aminoethanol	X

Chemical name	Massachusetts
Ammonia solution	X
Isopropanol	X
2-Aminoethanol	X

Chemical name	Pennsylvania
9-Octadecenoic acid (9Z)-	X

Propylene glycol	X
Ammonia solution	X
Isopropanol	X
2-Aminoethanol	X

Chemical name	Rhode Island
Ammonia solution	X

California Proposition 65

This product is not subject to warning labeling under California Proposition 65

International Regulations

CANADA

WHMIS Hazard Class

Not subject to WHMIS classification

WHMIS Statement

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. This product is regulated by the Food and Drug Administration of Health Canada and is therefore exempt from the requirements of CEPA.

International Inventories

TSCA Product is a personal care product and regulated under FDA

CEPA P&G Canadian Regulatory reviewed finished products to ensure CEPA Compliance

Perfumes contained with the products comply with appropriate IFRA guidance.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CEPA - Canadian Environmental Protection Act

16. Other information

 Issuing Date:
 27-Nov-2013

 Revision Date:
 27-Nov-2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of MSDS