

Product name:	CLAROCIT LIQUID	Page:	1/9
Revision Date:	2013-11-19	Print date:	2013-11-19
Document No.:	M0159	SDS-ID:	US-EN/8.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: CLAROCIT LIQUID
Cat. No. 40200073, 40200072

Container size: 500 ml, 1 l

Relevant identified uses of the substance or mixture and uses advised against

Application: For embedding of materialographic specimens

Details of the supplier of the safety data sheet

Supplier: Struers A/S
Pederstrupvej 84
DK-2750 Ballerup
Tel:+45 44 600 800

Responsible for material safety data sheet authoring: Responsible for material safety data sheet authoring: DHI
Any questions to the contents of this material safety data sheet should be sent to:
Lisbeth.Mygind@struers.dk

Emergency telephone number

Emergency telephone: Infotrac:
1-800-535-5053
Struers US:
1-440-871-0071

SAFETY DATA SHEET

Product name: CLAROCIT LIQUID Page: 2/9
Revision Date: 2013-11-19 Print date: 2013-11-19
Document No.: M0159 SDS-ID: US-EN/8.0

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

The product is classified:

67/548/EEC: F;R11 R43 Xi;R37/38

GHS: Flam. Liq. 2;H225 - STOT SE 3;H335 - Skin Irrit. 2;H315 - Skin Sens. 1;H317

Physical and Chemical Hazards: The product is highly flammable, and explosive vapors/air mixtures may be formed even at normal room temperatures.

Human health: May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction. Vapors from organic solvents may be absorbed through the lungs and cause permanent damage to the nervous system, including the brain. The product contains components which may penetrate skin.

Environment: The product is not expected to be hazardous to the environment.

Label elements



Danger

Contains: Methyl 2-methylprop-2-enoate

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280h Wear protective clothing and gloves.

P302/352 IF ON SKIN: Wash with plenty of soap and water.

P333/313 If skin irritation or rash occurs: Get medical advice/attention.

NFPA Rating: Health:2 Fire:3 Reactivity:0 Other:-

Other hazards

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

The product contains: organic solvents and binders .

SAFETY DATA SHEET

Product name: CLAROCIT LIQUID Page: 3/9
Revision Date: 2013-11-19 Print date: 2013-11-19
Document No.: M0159 SDS-ID: US-EN/8.0

67/548/EEC:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
60-100	80-62-6	201-297-1	-	Methyl 2-methylprop-2-enoate	F;R11 R43 Xi;R37/38	D
1-5	67-64-1	200-662-2	-	Acetone	F;R11 Xi;R36 R66 R67	
1-5	2082-81-7	218-218-1	-	Tetramethylene dimethacrylate	Xi;R36/37/38	

GHS:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
60-100	80-62-6	201-297-1	-	Methyl 2-methylprop-2-enoate	Flam. Liq. 2;H225 STOT SE 3;H335 Skin Irrit. 2;H315 Skin Sens. 1;H317	D
1-5	67-64-1	200-662-2	-	Acetone	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336 EUH066	
1-5	2082-81-7	218-218-1	-	Tetramethylene dimethacrylate	Eye Irrit. 2;H319 Skin Irrit. 2;H315 STOT SE 3;H335	

References: The full text for all R-phrases and hazard statements are displayed in section 16.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	4/9
Revision Date:	2013-11-19	Print date:	2013-11-19
Document No.:	M0159	SDS-ID:	US-EN/8.0

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Special hazards arising from the substance or mixture

Specific hazards: During fire, health hazardous gases may be formed.

Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not smoke or use open fire, or other sources of ignition. Avoid inhalation of vapors and contact with skin and eyes. In case of inadequate ventilation: Use air-supplied respirator.

Environmental precautions

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

Methods and material for containment and cleaning up

Spill Cleanup Methods: Remove sources of ignition. Dam and absorb spillages with sand, earth or other non-combustible material.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Safe handling advice: Do not smoke or use open fire or other sources of ignition. Avoid inhalation of vapors and contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Work practice should minimize contact.

Technical precautions: Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in tightly closed original container in a well-ventilated place.

Specific end use(s)

Specific use(s): Not relevant.

SAFETY DATA SHEET

Product name: CLAROCIT LIQUID Page: 5/9
Revision Date: 2013-11-19 Print date: 2013-11-19
Document No.: M0159 SDS-ID: US-EN/8.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>	<u>Type:</u>	<u>Notes:</u>	<u>References:</u>	
80-62-6	Methyl methacrylate	-	50 ppm	TWA	SEN; A4	ACGIH	
		-	100 ppm	STEL	SEN; A4; 15min		
67-64-1	Acetone	-	500 ppm	TWA	A4	ACGIH	
		-	750 ppm	STEL	A4; 15min		
80-62-6	Methyl methacrylate	-	100 ppm	410 mg/m3	TWA	-	OSHA
67-64-1	Acetone	-	1000 ppm	2400 mg/m3	TWA	-	OSHA

Notes:

SEN: Sensitizer.

A4: Not Classifiable as a Human Carcinogen.

Exposure controls

Engineering measures:

Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors. Provide easy access to water supply and eye wash facilities.

Personal protection:

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Hand protection:

Wear protective gloves. Lamine (PE/EVOH) gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection:

Wear goggles/face shield.

Skin protection:

Risk of contact: Wear apron or protective clothing in case of splashes.

Hygiene measures:

Remove contaminated clothing and wash the skin thoroughly with soap and water after work. When using do not eat, drink or smoke.

Environmental Exposure Controls:

Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

<u>Appearance:</u>	liquid
<u>Odor:</u>	characteristic
<u>Flash point:</u>	10 °C
<u>Explosion limits:</u>	2,1-12,5 vol%
<u>Relative density:</u>	0,95
<u>Solubility:</u>	Miscible with water.

Other information

Other data: VOC (Volatile Organic Substances): 691 g/l (calculated)

SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	6/9
Revision Date:	2013-11-19	Print date:	2013-11-19
Document No.:	M0159	SDS-ID:	US-EN/8.0

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Reactivity: None known.

Chemical stability

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: Avoid exposure to high temperatures or direct sunlight. Avoid contact with oxidizing agents.

Incompatible materials

Incompatible materials: None known.

Hazardous decomposition products

Hazardous decomposition products: None in particular.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhalation: May cause respiratory irritation. Vapors may cause headache, fatigue, dizziness and nausea.

Skin contact: Causes skin irritation. May cause an allergic skin reaction. Contains components which may penetrate the skin.

Eye contact: May irritate and cause redness and pain.

Ingestion: Irritating. May be absorbed in the body and cause dizziness, nausea and vomiting.

Specific effects: Frequent inhalation of even small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain. May cause sensitization.

Carcinogenicity:
National Toxicology Program (NTP): No.
IARC Cancer Review: Group 3 for Methyl methacrylate.
OSHA: No.

SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	7/9
Revision Date:	2013-11-19	Print date:	2013-11-19
Document No.:	M0159	SDS-ID:	US-EN/8.0

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity: The product is not expected to be hazardous to the environment.

Persistence and degradability

Degradability: The degradability of the product has not been stated.

Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 16 05 08

SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	8/9
Revision Date:	2013-11-19	Print date:	2013-11-19
Document No.:	M0159	SDS-ID:	US-EN/8.0

SECTION 14: TRANSPORT INFORMATION

UN number

UN-No: 1866

UN proper shipping name

Proper Shipping Name: RESIN SOLUTION, flammable (Methyl methacrylate)

Additional IMDG information:

EmS: F-E, S-E

MFAG: 1

Transport hazard class(es)

Class: 3

Packing group

PG: II

Environmental hazards

Marine pollutant: No.

Environmentally Hazardous substance: No.

Special precautions for user

Special precautions: None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: TSCA: Listed.

As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation:

Europe/USA:

This Material Safety Data Sheet has been prepared according to the EU-regulation.

Threshold Limit Values (2013), ACGIH, by the American Conference on Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and Health Standards, Air contaminants (OSHA), with amendments.

International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health Organization.

Chemical Safety Assessment

CSA status: Not relevant.

SAFETY DATA SHEET

Product name:	CLAROCIT LIQUID	Page:	9/9
Revision Date:	2013-11-19	Print date:	2013-11-19
Document No.:	M0159	SDS-ID:	US-EN/8.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: -
The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:
Calculation method.

Wording of H-statements:

R11	Highly flammable.
R36	Irritating to eyes.
R36/37/38	Irritating to eyes, respiratory system and skin.
R37/38	Irritating to respiratory system and skin.
R43	May cause sensitisation by skin contact.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapors may cause drowsiness and dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.
