

SHEET 0067300

[Print](#)

[Go Back](#)

[All SDS](#)

SECTION 1: IDENTIFICATION | |1.1. Product Identifier

Product Form:

Product Name: 6730 CONTACT CLEANER

CAS No:

Synonyms: None

1.2. Intended Use of the Product

Use of the substance/mixture: Contact Cleaner.

1.3. Name, Address, and Telephone of the Responsible Party Company

American Jetway Corporation

Manufactured For:

34136 Myrtle Street

Imperial Supplies LLC

Wayne, MI 48184-0126

789 Armed Forces Drive

[Leave a message](#)



Phone

P.O. Box 11008

Green Bay, WI 54304

1.4. Emergency Telephone Number

Emergency | Chemtrec 1-800-262-8200 ID 1195, 734-721-5930

number |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Skin | Category 2

corrosion/irri|

tation |

Serious eye | Category 2

damage/eye |

irritation |

Reproductive | Category 2

Toxicity |

Specific | Category 3

target organ |

toxicity |

(single |

exposure) |

Specific | Category 2

target organ |

toxicity |

(repeated |

exposure) |

Aspiration | Category 1
 toxicity |
 Flammable | Category 1
 aerosols |
 Gases under | Compressed Gas
 pressure |

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US) | Exclamation Mark | Health Hazard | Flame | Gas
 Cylinder

Signal Word (GHS-US) | DANGER

Hazard Statements (GHS-US) | Hazard Statements

| Causes skin irritation

| Causes serious eye irritation

| Suspected of damaging fertility or the unborn

child

| May cause drowsiness or dizziness

| May cause damage to organs (respiratory system,

Central nervous system, and Lungs), through

prolonged or repeated exposure.

| May be fatal if swallowed and enters airways

| Extremely flammable aerosol

| Contains gas under pressure; may explode if heated

Precautionary Statements | Obtain special instructions before use

(GHS-US)
been

|Do not handle until all safety precautions have
|read and understood

|Use personal protective equipment as required

|Wash face, hands and any exposed skin thoroughly
|after handling

|Wear eye/face protection

|Do not breathe dust/fume/gas/mist/vapors/spray

|Use only outdoors or in a well-ventilated area

|Keep away from heat/sparks/open flames/hot

surfaces.

| - No smoking

|Do not spray on an open flame or other ignition

|source

|Pressurized container: Do not pierce or burn, even

|after use

|

|Precautionary Statements - Response

|If exposed or concerned: Get medical

|advice/attention

|IF IN EYES: Rinse cautiously with water for

several

|minutes. Remove contact lenses, if present and

easy

|to do. Continue rinsing

|If eye irritation persists: Get medical

|advice/attention

|IF ON SKIN: Wash with plenty of soap and water

|If skin irritation occurs: Get medical

|advice/attention

|Take off contaminated clothing and wash before

reuse

|

|IF INHALED: Remove victim to fresh air and keep at

|rest in a position comfortable for breathing

|IF SWALLOWED: Immediately call a POISON CENTER or

|doctor/physician

|Do NOT induce vomiting

|

|Precautionary Statements - Storage

|Store locked up

|Store in a well-ventilated place. Keep container

|tightly closed

temperatures |Protect from sunlight. Do not expose to
 |exceeding 50 °C/122 °F
 |
 |Precautionary Statements - Disposal
 |Dispose of contents/container to an approved waste
 |disposal plant
 |

2.3. Other Hazards

Other Hazards Not Contributing to the Classification: None

2,2-DIMETHYLBUTANE 2.4. Unknown Acute Toxicity (GHS-US)

Toxic to aquatic life with long lasting effects

32.95271% of the mixture consists of ingredient(s) of unknown toxicity

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Name	Product identifier	%	Classification
			(GHS-US)
1,1-DIFLUOROETHANE	75-37-6	30-40	

ISOHEXANE	107-83-5	20-30	
ACETONE	67-64-1	10-20	
3-METHYLPENTANE	96-14-0	1-10	
2,3-DIMETHYLBUTANE	79-29-8	1-10	
2,2-DIMETHYLBUTANE	75-83-2	1-10	
HEXANE	110-54-3	1-10	
COMMERCIAL HEXANES	64742-49-0		

Full text of H-phrases: See Section 16

3.2. Mixture

Name	Product identifier	%	Classification
			(GHS-US)

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Avoid contact with skin, eyes, and clothing. Avoid

breathing, vapors, mist, or gas.

First-aid Measures After Inhalation: Move to fresh air. If not breathing, give

artificial respiration. If breathing has stopped, contact emergency medical

services immediately.

First-aid Measures After Skin Contact: Wash off immediately with plenty of water.

Remove and wash contaminated clothing before re-use. Get medical attention

immediately if symptoms occur.

First-aid Measures After Eye Contact: Rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes.

First-aid Measures After Ingestion: Do NOT induce vomiting. Call a physician

immediately. Never give anything by mouth to an

unconscious person. Risk of product entering the lungs on vomiting after

ingestion.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries:

Symptoms/Injuries After Inhalation: Inhalation causing Central Nervous System

effects.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact:

Symptoms/Injuries After Ingestion: ingestion causing lung damage.

Chronic Symptoms:

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to physician: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: water fog. Dry chemical. Carbon dioxide (CO₂).

Cool

containers / tanks with water spray.

Unsuitable Extinguishing Media: Do not use a solid water stream as it may scatter and spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard:

Explosion Hazard: Sensitivity to Mechanical Impact: none.

Sensitivity to Static Discharge: Yes.

Reactivity: Flammable or extremely flammable aerosol. Container may burst in

fire.

5.3. Advice for Firefighters

Precautionary Measures Fire:

Firefighting Instructions:

Protection During Firefighting: As in any fire, wear self-contained breathing

apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

gear. Use shielding to protect fire-fighters from bursting containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use with adequate ventilation to keep the exposure levels below

the OELS.

6.1.1. For Non-emergency Personnel

Protective Equipment:

Emergency Procedures:

6.1.2. For Emergency Responders

Protective Equipment:

Emergency Procedures: Report spills as required by local and federal regulations.

6.2. Environmental Precautions

Report spills as required by local and federal regulations.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up: Contain liquid and collect with an inter,
non-combustible
material.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Avoid contact with eyes. Avoid breathing vapors

or mists. Contents under pressure. Do not puncture or incinerate cans. Do not

stick pin or any other sharp object into opening on top of can. Avoid skin

contact. Use with adequate ventilation. Keep container away from heat, flames,
and

all other sources of ignition. Keep can away from all sources of electricity
such

as electric motors and batteries. Do not spray on hot surfaces.

Hygiene Measures:

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage Conditions: Store away from strong oxidizers and acids.

Aerosol Level 2

7.3. Specific End Use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

8.2. Exposure Controls

Appropriate Engineering | Ventilation systems. Use adequate ventilation to

Controls | keep the exposure levels below the OELs.

Personal Protective Equipment |

Materials for Protective |

Clothing	
Hand Protection	
Eye Protection	Safety glasses with side-shields.
Skin and Body Protection	Chemical resistant apron. Protective gloves.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Thermal Hazard Protection	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	Aerosol
Appearance	Clear
Odor	Solvent
Odor Threshold	No information available

PH	No information available
Relative Evaporation Rate (butylacetate=1)	No information available
Melting Point	No information available
Freezing Point	No information available
Boiling Point	No information available
Flash Point	-50 °C / -58 °F Based on propellant
Auto-ignition Temperature	
Decomposition Temperature	
Flammability (solid, gas)	No information available
Vapor Pressure	No information available
Relative Vapor Density at 20 °C	
Relative Density	
Specific Gravity	0.768
Solubility	
Partition coefficient: n-octanol/water	
Viscosity	
Lower Flammable Limit	No information available

Upper Flammable Limit | No information available

9.2. Other Information

VOC Content(%) 44.18

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical Stability

Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions

None under normal processing.

10.4 Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5 Incompatible Materials

Store away from strong oxidizers and acids.

10.6 Hazardous Decomposition Products
Carbon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity:

Unknown Acute Toxicity 32.95271% of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 10656 mg/kg

ATEmix (dermal) 4262 mg/kg

ATEmix (inhalation-dust/mist) 529.2 mg/l

ATEmix (inhalation-vapor) 3621658 mg/l

Skin Corrosion/Irritation: Irritating to skin.

Serious Eye Damage/Irritation: Irritating to eyes.

Respiratory or Skin Sensitization:

Germ Cell Mutagenicity:

Carcinogenicity:

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): May cause drowsiness and dizziness.

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs through prolonged or repeated exposure. Central nervous system (CNS). Lungs. Respiratory system.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Symptoms/Injuries After Inhalation: Exposure to high vapour concentrations may cause nervous systems effects such as headache, nausea, and dizziness.

Symptoms/Injuries After Skin Contact: Irritating to skin. Prolonged skin contact may defat the skin and produce dermatitis.

Symptoms/Injuries After Eye Contact: May cause slight irritation.

Symptoms/Injuries After Ingestion: Not acutely toxic. Aspiration into the lungs during swallowing may cause serious lung damage whcih may be fatal.

Chronic Symptoms: Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and potential cardiac arrest. Prolonged skin contact may defat the skin and produce dermatitis.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.2. Persistence and Degradability

No information available

12.3. Bioaccumulative Potential

No information available.

12.4. Mobility in Soil

12.5. Other Adverse Effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: This material, as supplied, is a hazardous waste

according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state, and local regulations.

Additional Information: Contaminated packaging Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name | CONSUMER COMMODITY ORM-D

| or

| LIMITED QUANTITY

Hazard Class | <PICTOGRAM PHRASE>

Identification Number |

Label Codes |

ERG Number |

14.2 In Accordance with IMDG

Proper Shipping Name | AEROSOLS

Hazard Class | 2.1

Identification Number | UN1950

Label Codes | <PICTOGRAM PHRASE>

ntification Of The |

Substance/m |

EmS-No. (Fire) |

EmS-No. (Spillage) | |

14.3 In Accordance with IATA

Proper Shipping Name | AEROSOLS, FLAMMABLE

Identification Number | UN1950 | <PICTOGRAM PHRASE>

Hazard Class | 2.1 |

Label Codes | |

Notification Of The | |

Substance/m | |

ERG Code (IATA) | |

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

<COMPONENT>

SARA Section 311/312 Hazard Classes: | Acute Health Hazard Yes

| Chronic Health Hazard Yes

| Fire Hazard Yes

| Sudden Release of Pressure Hazard Yes

| Reactive Hazard no

Toxic Substances Control Act (TSCA) | 1,1-DIFLUOROETHANE Yes

ISOHEXANE	Yes
ACETONE	
3-METHYLPENTANE	Yes
2,3-DIMETHYLBUTANE	Yes
2,2-DIMETHYLBUTANE	Yes
HEXANE	Yes

15.2 US State Regulations

SARA 313: Section 313 of Title III of the Superfund Amendments and Reauthorization

Act of 1986 (SARA). This product contains a chemical or chemicals which are

subject to the reporting requirements of the Act and Title 40 of the Code of

Federal Regulations, Part 372:

HEXANE - 110-54-3 1-10%

Clean Water Act: This product does not contain any substances regulated as

pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA: This material, as supplied, does not contain any substances regulated as

hazardous substances under the Comprehensive Environmental Response Compensation

and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65: This product does not contain any known Proposition 65 chemicals.

New Jersey	Massachusetts	Pennsylvania
1,1-DIFLUOROETHANE	Yes	Yes

75-37-6

ISOHEXANE	Yes
-----------	-----

Yes	Yes
-----	-----

107-83-5

ACETONE	Yes
---------	-----

Yes	Yes
-----	-----

67-64-1

3-METHYLPENTANE

Yes	Yes
-----	-----

96-14-0

2,3-DIMETHYLBUTANE Yes Yes

Yes

79-29-8

2,2-DIMETHYLBUTANE Yes Yes

Yes

75-83-2

HEXANE Yes

Yes Yes

110-54-3

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date |20-Aug-2014

Other |This document has been prepared in accordance with the SDS

Information |requirements of the OSHA Hazard Communication Standard 29 CFR

|1910.1200.

GHS Full Text Phrases:

----| |
-- | |
----| |
-- | |
----| |
-- | |
----| |
-- | |
----| |
-- | |

Grainger disclaimer. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

The information contained in this was obtained from current and reliable sources, however, the data is provided without any warrenty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of Imperial Supplies LLC, Imperial will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this " shall be created or inferred by any

statement in this ". Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this ". The user is responsible for full compliance.

[Privacy Policy](#) | [Terms of Sale](#) | [Terms of Access](#) | [Help](#)