

*1

Safety Data Sheet

COPEGUS(R) F.C. Tablets (200 mg)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name COPEGUS(R) F.C. Tablets (200 mg)

Product code SAP-10058353

Synonyms - Virazole substance

> - Viramide substance *1

- Virazide substance

- COPEGUS F.C. Tablets 200 mg

- COPEGUS Film Coated Tablets 200 mg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use - pharmaceutical active substance (nucleoside analog) with antiviral

1.3. Details of the supplier of the safety data sheet

Company information **Enquiries:** Local representation:

Genentech, Inc. 1 DNA Way

South San Francisco USA-CA 94080

United States of America

Phone 001-(650) 225-1000 info.sds@roche.com E-Mail

US Chemtrec phone:

(800)-424-9300

1.4. Emergency telephone number

US Chemtrec phone: (800)-424-9300 Emergency telephone number

Ribavirin referring to:

Date: 4.9.15/LS (SEISMO) 5.2.15 Replacing edition of: Page: 1/8

SECTION 2: Hazards identification

Classification of the substance or mixture / Label elements

GHS Classification Health Hazards:

3.7 Reproductive toxicity (Category 1B)

H360Df May damage the unborn child. Suspected of

damaging fertility.

3.8 Specific target organ toxicity - Single exposure (Category 3)

H335 May cause respiratory irritation.

Signalword: Danger

Label:



Precautionary statements:

- P201 Obtain special instructions before use.

- P281 Use personal protective equipment as required.

- P309 + P311 IF exposed or you feel unwell: Call a POISON

CENTER or doctor/physician.

Other hazards

Note - women of childbearing potential have to avoid any overexposure

(limit values see chapter 8)

*1

*1

*1 referring to: Ribavirin

SECTION 3: Composition/information on ingredients

Characterization medicinal product as part of a combination regimen for the

treatment of chronic hepatitis C

Chemical name - 1-β-D-Ribofuranosyl-1,2,4-triazole-3-carboxamide

Ingredients Concentration GHS-Classification

(pure ingredient)

Ribavirin 54.95 % - Combustible dust (No category), USH003 - Serious eye damage/eye irritation (Category

OA) 11240

2A), H319

- Reproductive toxicity (Category 1B), H360Df

- Specific target organ toxicity - Single exposure

(Category 3), H335

Microcrystalline cellulose

9004-34-6

20.6 %

Corn starch

9005-25-8

15.1 %

Date: 4.9.15/LS (SEISMO) Replacing edition of: 5.2.15 Page: 2/8

Magnesium stearate

557-04-0

~1%

For the full text of the H-phrases mentioned in this Section, see Section 16.

*1 referring to: Ribavirin

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye contact - rinse immediately with tap water for 10 minutes - open eyelids

forcibly

- consult a physician

Skin contact - remove immediately contaminated clothes, wash affected skin

with water and soap

Inhalation - remove the casualty to fresh air and keep him/her calm

- get medical treatment

4.2. Most important symptoms and effects, both acute and delayed

Note - no information available

4.3. Indication of any immediate medical attention and special treatment needed

Note to physician - treat symptomatically

- after accidental exposure women should get medical advice from

a physician

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media - water spray jet, dry powder, foam, carbon dioxide

Flash point (liquid) not applicable

Unsuitable extinguishing media - full water jet

5.2. Special hazards arising from the substance or mixture

Specific hazards - consider dust explosion hazard

- formation of toxic and corrosive combustion gases (nitrogen

oxides (NOx)) possible

5.3. Advice for firefighters

Protection of fire-fighters - use self-contained breathing apparatus

Date: 4.9.15/LS (SEISMO) Replacing edition of: 5.2.15 Page: 3/8

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions - avoid exposure

6.2. Environmental precautions

Environmental protection do not allow to enter drains or waterways

- if the substance reaches waters or the sewer system, inform the

competent authority

6.3. Methods and material for containment and cleaning up

Methods for cleaning up - collect solids (avoid dust formation) and hand over to waste

removal

- clean contaminated areas with little ethanol

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Technical measures - avoid formation and deposition of dust

7.2. Conditions for safe storage, including any incompatibilities

Validity - 4 years

Packaging materials - high density polyethylene (HDPE) bottles with a child-resistant

polypropylene screw cap

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Threshold value (USA) air - ACGIH-TLV: 10 mg/m³ *2 - ACGIH-TLV: 10 mg/m3 (not classifiable as a human carcinogen) - OSHA-PEL: 5 mg/m3 (respirable fraction) *3 - OSHA-PEL: 15 mg/m³ (total dust) *3 - NIOSH-REL: 5 mg/m3 (respirable fraction) *3 - NIOSH-REL: 10 mg/m³ (total dust) *3 - ACGIH-TLV: 10 mg/m3 *4 - OSHA-PEL: 5 mg/m3 (respirable dust fraction) *4 - OSHA-PEL: 15 mg/m3 (total dust) *4 - NIOSH-REL: 5 mg/m3 (respirable dust fraction) *4 - NIOSH-REL: 10 mg/m3 (total dust)

*4

*1

- IOEL (Internal Occupational Exposure Limit): 0.002 mg/m³ Threshold value (Roche) air

Date: 4.9.15/LS (SEISMO) Replacing edition of: 5.2.15 Page: 4/8

8.2. Exposure controls

Respiratory protection - Respiratory protection is recommended as a precaution to

minimize exposure. Effective engineering controls are considered to be the primary means to control worker exposure. Respiratory protection should not substitute for feasible engineering controls.

- in case of open handling of larger quantities or accidental release:

particle mask or respirator with independent air supply

Hand protection - protective gloves (eg made of neoprene, nitrile or butyl rubber)

Eye protection - safety glasses

Analytics - sampling on teflon filter and chemical determination (HPLC)

*1 referring to: Ribavirin

*2 referring to: Magnesium stearate

*3 referring to: Corn starch

*4 referring to: Microcrystalline cellulose

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Color light pink

Form oval, biconvex tablet

Solubility 142'000 mg/l, water (25 °C) *1

easily soluble, ethanol

*1 *1

*1

*1

*1

Partition coefficient log P_{ow} -2.29 (n-octanol/water; pH 5, 7 & 9 20 °C)

(Shake Flask Method, OECD No. 107)

pH value (25 °C) 4.0 to 6.5 (2 %)

Melting temperature 166 to 176 °C *1

9.2. Other information

Note - no information available

*1 referring to: Ribavirin

SECTION 10: Stability and reactivity

10.1. Reactivity

Note - no information available

Date: 4.9.15/LS (SEISMO) Replacing edition of: 5.2.15 Page: 5/8

10.2. Chemical stability

Stability - stable under normal conditions

10.3. Possibility of hazardous reactions

Note - no information available

10.4. Conditions to avoid

Note - no information available

10.5. Incompatible materials

Note - no information available

10.6. Hazardous decomposition products

Note - no information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	- LD ₅₀ - LD ₅₀	2'700 2'000	mg/kg mg/kg	(oral, rat) (oral, mouse)	*1 *1
Local effects	respiratory traeye: irritant	ect: irritant			*1 *1
Mutagenicity	- mutagenic (various in vitro test systems)				*1
Reproductive toxicity	teratogenic and embryotoxic (several species)reduction of fertility in the animal model (several species)				*1 *1
Note	 possible side effects: hemolytical anemia virostatic agent excretion is mainly renal daily dose: 1'000 to 1'200 mg/d elimination half-life (after a single dose): 2 d elimination half-life (after multiple dose): 12 d 				*1 *1 *1 *1 *1 *1
Potential Health Effects	Exposure: IngestionCarcinogenicity: formulation not listed by NTP, IARC or OSHA				
*1 referring to:	Ribavirin				

Date: 4.9.15/LS (SEISMO) Replacing edition of: 5.2.15 Page: 6/8

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity - barely toxic for algae (Scenedesmus (=Desmodesmus)

subspicatus)

 EC_{50} (72 h) > 100 mg/l NOEC (72 h) 100 mg/l (OECD No. 201)

barely toxic for planktonic crustaceans (Daphnia magna)

*1

*1

*1

*1

*1

*1

 EC_{50} (48 h) > 100 mg/l NOEC (48 h) 100 mg/l (OECD No. 202)

barely toxic for fish (zebrafish)

 EC_{50} (96 h) > 100 mg/l NOEC (96 h) 100 mg/l (OECD No. 203)

- barely toxic for microorganisms (activated sludge)

 EC_{50} (3 h) > 1000 mg/l

(Activated Sludge Respir. Inhib. Test, OECD No. 209)

12.2. Persistence and degradability

Ready biodegradability - not readily biodegradable

the product is biodegradable after lengthy adaptation

15 %, 28 d 57 %, 63 d

(DOC Die-Away Test, OECD No. 301A)

Inherent biodegradability - inherently biodegradable

38 %, 28 d

(Zahn-Wellens test, OECD No. 302 B)

12.3. Bioaccumulative potential

Note - no information available

12.4. Mobility in soil

Note - no information available

12.5. Results of PBT and vPvB assessment

Note - no information available

12.6. Other adverse effects

Note - no information available

*1 referring to: Ribavirin

Date: 4.9.15/LS (SEISMO) Replacing edition of: 5.2.15 Page: 7/8

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues

- return to supplier or hand over to authorized disposal company
- observe local/national regulations regarding waste disposal
- incinerate in qualified installation with flue gas scrubbing
- DO NOT FLUSH unused medications or POUR them down a sink or drain. If available in your area, use takeback programs run by household hazardous waste collection programs or community pharmacies to dispose of unused and expired medicines. If you don't have access to a takeback program, dispose of these medicines in the household trash by removing them from their original containers and mixing them with an undesirable substance, such as used coffee grounds or kitty litter.

SECTION 14: Transport information

Note

- not classified by transport regulations, proper shipping name non-regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

TSCA Status

- FDA Exemption - not on inventory

Reporting Requirements

- The United States Environmental Protection Agency (USEPA) has not established a Reportable Quantity (RQ) for releases of this material.
- In New Jersey, report all releases which are likely to endanger the public health, harm the environment or cause a complaint to the NJDEPE Hotline (1-609-292-5560) and to local officials.
- State and local regulations vary and may impose additional reporting requirements.

SECTION 16: Other information

Full text of H-Statements referred to under section 3

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

H360Df May damage the unborn child. Suspected of damaging fertility.

USH003 May form combustible dust concentrations in the air

Note - Please note this Safety Data Sheet for the bulk product does not

apply for the finished, packaged medicinal product intended for

the final user.

Edition documentation - changes from previous version in sections 2, 3, 16

The information in this safety data sheet is based on current scientific knowledge. It should not be taken as expressing or implying any warranty concerning product characteristics.

Date: 4.9.15/LS (SEISMO) Replacing edition of: 5.2.15 Page: 8/8