

SAFETY DATA SHEET



Revision Date 11-Mar-2016
Version 1.03

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Urine Contamination Treatment
Product code W.20027

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Professional Carpet Cleaning
Restrictions on use Professional Use Only

1.3 Details of the supplier of the safety data sheet

Supplier Legend Brands
Chemspec
15180 Josh Wilson Road
Burlington, WA 98233
800-932-3030

E-mail Address msds@chemspecworld.com

1.4 Emergency telephone number

Emergency telephone number INFOTRAC 1-800-535-5053 (North America)
1-352-323-3500 (International)

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

2.2 Label elements

Signal Word

Warning

Hazard Statements

Causes serious eye irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear eye protection/ face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

< 1% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients**Substance
Mixture**

Chemical Name	CAS-No	Weight %
Ethylene glycol monobutyl ether	111-76-2	5 - 10
Propylene glycol	57-55-6	1 - 5
DIPROPYLENE GLYCOL BUTYL ETHER	29911-28-2	1 - 5
2-(2-BUTOXYETHOXY)ETHANOL	112-34-5	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures**4.1 Description of first-aid measures****General advice**

Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician.

Eye contact

Remove contact lenses, if present. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Immediate medical attention is not required. If skin irritation persists, call a physician.

Inhalation

Move to fresh air. Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.

Ingestion

Gently wipe or rinse the inside of the mouth with water. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed**Symptoms**

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray. Foam. Dry powder. Use: Dry chemical. Carbon dioxide (CO₂). Alcohol-resistant foam.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

Hazardous decomposition products formed under fire conditions Contact with water liberates toxic gas Risk of ignition

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

6.2 Environmental precautions

Dike to collect large liquid spills. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Wear personal protective equipment. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Do not breathe vapors or spray mist. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Hygiene measures

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

7.2 Conditions for safe storage, including any incompatibilities**Storage Conditions**

Use only in area provided with appropriate exhaust ventilation. Keep tightly closed in a dry and cool place. Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Materials to Avoid

Strong oxidizing agents.

8. Exposure controls/personal protection**8.1 Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Ethylene glycol monobutyl ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ S*	TWA: 20 ppm	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 20 ppm
Propylene glycol 57-55-6	-	-				TWA: 10 mg/m ³ TWA: 50 ppm TWA: 155 mg/m ³
2-(2-BUTOXYETHOXY)ETHANOL 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-				

8.2 Appropriate engineering controls**Engineering Measures**

Showers
Eyewash stations
Ventilation systems.

8.3 Individual protection measures, such as personal protective equipment**Eye/Face Protection**

Safety glasses with side-shields.

Skin and body protection

Long sleeved clothing. Chemical resistant apron. Antistatic boots. Impervious gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hygiene measures

See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear liquid
Color	gold
Odor	Floral
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	6.9	
Melting/freezing point		No information available
Boiling point/boiling range		No information available
Flash Point	> 94 °C / > 201 °F	
Evaporation rate		No information available
Flammability (solid, gas)		No information available
Flammability Limits in Air		
upper flammability limit		No information available
lower flammability limit		No information available
Vapor pressure		No information available
Vapor density		No information available
Specific Gravity	1	
Water solubility		No information available
Solubility in other solvents		No information available
Partition coefficient		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic		No information available
Viscosity, dynamic		No information available
Explosive properties		No information available
Oxidizing Properties		No information available

9.2 Other information

Volatile organic compounds (VOC) 16%
content

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Direct sources of heat. Heat, flames and sparks.

10.5 Incompatible Materials

Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50	4,483.00 mg/kg
Dermal LD50	16,220.00 mg/kg
LC50 (Dust/Mist)	75.00 mg/l
LC50 (Vapor)	122.00 mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol monobutyl ether 111-76-2	470 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Propylene glycol 57-55-6	20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
DIPROPYLENE GLYCOL BUTYL ETHER 29911-28-2	-	-	= 42.1 ppm (Rat) 4 h
2-(2-BUTOXYETHOXY)ETHANOL 112-34-5	3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

- No information available

Component Information

- No information available

Eye damage/irritation

Product Information

- No information available

Component Information

- No information available

Respiratory or skin sensitization

Product Information

- No information available

Component Information

- No information available

Germ cell mutagenicity

Product Information

- No information available

Component Information

- No information available

Carcinogenicity

Product Information

- No information available

Component Information

- No information available

Reproductive toxicityProduct Information

- No information available

Component Information

- No information available

STOT - single exposure

No information available

STOT - repeated exposure

- May cause adverse liver effects

Other adverse effectsProduct Information

- No information available

Component Information

- No information available

Aspiration hazardProduct Information

- No information available

Component Information

- No information available

12. Ecological information

12.1 Toxicity**Ecotoxicity**

No information available

5.00001 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Ethylene glycol monobutyl ether 111-76-2	-	LC50: 96 h <i>Lepomis macrochirus</i> 1490 mg/L static LC50: 96 h <i>Lepomis macrochirus</i> 2950 mg/L	EC50: 48 h <i>Daphnia magna</i> 1000 mg/L
Propylene glycol 57-55-6	EC50: 96 h <i>Pseudokirchneriella</i> <i>subcapitata</i> 19000 mg/L	LC50: 96 h <i>Oncorhynchus mykiss</i> 51600 mg/L static LC50: 96 h <i>Oncorhynchus mykiss</i> 41 - 47 mL/L static LC50: 96 h <i>Pimephales</i> <i>promelas</i> 51400 mg/L static LC50: 96 h <i>Pimephales promelas</i> 710 mg/L	EC50: 48 h <i>Daphnia magna</i> 1000 mg/L Static
DIPROPYLENE GLYCOL BUTYL ETHER 29911-28-2	-	LC50: 96 h <i>Poecilia reticulata</i> 841 mg/L static	-
2-(2-BUTOXYETHOXY)ETHANOL 112-34-5	EC50: 96 h <i>Desmodesmus</i> <i>subspicatus</i> 100 mg/L	LC50: 96 h <i>Lepomis macrochirus</i> 1300 mg/L static	EC50: 48 h <i>Daphnia magna</i> 100 mg/L

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
Ethylene glycol monobutyl ether 111-76-2	0.81

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT Not regulated

MEX Not regulated

IMDG Not regulated

IATA Not regulated

15. Regulatory information

15.1 International Inventories

TSCA	Complies
DSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies
NZIoC	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Ethylene glycol monobutyl ether 111-76-2	1.0
2-(2-BUTOXYETHOXY)ETHANOL 112-34-5	1.0

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

16. Other information

<u>NFPA</u>	Health Hazard 2	Flammability 0	Instability 0	Physical and chemical hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 0	Physical Hazard 0	Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Prepared By

Chemspec Regulatory Affairs/Product Safety

Revision Date

11-Mar-2016

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet