

SAFETY DATA SHEET

1. Identification

Product identifier	CeraVe® Baby SPF45 Sunscreen Lotion		
Other means of identification	Not available.		
Recommended use	Consumer product: This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to consumer use of the product.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Company name	Valeant Pharmaceuticals International, Inc.		
Address	2150 St. Elzéar Blvd. West Laval, Quebec H7L 4AB Canada		
Telephone	Customer Support	1-800-321-4576	
E-mail	Not available.		
Emergency phone number	3E Emergency Response Hotline	1-866-951-9833	

2. Hazard(s) identification

Physical hazards	Not classified.		
Health hazards	Serious eye damage/eye irritation	Category 2B	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	Warning		
Hazard statement	May cause serious eye irritation with direct contact. While the finished product is believed to be safe some ingredients are suspected of causing cancer.		
Precautionary statement			
Prevention	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Storage	Keep out of reach of children.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ZINC OXIDE		1314-13-2	11.4
TITANIUM DIOXIDE		13463-67-7	7.4
ALOE BARBADENSIS (ALOE VERA) LEAF JUICE		85507-69-3	*
ALUMINA		1344-28-1	*
ALUMINIUM STEARATE		637-12-7	*
BUTYLOCTYL SALICYLATE		190085-41-7	*

Chemical name	Common name and synonyms	CAS number	%
C12-15 ALKYL BENZOATE		68411-27-8	*
CAPRYLIC/CAPRIC TRIGLYCERIDE		73398-61-5	*
CAPRYLYL METHICONE		17955-88-3	*
CARBOMER		9003-01-4	*
CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL		8001-23-8	*
CERAMIDES		100403-19-8	*
CETETH-20, CETETH-25		9004-95-9	*
CETYL ALCOHOL		36653-82-4	*
CHOLESTEROL		57-88-5	*
CITRIC ACID		77-92-9	*
ETHYLHEXYLGLYCERIN		70445-33-9	*
GLUCAMINE		488-43-7	*
GLYCERIN		56-81-5	*
GLYCERYL ISOSTEARATE		66085-00-5	*
GLYCERYL STEARATE		123-94-4	*
HYALURONIC ACID		9004-61-9	*
HYDROGENATED DIMER DILINOLEYL/DIMETHYL CARBONATE COPOLYMER		436803-57-5	*
INULIN LAURYL CARBAMATE		478483-27-1	*
ISOHEXADECANE		4390-04-9	*
ISOSTEARIC ACID		30399-84-9	*
MICA		12001-26-2	*
NIACINAMIDE		98-92-0	*
OLETH-25		9004-98-2	*
PEG-100 STEARATE, PEG-75 STEARATE		9004-99-3	*
PHENOXYETHANOL		122-99-6	*
PHYTOSPHINGOSINE		554-62-1	*
POLYHYDROXYSTEARIC ACID		27924-99-8	*
POLYPROPYLSILSESQUIOXANE		36088-62-7	*
PROPYLENE GLYCOL ISOSTEARATE		63799-53-1	*
PROPYLENE GLYCOL STEARATE		142-75-6	*
SILICON DIOXIDE		7631-86-9	*
SODIUM HYDROXIDE		1310-73-2	*
SODIUM LAUROYL LACTYLATE		13557-75-0	*
STARETH-20		9005-00-9	*
STEARIC ACID		57-11-4	*
TETRASODIUM EDTA		64-02-8	*
TRIETHOXYCAPRYLYLSILANE		2943-75-1	*
TRIETHYLHEXANOIN		7360-38-5	*
TRIMETHYLSILOXYSILICATE		56275-01-5	*
WATER		7732-18-5	*
XANTHAN GUM		11138-66-2	*

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
ALUMINA (CAS 1344-28-1)	PEL	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL (CAS 8001-23-8)	PEL	5 mg/m ³	Respirable fraction.
GLYCERIN (CAS 56-81-5)	PEL	15 mg/m ³	Total dust.
		5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.
SODIUM HYDROXIDE (CAS 1310-73-2)	PEL	2 mg/m ³	
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m ³	Total dust.
ZINC OXIDE (CAS 1314-13-2)	PEL	5 mg/m ³	Respirable fraction.
		5 mg/m ³	Fume.
		15 mg/m ³	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value
MICA (CAS 12001-26-2)	TWA	20 mppcf
SILICON DIOXIDE (CAS 7631-86-9)	TWA	0.8 mg/m ³
		20 mppcf

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
ALUMINA (CAS 1344-28-1)	TWA	1 mg/m ³	Respirable fraction.
ALUMINIUM STEARATE (CAS 637-12-7)	TWA	1 mg/m ³	Respirable fraction.
MICA (CAS 12001-26-2)	TWA	3 mg/m ³	Respirable fraction.
SODIUM HYDROXIDE (CAS 1310-73-2)	Ceiling	2 mg/m ³	
STEARIC ACID (CAS 57-11-4)	TWA	10 mg/m ³	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m ³	
ZINC OXIDE (CAS 1314-13-2)	STEL	10 mg/m ³	Respirable fraction.
	TWA	2 mg/m ³	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
ALUMINIUM STEARATE (CAS 637-12-7)	TWA	2 mg/m ³	
CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL (CAS 8001-23-8)	TWA	5 mg/m ³	Respirable.
		10 mg/m ³	Mist.
MICA (CAS 12001-26-2)	TWA	3 mg/m ³	Respirable.
SILICON DIOXIDE (CAS 7631-86-9)	TWA	6 mg/m ³	
SODIUM HYDROXIDE (CAS 1310-73-2)	Ceiling	2 mg/m ³	
ZINC OXIDE (CAS 1314-13-2)	Ceiling	15 mg/m ³	Dust.
	STEL	10 mg/m ³	Fume.
	TWA	5 mg/m ³	Fume.
		5 mg/m ³	Dust.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls	No special controls required during normal clinical use. When handling bulk product Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measures, such as personal protective equipment	
Eye/face protection	No eye protection required under conditions of intended use. When handling bulk product: Chemical respirator with organic vapor cartridge and full facepiece.
Skin protection	
Hand protection	No hand protection required under conditions of intended use. When handling bulk product: Wear appropriate chemical resistant gloves.
Other	No special precautions needed under conditions of intended use. When handling bulk product: Wear suitable protective clothing. Use of an impervious apron is recommended.
Respiratory protection	No respiratory protection required under conditions of intended use. When handling bulk product: Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Emulsion.
Color	White to off-white
Odor	Not available.
Odor threshold	Not available.
pH	7.4
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information

Specific gravity 1.2

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure**

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects**Acute toxicity**

Components	Species	Test Results
CETYL ALCOHOL (CAS 36653-82-4)		
Acute		
<i>Oral</i>		
LD50	Mouse	3200 mg/kg
	Rat	5 g/kg
<i>Other</i>		
LD50	Mouse	1600 mg/kg
	Rat	1600 mg/kg
CITRIC ACID (CAS 77-92-9)		
Acute		
<i>Oral</i>		
LD50	Mouse	5040 mg/kg
	Rat	6730 mg/kg
<i>Other</i>		
LD50	Mouse	42 mg/kg
	Rabbit	330 mg/kg
	Rat	883 mg/kg
NIACINAMIDE (CAS 98-92-0)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Mouse	2500 mg/kg
	Rat	3500 mg/kg
<i>Other</i>		
LD50	Mouse	1800 mg/kg
	Rat	1680 mg/kg

Components	Species	Test Results
PHENOXYETHANOL (CAS 122-99-6)		
Acute		
<i>Oral</i>		
LD50	Mouse	16500 mg/kg
	Rat	1260 mg/kg
SILICON DIOXIDE (CAS 7631-86-9)		
Acute		
<i>Oral</i>		
LD50	Mouse	> 15000 mg/kg
	Rat	> 22500 mg/kg
SODIUM HYDROXIDE (CAS 1310-73-2)		
Acute		
<i>Other</i>		
LD50	Mouse	40 mg/kg
STEARIC ACID (CAS 57-11-4)		
Acute		
<i>Oral</i>		
LD50	Rat	4.6 g/kg
<i>Other</i>		
LD50	Mouse	23 mg/kg
	Rat	21.5 mg/kg
TETRASODIUM EDTA (CAS 64-02-8)		
Acute		
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
<i>Other</i>		
LD50	Mouse	330 mg/kg
	Rat	4000 mg/kg
ZINC OXIDE (CAS 1314-13-2)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	> 5.7 mg/l, 4 Hours
<i>Oral</i>		
LD50	Mouse	7950 mg/kg
	Rat	> 5 g/kg
<i>Other</i>		
LD50	Rat	240 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Health injuries are not known or expected under normal use.
Serious eye damage/eye irritation	Not available.
Respiratory or skin sensitization	
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	While the finished product is believed to be safe some ingredients are suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

CARBOMER (CAS 9003-01-4) 3 Not classifiable as to carcinogenicity to humans.

CHOLESTEROL (CAS 57-88-5)
SILICON DIOXIDE (CAS 7631-86-9)
TITANIUM DIOXIDE (CAS 13463-67-7)

3 Not classifiable as to carcinogenicity to humans.
3 Not classifiable as to carcinogenicity to humans.
2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure Not classified.
Specific target organ toxicity - repeated exposure Not classified.
Aspiration hazard Not available.
Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
GLYCERIN (CAS 56-81-5)		
Aquatic		
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss) 51000 - 57000 mg/l, 96 hours
PHENOXYETHANOL (CAS 122-99-6)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) 337 - 352 mg/l, 96 hours
SODIUM HYDROXIDE (CAS 1310-73-2)		
Aquatic		
Crustacea	EC50	Water flea (Ceriodaphnia dubia) 34.59 - 47.13 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours
TETRASODIUM EDTA (CAS 64-02-8)		
Aquatic		
Fish	LC50	Bluegill (Lepomis macrochirus) 472 - 500 mg/l, 96 hours
TITANIUM DIOXIDE (CAS 13463-67-7)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) > 1000 mg/l, 48 hours
Fish	LC50	Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours
XANTHAN GUM (CAS 11138-66-2)		
Aquatic		
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss) 320 - 560 mg/l, 96 hours
ZINC OXIDE (CAS 1314-13-2)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) 2246 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

GLYCERIN	-1.76
NIACINAMIDE	-0.37
PHENOXYETHANOL	1.16
STEARIC ACID	8.23

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

PHENOXYETHANOL (CAS 122-99-6)	Listed.
SODIUM HYDROXIDE (CAS 1310-73-2)	Listed.
ZINC OXIDE (CAS 1314-13-2)	Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ZINC OXIDE	1314-13-2	11.4
ALUMINA	1344-28-1	*
PHENOXYETHANOL	122-99-6	*

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

PHENOXYETHANOL (CAS 122-99-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

ALUMINA (CAS 1344-28-1)
CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL (CAS 8001-23-8)
GLYCERIN (CAS 56-81-5)
MICA (CAS 12001-26-2)
SILICON DIOXIDE (CAS 7631-86-9)
SODIUM HYDROXIDE (CAS 1310-73-2)
TITANIUM DIOXIDE (CAS 13463-67-7)
ZINC OXIDE (CAS 1314-13-2)

US. New Jersey Worker and Community Right-to-Know Act

ALUMINA (CAS 1344-28-1)
GLYCERIN (CAS 56-81-5)
MICA (CAS 12001-26-2)
PHENOXYETHANOL (CAS 122-99-6)
SILICON DIOXIDE (CAS 7631-86-9)
SODIUM HYDROXIDE (CAS 1310-73-2)
TITANIUM DIOXIDE (CAS 13463-67-7)
ZINC OXIDE (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

ALUMINA (CAS 1344-28-1)
ALUMINIUM STEARATE (CAS 637-12-7)
CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL (CAS 8001-23-8)
GLYCERIN (CAS 56-81-5)
MICA (CAS 12001-26-2)
PHENOXYETHANOL (CAS 122-99-6)
SILICON DIOXIDE (CAS 7631-86-9)
SODIUM HYDROXIDE (CAS 1310-73-2)
TITANIUM DIOXIDE (CAS 13463-67-7)
ZINC OXIDE (CAS 1314-13-2)

US. Rhode Island RTK

ALUMINA (CAS 1344-28-1)
PHENOXYETHANOL (CAS 122-99-6)
SODIUM HYDROXIDE (CAS 1310-73-2)
ZINC OXIDE (CAS 1314-13-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 11-05-2014

Version # 01

Disclaimer Valeant cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.