



# Diagnostic Specialties, Inc.

R&D AND MANUFACTURING FOR THE BIOTECH / MEDICAL INDUSTRIES

P.O. BOX: 4338; 4 Leonard Street, Metuchen, New Jersey 08840-4338 • Tel: 908-549-4011 • Fax: 908-549-4711

## MATERIAL SAFETY DATA SHEET

1. **Product Name:** Precision Testing Solution
2. **Product #:** 44337
3. **Quantity:** 25ml/bottle
4. **Composition/Information on Ingredients:**  
Dilute solution of salts of potassium and chromium with stabilizers.
5. **Toxicity Hazards:**  
Oxidizing, highly toxic
6. **Health Hazard Data:**  
Very toxic, in contact with skin and if swallowed. Causes burns. May cause cancer, may cause heritable genetic damage. May cause sensitization by skin contact.
7. **First Aid**  
If swallowed wash out mouth with water provided person is conscious. Call a physician immediately. In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician. In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.
8. **Physical and Chemical Data:**  
Not available.
9. **Extinguishing Media:**  
Carbon dioxide, dry chemical powder or appropriate foam.
10. **Special Fire Fighting Procedure:**  
Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
11. **Other Information:**  
The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Diagnostic Specialties shall not be held liable for any damage resulting from handling or from contact with above product.