

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 03/18/2019 Supersedes: 08/15/2017 Version: 4.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: DefendAL Global Automotive Extended Life Coolant/Antifreeze Concentrate, 50/50
1.2. Recommended use and restrictions	s on use
Use of the substance/mixture	: Antifreeze. Coolant.
Restrictions on use	: No additional information available
1.3. Supplier KOST® USA, Inc. 1000 Tennessee Ave. Cincinnati, 45229 - USA T 1-800-661-9391 - F 1-513-492-5555 sales@kostusa.com	
1.4. Emergency telephone number	

Emergency number

: 1-800-424-9300 CHEMTREC (24 HOURS)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification


Acute Tox. 4 (Oral)	H302	Harmful if swallowed.
Repr. 2	H361	Suspected of damaging fertility or the unborn child.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.

Full text of hazard classes and H-statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)



P501 - Dispose of contents/container to Collection point

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

3.49% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
3.49% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
3.49% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Ethylene glycol	(CAS-No.) 107-21-1	45 - 95	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
sodium 2-ethylhexanoate	(CAS-No.) 19766-89-3	0.5 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 2, H361

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures				
4.1. Description of first aid measure	S			
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).			
First-aid measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.			
First-aid measures after skin contact	: Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse.			
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
First-aid measures after ingestion	 Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting unless directed to do so by medical personnel. 			
4.2. Most important symptoms and	effects (acute and delayed)			
Symptoms/effects	: May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child.			
Symptoms/effects after eye contact	: May cause slight irritation.			
Symptoms/effects after ingestion	 Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed. 			

4.3. Immediate medical attention and special treatment, if necessary

All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5. Fire fighting measure				
SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) exting	5.1. Suitable (and unsuitable) extinguishing media			
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Sand. Water spray.			
Unsuitable extinguishing media	: None known.			
5.2. Specific hazards arising from the second secon	he chemical			
Fire hazard	: No specific fire or explosion hazard.			
Reactivity	: No dangerous reactions known.			
5.3. Special protective equipment a	nd precautions for fire-fighters			
Firefighting instructions	: Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.			
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. Wear a self contained breathing apparatus.			
SECTION 6: Accidental release r	neasures			
	e equipment and emergency procedures			
General measures	: Avoid all eye and skin contact and do not breathe vapour and mist.			

6.1.1. For non-emergency personne	4
Protective equipment	: Wear suitable gloves resistant to chemical penetration. Chemical goggles or safety glasses.
Emergency procedures	: Ventilate area.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

6.1.2.	For emergency responders	
Protect	ive equipment	: Wear suitable gloves. Chemical goggles or safety glasses. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment.
Emerge	ency procedures	: Ventilate area.
6.2.	Environmental precautions	
Avoid r	elease to the environment.	
6.3.	Methods and material for containn	nent and cleaning up
For cor	ntainment	: Absorb and/or contain spill with inert material, then place in suitable container.
Method	ls for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up in non-combustible absorbent material and shove into container for disposal.
6.4.	Reference to other sections	
Sectior	13: disposal information. Section 7: sa	fe handling. Section 8: personal protective equipment.
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precau	tions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapour/spray.
Hygien	e measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2.	Conditions for safe storage, includ	ling any incompatibilities
Storage	e conditions	: Keep container closed when not in use. Keep only in the original container in a cool well ventilated place.
Incomp	atible products	: Strong oxidizing agents. Strong acids. Strong bases.
•	patible products patible materials	•
Incomp	•	: Strong oxidizing agents. Strong acids. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium 2-ethylhexanoate (19766-89-3)				
Not applicable	Not applicable			
Ethylene glycol (107-21-1)				
ACGIH	CGIH Local name Ethylene glycol			
ACGIH	ACGIH Ceiling (mg/m ³) 100 mg/m ³			
ACGIH	ACGIH Ceiling (ppm)	39.4 ppm		
ACGIH	Remark (ACGIH) Kidney dam; URT & eye irr			
NIOSH	OSH NIOSH REL (ceiling) (ppm) 50 ppm			

8.2. Appropriate engineering controls

Appropriate engineering controls

: Avoid creating mist or spray. Avoid splashing. Either local exhaust or general room ventilation is usually required.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

It is a good industrial hygiene practice to minimize skin contact. Wear suitable gloves. nitrile rubber gloves

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Use an approved respirator equipped with oil/mist cartridges.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical an	d cher	nical properties
Physica	l state	:	Liquid
Colour		:	Yellow red clear pink
Odour		:	No data available
Odour th	nreshold	:	No data available
рН		:	8 - 8.5
Melting	point	:	No data available
Freezing	g point	:	-4036.4 °C
Boiling p	point	:	108.5 °C
Flash po	pint	:	116.11 °C (241 °F)
Relative	evaporation rate (butylacetate=1)	:	No data available
Flamma	bility (solid, gas)	:	No data available
Vapour	pressure	:	No data available
Relative	vapour density at 20 °C	:	No data available
Relative	density	:	1.06997 - 1.1143
Solubilit	у	:	No data available
Log Pov	v	:	No data available
Auto-igr	nition temperature	:	No data available
Decomp	position temperature	:	No data available
Viscosit	y, kinematic	:	No data available
Viscosit	y, dynamic	:	No data available
Explosiv	ve limits	:	No data available
Explosiv	ve properties	:	No data available
Oxidisin	g properties	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity 10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid excessive heat or cold. Keep away from sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
ATE US (oral)	533.96 mg/kg bodyweight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Unknown acute toxicity (GHS US)	 3.49% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 3.49% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 3.49% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) 		
Ethylene glycol (107-21-1)			
LD50 dermal rat	> 3500 mg/kg (mouse)		
LC50 inhalation rat (mg/l)	> 2.5 mg/l/4h		
ATE US (oral)	500 mg/kg bodyweight		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.		
Ethylene glycol (107-21-1)			
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day		
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day kidney		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard	: Not classified		
/iscosity, kinematic	: No data available		
ikely routes of exposure	: Skin and eye contact. Inhalation.		
Symptoms/effects	: May cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child.		
Symptoms/effects after eye contact	: May cause slight irritation.		
Symptoms/effects after ingestion	 Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed. 		
SECTION 12: Ecological informa	tion		
SECTION 12: Ecological informa	tion		
SECTION 12: Ecological informa 12.1. Toxicity Ecology - general	tion : No ecotoxicological data about this product are known.		
12.1. Toxicity			
12.1. Toxicity Ecology - general			
12.1. Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3)	: No ecotoxicological data about this product are known.		
12.1. Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 LC50 fish 1	: No ecotoxicological data about this product are known.		
12.1. Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 Ethylene glycol (107-21-1)	: No ecotoxicological data about this product are known. > 100 mg/l 96 h		
12.1. Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 Ethylene glycol (107-21-1) LC50 fish 1	 No ecotoxicological data about this product are known. > 100 mg/l 96 h 72860 mg/l Pimephales promelas 		
12.1.ToxicityEcology - generalsodium 2-ethylhexanoate (19766-89-3)LC50 fish 1Ethylene glycol (107-21-1)LC50 fish 1EC50 Daphnia 1	 No ecotoxicological data about this product are known. > 100 mg/l 96 h 72860 mg/l Pimephales promelas > 100 mg/l 		
I2.1. Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 Ethylene glycol (107-21-1) LC50 fish 1 EC50 Daphnia 1 NOEC chronic fish	 No ecotoxicological data about this product are known. > 100 mg/l 96 h 72860 mg/l Pimephales promelas > 100 mg/l 15380 mg/l Pimephales promelas 		
Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 Ethylene glycol (107-21-1) LC50 fish 1 EC50 Daphnia 1 NOEC chronic fish NOEC chronic crustacea 12.2. Persistence and degradability	 No ecotoxicological data about this product are known. > 100 mg/l 96 h 72860 mg/l Pimephales promelas > 100 mg/l 15380 mg/l Pimephales promelas 		
Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 Ethylene glycol (107-21-1) LC50 fish 1 EC50 Daphnia 1 NOEC chronic fish NOEC chronic crustacea 12.2. Persistence and degradability	: No ecotoxicological data about this product are known. > 100 mg/l 96 h 72860 mg/l Pimephales promelas > 100 mg/l 15380 mg/l Pimephales promelas 8590 mg/l Ceriodaphnia sp.		
Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 Ethylene glycol (107-21-1) LC50 fish 1 EC50 Daphnia 1 NOEC chronic fish NOEC chronic crustacea 12.2. Persistence and degradability DefendAL Global Automotive Extended	 No ecotoxicological data about this product are known. > 100 mg/l 96 h 72860 mg/l Pimephales promelas > 100 mg/l 15380 mg/l Pimephales promelas 8590 mg/l Ceriodaphnia sp. 		
12.1. Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 Ethylene glycol (107-21-1) LC50 fish 1 EC50 Daphnia 1 NOEC chronic fish NOEC chronic crustacea 12.2. Persistence and degradability DefendAL Global Automotive Extended Persistence and degradability	 No ecotoxicological data about this product are known. > 100 mg/l 96 h 72860 mg/l Pimephales promelas > 100 mg/l 15380 mg/l Pimephales promelas 8590 mg/l Ceriodaphnia sp. 		
12.1. Toxicity Ecology - general sodium 2-ethylhexanoate (19766-89-3) LC50 fish 1 Ethylene glycol (107-21-1) LC50 fish 1 EC50 Daphnia 1 NOEC chronic fish NOEC chronic crustacea 12.2. Persistence and degradability DefendAL Global Automotive Extended Persistence and degradability Ethylene glycol (107-21-1)	No ecotoxicological data about this product are known. > 100 mg/l 96 h 72860 mg/l Pimephales promelas > 100 mg/l 15380 mg/l Pimephales promelas 8590 mg/l Ceriodaphnia sp. I Life Coolant/Antifreeze Concentrate, 50/50 Not established.		

DefendAL Global Automotive Extended Life Coolant/Antifreeze Concentrate, 50/50	
Bioaccumulative potential	Not established.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium 2-ethylhexanoate (19766-89-3)	
Log Pow	1.3
Ethylene glycol (107-21-1)	
Log Pow	- 1.36
Bioaccumulative potential	Not expected to bioaccumulate.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

|--|

13.1. Disposal methods

Sewage disposal recommendations Waste disposal recommendations

- : Do not dispose of waste into sewer.
- : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description UN-No.(DOT) Proper Shipping Name (DOT)

Transport hazard class(es) (DOT) Packing group (DOT) Hazard labels (DOT)

- : RQ, UN3082 Environmentally hazardous substances, liquid, n.o.s. (Ethylene Glycol), 9, III : UN3082
- . UN3062
- : Environmentally hazardous substances, liquid, n.o.s. Ethylene Glycol
- : 9 Class 9 Miscellaneous hazardous material 49 CFR 173.140
- : III Minor Danger
- : 9 Class 9 (Miscellaneous dangerous materials)

: G - Identifies PSN requiring a technical name

: RQ: Concentrate >= 5,354 lbs; 50/50 >= 10,096 lbs.



- DOT Symbols Other information
- Transport by sea

Not regulated.

Air transport

Not regulated.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

is the subject of a final TSCA section 4 test rule.
1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

sodium 2-ethylhexanoate (19766-89-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

EU-Regulations

sodium 2-ethylhexanoate (19766-89-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethylene glycol (107-21-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

sodium 2-ethylhexanoate (19766-89-3)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on Taiwan National Chemical Inventory Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Not listed on the AICS (Australian Inventory of Chemical Substances)

Ethylene glycol (107-21-1)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on Taiwan National Chemical Inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

MARNING: This product can expose you to Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Ethylene glycol(107- 21-1)		Х				8700 μg/day (oral)

Component	State or local regulations
Ethylene glycol(107-21-1)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York - Reporting of Releases Part 597 - List of Hazardous Substances; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

End-use applications **NOT** supported by Kost USA, Inc. for monoethylene glycol, diethylene glycol and triethylene glycol. These limitations include products restricted by law, applications in which may raise unacceptable risks, and other applications which Kost USA, Inc. has decided not to, including minimizing unnecessary risk and liabilities to the company. Kost USA, Inc. does not knowingly market these products into these non-supported applications. This list is not all-inclusive, and Kost USA, Inc. reserves the right to modify the same at any time.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- The use of production of tobacco and in the manufacture of tobacco products (including but not limited to additives, humectants, filters, inks, and paper)
- The use for the generation of artificial smoke / theatrical fogs / mist. This includes applications such as artificial / e-cigarettes.
- The use as ingredient in fuel for warming foods (Sterno[™]-like application) or in fuel for heating an enclosed space where human exposure is possible.
- The use in fire extinguishing sprinkler systems.
- The use in the manufacture of munitions.
- The use in the production of de-icers for use on roadways, sidewalks and in aircraft lavatories.
- The use as a component of heat transfer fluids in systems where the heat transfer fluids could infiltrate (i.e., via an exchanger leak, backflow prevention failure, or other means) a potable water.
- The use as a non-reacted component in a formulation for direct internal or external human / animal contact, including, but not limited to
 ingestion, inhalation, and skin contact and in medical / veterinary devices and medial / veterinary. Examples of some such applications are
 uses as a direct component in foods, beverages, pharmaceuticals, cosmetics, personal care products or children's products.
- The use for consumer or hospital usage for deodorizing or air "purifying" purposes by spraying as an aerosol.
- The use as a non-reacted component in adhesives, plasticizers, and softening agents for packaging having direct contact with food or beverage.
- The use as a non-reacted component in the formulation of glues, pastes, ice / heat packs or other items where the potential for significant human contact and/or ingestion exists (including but not limited to children's school glue/paste or arts/craft glue/paste, toys, children products).
- The use as a fluid for pressure testing piping.

For more information contact your Kost USA, Inc. representative.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date	: 03/18/2019
Data sources	: ESIS (European chemincal Substances Information System; accessed at: http://esis.jrc.ec.europa.eu/index.php?PGM=cla. European Chemicals Agency (ECHA) Registered Substances list. Accessed at http://echa.europa.eu/. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html. United Nations Economic Commission for Europe: About the GHS. Accessed at http://www.unece.org/trans/danger/publi/ghs_welcome_e.html.

Other information

: None.

Full text of H-statements:

 text of 11 statements.	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:

ACGIH (American Conference of Government Industrial Hygienists)
ATE: Acute Toxicity Estimate
CAS (Chemical Abstracts Service) number
CLP: Classification, Labelling, Packaging.
LD50: Lethal Dose for 50% of the test population
EC50: Environmental Concentration associated with a response by 50% of the test population.
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals
OSHA: Occupational Safety & Health Administration
TSCA: Toxic Substances Control Act

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	STEL: Short Term Exposure Limits	
	TWA: Time Weighted Average	
NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.	
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.	

Indication of changes: Composition/information on ingredients.

SDS Prepared by:

The Redstone Group 6077 Frantz Rd. Suite 206 Dublin, Ohio, USA 43016 614.923.7472 www.redstonegrp.com