

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
 Product name : Derwent Academy Watercolor Paints- 24CT  
 Product code : 98078

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

ACCO Brands  
 Four Corporate Drive  
 Lake Zurich, IL  
 60047

Phone: 800-222-6462

#### 1.4. Emergency telephone number

Emergency number : Rocky Mountain Poison + Drug center Phone number are (877)740-5015 (US Toll Free) and (303) 739-1110 (Outside US)

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-CA)

Serious eye H319  
 damage/eye irritation,  
 Category 2

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) : H319 - Causes serious eye irritation

Precautionary statements (GHS-CA) : P264 - Wash hands, forearms and face thoroughly after handling  
 P280 - Wear eye protection  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P337+P313 - If eye irritation persists: Get medical advice/attention  
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS-CA)

No data available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
carbon black		(CAS-No.) 1333-86-4	5 - 15	Carc. 2, H351
4-[(4-aminophenyl)[4-(methylimino)cyclohexa-2,5-dien-1-ylidene]methyl]aniline		(CAS-No.) 1325-82-2	5 - 15	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Derwent Academy Watercolor Paints- 24CT

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
Ethanaminium, N-[4-[[4-(diethylamino)phenyl]]4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, molybdatetungstatephosphate		(CAS-No.) 1325-87-7	1 - 5	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
------------------------------	---

#### 5.2. Unsuitable extinguishing media

No additional information available

#### 5.3. Specific hazards arising from the hazardous product

No additional information available

#### 5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

#### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
--------------------	--

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

carbon black (1333-86-4)		
USA - ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
USA - ACGIH	Remark (ACGIH)	Bronchitis
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>

# Derwent Academy Watercolor Paints- 24CT

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Safety glasses.

#### Hand protection:

In case of repeated or prolonged contact wear gloves

#### Eye protection:

Where eye contact may occur from use, Wear eye protection

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: Various
Odour	: odourless
Odour threshold	: No data available
pH	: 6 - 7
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 99 °C
Flash point	: > 525 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative density	: 1.21 - 1.35
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.

# Derwent Academy Watercolor Paints- 24CT

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, molybdatungstatephosphate (1325-87-7)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

#### carbon black (1333-86-4)

LD50 oral rat	> 8000 mg/kg (Rat; Equivalent or similar to OECD 401; Experimental value)
LD50 dermal rabbit	> 3000 mg/kg (Rabbit)

Skin corrosion/irritation	: Not classified pH: 6 - 7
Serious eye damage/irritation	: Causes serious eye irritation. pH: 6 - 7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified. (Note - In 1995 INTERNATIONAL Agency for Research on Cancer (IARC) concluded, "There is inadequate evidence in humans for the carcinogenicity of carbon black." Based on rat inhalation studies of dust, IARC concluded that there is "sufficient evidence in experimental animals for the carcinogenicity of carbon black", resulting in their classifying carbon black as "possibly carcinogenic to humans (Group 2B)". This classification is solely based on inhalation of the raw dust which cannot happen in the normal use of this product. The carbon black in this mixture is bound within the fluid matrix reducing its chances of causing harm.  Comment - "carbon black (airborne, unbound particles of respirable size)" is a California Proposition 65 listed substance. Please note that all three listing qualifiers (airborne, unbound (not bound within a matrix), and respirable size (10micron or less in diameter)) must be met for this substance to be considered a Proposition 65 substance. This carbon is bound within this ink matrix reducing its chances of causing harm.)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Eye irritation.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
-------------------	---

#### carbon black (1333-86-4)

LC50 fish 1	> 1000 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio)
LC50 fish 2	1000 mg/l (LC0; OECD 203: Fish, Acute Toxicity Test; 96 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value)
EC50 Daphnia 1	> 5600 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 24 h; Daphnia magna; Static system; Fresh water)

#### 12.2. Persistence and degradability

#### carbon black (1333-86-4)

Persistence and degradability	Biodegradability: Not applicable. Biodegradability in soil: Not applicable. Adsorbs into the soil.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable

# Derwent Academy Watercolor Paints- 24CT

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

<b>carbon black (1333-86-4)</b>	
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

### 12.3. Bioaccumulative potential

<b>carbon black (1333-86-4)</b>	
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

<b>carbon black (1333-86-4)</b>	
Ecology - soil	Not toxic to plants. Not toxic to animals.

### 12.5. Other adverse effects

GWPmix comment : No known effects from this product.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### 14.1. Basic shipping description

In accordance with TDG

#### Transportation of Dangerous Goods

Not dangerous goods in terms of transport regulations

### 14.2. Transport information/DOT

#### Department of Transport

Not dangerous goods in terms of transport regulations

### 14.3. Air and sea transport

#### IMDG

Not dangerous goods in terms of transport regulations

#### IATA

Not dangerous goods in terms of transport regulations

## SECTION 15: Regulatory information

### 15.1. National regulations

<b>Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, molybdatetungstatephosphate (1325-87-7)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>4-[[4-(aminophenyl)[4-(methylimino)cyclohexa-2,5-dien-1-ylidene]methyl]aniline (1325-82-2)</b>
Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

<b>Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, molybdatetungstatephosphate (1325-87-7)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>4-[[4-(aminophenyl)[4-(methylimino)cyclohexa-2,5-dien-1-ylidene]methyl]aniline (1325-82-2)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory
<b>carbon black (1333-86-4)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory

## SECTION 16: Other information

Date of issue : 05/19/2017  
Revision date : 07/12/2017

# Derwent Academy Watercolor Paints- 24CT

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Full text of H-statements:

H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS Canada (GHS)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*