

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

1 Identification

- **Product identifier**
- **Trade name:** Proseal
Proseal Spray
Fiberseal
- **Article number:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Sealant
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Ductmate Industries, Inc.
210 5th St.
Charleroi, PA 15022
Phone: 800-990-8459
- **Emergency telephone number:**
ChemTel Inc.
+1 (800)255-3924, +1 (813)248-0585



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Additional information:**
0 % of the mixture consists of component(s) of unknown toxicity.
There are no other hazards not otherwise classified that have been identified.

-
- **Label elements**
 - **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
 - **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard-determining components of labeling:**
2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol
1,2-benzisothiazol-3(2H)-one
- **Hazard statements:**
H317 May cause an allergic skin reaction.
- **Precautionary statements:**
P261 Avoid breathing mist, vapors, or spray.
P280 Wear protective gloves and eye protection.

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 1)

P272 Contaminated work clothing must not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Contains 1,2-benzisothiazol-3(2H)-one, 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol. May produce an allergic reaction.

· **Classification system**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

25212-88-8	Methacrylic acid copolymer dispersion ⚠ Acute Tox. 4, H332	< 1.5%
9004-34-6	Cellulose	< 1.5%
107-21-1	ethylene glycol ⚠ STOT RE 2, H373 ⚠ Acute Tox. 4, H302	≤ 1.0%
68412-54-4	Nonylphenol, branched, ethoxylated ⚠ Repr. 2, H361	< 1.0%
111-42-2	2,2'-iminodiethanol ⚠ Carc. 2, H351; STOT RE 2, H373 ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	< 0.5%
4719-04-4	2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol ⚠ Acute Tox. 2, H330 ⚠ STOT RE 1, H372 ⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319; Skin Sens. 1, H317	< 0.25%

· **Additional information:**

For the wording of the listed Hazard Statements refer to section 16.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 2)

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**
 Supply fresh air and to be sure to call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
 Immediately wash with water and soap and rinse thoroughly.
 If skin irritation continues, consult a doctor.
- **After eye contact:**
 Remove contact lenses if worn.
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
 Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; immediately call for medical help.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:**
 Headache
 Allergic reactions
 Dizziness
 Nausea
- **Indication of any immediate medical attention and special treatment needed:**
 Treat skin and mucous membrane with antihistamine and corticoid preparations.
 Contains 1,2-benzisothiazol-3(2H)-one, 2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol. May produce an allergic reaction.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**
 Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
 Wear self-contained respiratory protective device.
 Wear fully protective suit.
- **Additional information:** Cool endangered receptacles with water spray.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
 Ensure adequate ventilation.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 3)

- **Environmental precautions:**
 Do not allow to enter sewers/ surface or ground water.
 Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
 Allow to solidify. Pick up mechanically.
 Dispose contaminated material as waste according to item 13.
 Clean the affected area carefully; suitable cleaners are:
 Organic solvent
- **Reference to other sections:**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
 Keep away from heat and direct sunlight.
 Store in cool, dry place in tightly closed receptacles.
 Use only in well ventilated areas.
 Avoid contact with the eyes and skin.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**
 Store away from oxidizing agents.
 Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.
- **Specific end use(s):** No relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

107-21-1 ethylene glycol

TLV (USA)	Long-term value: NIC-10* mg/m ³ Ceiling limit value: (100) mg/m ³ (H);*as inhalable fraction and vapor
-----------	--

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 4)

EL (Canada)	Short-term value: 20** mg/m ³ Long-term value: 10** mg/m ³ Ceiling limit value: 100* mg/m ³ , 50*** ppm *Aerosol; **Particulate; ***Vapour
EV (Canada)	Ceiling limit value: 100 mg/m ³
LMPE (Mexico)	Ceiling limit value: 100* mg/m ³ A4, *solo aerosol

9004-34-6 Cellulose

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 10 mg/m ³
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust, **respirable fraction
EV (Canada)	Long-term value: 10 mg/m ³ paper fibre, total dust
LMPE (Mexico)	Long-term value: 10 mg/m ³

14808-60-7 quartz

PEL (USA)	see Quartz listing
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m ³ *as respirable fraction
EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction
LMPE (Mexico)	Long-term value: 0.025* mg/m ³ A2, *fracción respirable

102-71-6 2,2',2''-nitritotriethanol

TLV (USA)	Long-term value: 5 mg/m ³
EL (Canada)	Long-term value: 5 mg/m ³
EV (Canada)	Long-term value: 3.1 mg/m ³ , 0.5 ppm
LMPE (Mexico)	Long-term value: 5 mg/m ³

111-42-2 2,2'-iminodiethanol

REL (USA)	Long-term value: 15 mg/m ³ , 3 ppm
TLV (USA)	Long-term value: 1* mg/m ³ , 0.2* ppm Skin; *inhalable fraction and vapor
EL (Canada)	Long-term value: 2 mg/m ³ Skin, IARC 2B

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 5)

EV (Canada)	Long-term value: 2 mg/m ³
LMPE (Mexico)	Long-term value: 2 mg/m ³
	A3, PIEL

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Avoid close or long term contact with the skin.
 - Avoid contact with the eyes.
 - Keep away from foodstuffs, beverages and feed.
 - Do not inhale gases / fumes / aerosols.
 - Avoid skin contact with the liquefied material.
 - Pregnant women should strictly avoid inhalation or ingestion.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
- **Engineering controls:** No relevant information available.
- **Breathing equipment:**
 - Not necessary if room is well-ventilated.
 - Use suitable respiratory protective device in case of insufficient ventilation.
 - Use suitable respiratory protective device when aerosol or mist is formed.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves** Butyl rubber, BR
- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General information**
- **Appearance:**
 - Form:** Pasty
 - Color:** Gray
 - Odor:** Mild
 - Odor threshold:** Not determined.
- **pH-value at 20 °C (68 °F):** 9.5

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 6)

· Change in condition:	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	1.32 g/cm ³ (11.015 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not applicable.
· Evaporation rate:	< 1 (BAC = 1)
· Solubility in / Miscibility with:	
Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Other information	No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions:**
Reacts with peroxides and other radical forming substances.
Reacts with strong oxidizing agents.
- **Conditions to avoid:** No relevant information available.
- **Incompatible materials:** No relevant information available.
- **Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

Hydrocarbons

(Cont'd. of page 7)

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

68412-54-4 Nonylphenol, branched, ethoxylated

Oral	LD50	3550 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**

- **On the skin:** Slight irritant effect on skin and mucous membranes.

- **On the eye:** Slight irritant effect on eyes.

- **Sensitization:** Sensitization possible through skin contact.

- **Subacute to chronic toxicity:** Suspected of damaging fertility or the unborn child.

- **Additional toxicological information:**

Danger through skin absorption.

Toxic and/or corrosive effects may be delayed up to 24 hours.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

14808-60-7	Quartz (SiO ₂)	1
111-42-2	2,2'-iminodiethanol	3
102-71-6	2,2',2''-nitrilotriethanol	3

- **NTP (National Toxicology Program):**

14808-60-7	quartz	K
------------	--------	---

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Inhalation.

Eye contact.

Skin contact.

- **Repeated dose toxicity:** Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** The product contains materials that are harmful to the environment.

- **Persistence and degradability:** The product is partially biodegradable. Significant residuals remain.

- **Behavior in environmental systems**

- **Bioaccumulative potential:** No relevant information available.

- **Mobility in soil:** No relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 8)

- **Additional ecological information**
- **General notes:**
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **Other adverse effects:** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
 Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
 The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | Not regulated. |
| · UN proper shipping name | |
| · DOT, ADR, IMDG, IATA | Not regulated. |
| · Transport hazard class(es) | |
| · DOT, ADR, IMDG, IATA | |
| · Class | Not regulated. |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Not regulated. |
| · Environmental hazards | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 9)

· **UN "Model Regulation"** Not regulated.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 304 (emergency release notification):**

None of the ingredients are listed.

· **Sections 311/312 (hazardous chemical threshold planning quantity in pounds):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

107-21-1 ethylene glycol

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

Present in trace quantities.

14808-60-7 quartz

111-42-2 2,2'-iminodiethanol

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

14808-60-7 quartz

1

102-71-6 2,2',2''-nitritotriethanol

3

111-42-2 2,2'-iminodiethanol

2B

(Cont'd. on page 11)

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 12/04/2015

Reviewed on 12/04/2015

Trade name: Proseal
Proseal Spray
Fiberseal

(Cont'd. of page 10)

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

14808-60-7	quartz
------------	--------

· **Canadian substance listings**

· **Canadian Domestic Substances List (DSL):**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%):**

None of the ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 1%):**

107-21-1	ethylene glycol
----------	-----------------

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 12/04/2015 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Acute Tox. 2: Acute toxicity, Hazard Category 2
 Acute Tox. 4: Acute toxicity, Hazard Category 4
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
 Carc. 2: Carcinogenicity, Hazard Category 2
 Repr. 2: Reproductive toxicity, Hazard Category 2
 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1
 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com