

**SAFETY DATA SHEET****CIA-EA Adhesive Anchor System part A****1. Identification****Product identifier****Product name** CIA-EA Adhesive Anchor System part A**Product number** BPF005**Recommended use of the chemical and restrictions on use****Application** Resin.**Details of the supplier of the safety data sheet****Supplier** USP Structural Connectors - A MiTek Company
14305 Southcross Drive - Suite 200
Burnsville, MN 55306
Tel: 800-328-5934
Fax: 952-898-8605**Web** USPconnectors.com**Contact Person** uspcustomerservice@mii.com**Emergency telephone number****Emergency telephone** Domestic (800) 255-3924 Chem-Tel / International +01-813-248-0585**2. Hazard(s) identification****Classification of the substance or mixture****Physical hazards**

Not Classified

Health hazards

Skin Sens. 1 - H317

Environmental hazards

Not Classified

Human health

May cause skin sensitization or allergic reactions in sensitive individuals.

Label elements**Pictogram****Signal word** Warning**Hazard statements**

H317 May cause an allergic skin reaction.

Precautionary statements

CIA-EA Adhesive Anchor System part A

P261 Avoid breathing vapor/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P321 Specific treatment (see medical advice on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362
+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with national regulations.

Contains TRIETHYLENE GLYCOL DIMETHACRYLATE

3. Composition/information on ingredients**Mixtures**

QUARTZ SAND CAS number: 14808-60-7	20-50%
Classification Not Classified	
TRIETHYLENE GLYCOL DIMETHACRYLATE CAS number: 109-16-0 REACH registration number: 01-2119969287-21-XXXX	10-20%
Classification Skin Sens. 1B - H317	
CRYSTALLINE SILICA CAS number: 14808-60-7	10-20%
Classification STOT RE 2 - H373	
TITANIUM DIOXIDE CAS number: 13463-67-7 REACH registration number: 01-2119489379-17-XXXX	>0.5 <1.0%
Classification Not Classified	

The Full Text for all Hazard Statements are Displayed in Section 16.

4. First-aid measures**Description of first aid measures****Inhalation**

Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion

Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin Contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

CIA-EA Adhesive Anchor System part A**Most important symptoms and effects, both acute and delayed****Ingestion**

May cause discomfort if swallowed.

Skin contact

May cause skin irritation/eczema. May cause skin sensitization or allergic reactions in sensitive individuals.

Eye contact

Irritation of eyes and mucous membranes.

Indication of immediate medical attention and special treatment needed**Notes for the doctor**

No specific recommendations. If in doubt, get medical attention promptly.

5.Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Extinguish with foam, carbon dioxide or dry powder.

Special hazards arising from the substance or mixture**Specific hazards**

No unusual fire or explosion hazards noted.

Hazardous combustion products

Oxides of carbon.

Advice for firefighters**Protective actions during firefighting**

Avoid breathing fire gases or vapors.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****Personal precautions**

Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions**Environmental precautions**

Avoid release to the environment.

Methods and material for containment and cleaning up**Methods for cleaning up**

Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.

7. Handling and storage**Precautions for safe handling****Usage precautions**

Do not use in confined spaces without adequate ventilation and/or respirator.

Conditions for safe storage, including any incompatibilities**Storage precautions**

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from oxidizing materials, heat and flames.

CIA-EA Adhesive Anchor System part A**Storage class**

Chemical storage.

Specific end uses(s)**Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection**Control parameters****Occupational exposure limits****QUARTZ SAND**

Long-term exposure limit (8-hour TWA): ACGIH 0.025 mg/m³

A2

CRYSTALLINE SILICA

Long-term exposure limit (8-hour TWA): ACGIH 0.025 mg/m³

A2

TITANIUM DIOXIDE

Long-term exposure limit (8-hour TWA): ACGIH 10 mg/m³

A4

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust

ACGIH = American Conference of Governmental Industrial Hygienists.

A2 = Suspected Human Carcinogen.

A4 = Not Classifiable as a Human Carcinogen.

OSHA = Occupational Safety and Health Administration.

QUARTZ SAND (CAS: 14808-60-7)**Immediate danger to life and health**

50 mg/m³ 25 mg/m³

CRYSTALLINE SILICA (CAS: 14808-60-7)**Immediate danger to life and health**

50 mg/m³ 25 mg/m³

SILICON DIOXIDE, AMORPHOUS (CAS: 7631-86-9)**Immediate danger to life and health**

3000 mg/m³

TITANIUM DIOXIDE (CAS: 13463-67-7)**Immediate danger to life and health**

5000 mg/m³

Exposure controls**Protective equipment****Appropriate engineering controls**

Provide adequate ventilation. Avoid inhalation of vapors. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

CIA-EA Adhesive Anchor System part A

It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

Environmental exposure controls

Keep container tightly sealed when not in use.

9. Physical and Chemical Properties

Information on basic physical and chemical properties**Appearance**

Liquid

Color

Grey.

Odor

Aromatic.

Odor threshold

Not determined.

pH

Not applicable.

Melting point

Not determined.

Initial boiling point and range

Not available.

Flash point

> 100°C

Evaporation rate

Not determined.

Evaporation factor

Not determined.

Flammability (solid, gas)

Not determined.

Upper/lower flammability or explosive limits

Not determined.

Other flammability

Not determined.

Vapour pressure

Not available.

Vapour density

Not determined.

Relative density

1.65 - 1.75 @ 20°C

Bulk density

Not applicable.

CIA-EA Adhesive Anchor System part A**Solubility(ies)**

Insoluble in water

Partition coefficient

Not determined.

Auto-ignition temperature

Not determined.

Decomposition Temperature

Not determined.

Viscosity

> 60 S ISO2431

Explosive properties

No information available.

Oxidising properties

Does not meet the criteria for classification as oxidizing.

10. Stability and reactivity**Reactivity**

The following materials may react with the product: Organic peroxides/hydroperoxides.

Stability

Stable at normal ambient temperatures.

Possibility of hazardous reactions

Does not decompose when used and stored as recommended.

Conditions to avoid

Avoid excessive heat for prolonged periods of time.

Materials to avoid

Organic peroxides/hydroperoxides.

Hazardous decomposition products

Oxides of carbon.

11. Toxicological information**Information on toxicological effects****Skin sensitisation**

Sensitizing.

Inhalation

Gas or vapor in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

Ingestion

May cause discomfort if swallowed.

Skin Contact

May cause sensitisation by skin contact. May cause irritation.

Eye contact

Irritating to eyes.

Acute and chronic health hazards

Irritating to eyes. May cause sensitisation by skin contact.

Route of entry

Skin and/or eye contact.

CIA-EA Adhesive Anchor System part A**Medical Symptoms**

Irritation of eyes and mucous membranes. Irritation of nose, throat and airway. Skin irritation.

Medical considerations

Skin disorders and allergies.

12. Ecological Information**Ecotoxicity**

Not regarded as dangerous for the environment.

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not determined.

Mobility in soil**Mobility**

Not applicable.

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Not applicable.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations

Disposal methods

Dispose of waste via a licensed waste disposal contractor.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

No.

Special precautions for user

Not applicable.

CIA-EA Adhesive Anchor System part A

Transport in bulk according to Not applicable.
Annex II of MARPOL 73/78
and the IBC Code

15. Regulatory information**US Federal Regulations****SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

None of the ingredients are listed or exempt.

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

US State Regulations**State Regulations Comments**

Some of the ingredients are listed or exempt.

California Proposition 65 Carcinogens and Reproductive Toxins

The following ingredients are listed or exempt:

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

Minnesota "Right To Know" List

The following ingredients are listed or exempt:

New Jersey "Right To Know" List

The following ingredients are listed or exempt:

Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

Inventories**Canada - DSL/NDSL**

The following ingredients are listed or exempt:

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information

CIA-EA Adhesive Anchor System part A**Revision comments**

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 5/21/2015

Revision 2

Supersedes date 1/05/2013

SDS No. 10560

Hazard statements in full

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



SAFETY DATA SHEET

CIA-EA Adhesive Anchor System part B

1. Identification

Product identifier

Product name CIA-EA Adhesive Anchor System part B

Product number BPF001

Recommended use of the chemical and restrictions on use

Application Catalyst.

Details of the supplier of the safety data sheet

Supplier USP Structural Connectors - A MiTek Company
14305 Southcross Drive - Suite 200
Burnsville, MN 55306
Tel: 800-328-5934
Fax: 952-898-8605

Web USPconnectors.com

Contact Person uspcustomerservice@mii.com

Emergency telephone number

Emergency telephone Domestic (800) 255-3924 Chem-Tel / International +01-813-248-0585

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412


Human health May cause skin disorders if contact is repeated or prolonged. The product is irritating to eyes and skin.

Environmental The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Physicochemical Not considered to be a significant hazard due to the small quantities used.

Label elements

Pictogram



CIA-EA Adhesive Anchor System part B

Signal word	Warning
Hazard statements	H412 Harmful to aquatic life with long lasting effects. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life.
Precautionary statements	P261 Avoid breathing vapor/spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P501 Dispose of contents/container in accordance with national regulations.
Contains	BENZOYL PEROXIDE

3. Composition/information on ingredients**Mixtures**

QUARTZ GLASS		20-50%
CAS number: 14808-60-7		
Classification		
Not Classified		
GLYCERINE		20-50%
CAS number: 56-81-5		REACH registration number: 01-2119471987-18-XXXX
Classification		
Not Classified		
BENZOYL PEROXIDE		10-20%
CAS number: 94-36-0		REACH registration number: 01-2119511472-50-XXXX
M factor (Acute) = 10		
Classification		
Org. Perox. B - H241		
Eye Irrit. 2A - H319		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		

CIA-EA Adhesive Anchor System part B

BENZOIC ACID,NONYL ESTER,BRANCHED AND LINEAR		5-10%
CAS number: 670241-72-2	REACH registration number: 01-0000018876-55-XXXX	
Classification Aquatic Chronic 2 - H411		
ZINC DISTEARATE		1-5%
CAS number: 557-05-1		
Classification Not Classified		
CRYSTALLINE SILICA		<0.5%
CAS number: 14808-60-7		
Classification STOT RE 2 - H373		

The Full Text for all Hazard Statements are Displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin Contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

Most important symptoms and effects, both acute and delayed

Ingestion	May cause discomfort if swallowed.
Skin contact	Causes skin irritation.
Eye contact	Irritation of eyes and mucous membranes.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

5.Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Extinguish with foam, carbon dioxide or dry powder.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	No specific precautions due to the small quantities handled.
-------------------------	--

CIA-EA Adhesive Anchor System part B

Hazardous combustion products Oxides of carbon.

Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapors.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.

7. Handling and storage**Precautions for safe handling**

Usage precautions Keep away from heat, sparks and open flame.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from flammable and combustible materials. Store in closed original container at temperatures between 44°F and 77°F.

Storage class Chemical storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection**Control parameters****Occupational exposure limits****QUARTZ GLASS**

Long-term exposure limit (8-hour TWA): ACGIH 0.025 mg/m³
A2

GLYCERINE

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ respirable fraction
Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust

BENZOYL PEROXIDE

CIA-EA Adhesive Anchor System part B

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m³

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³

A4

ZINC DISTEARATE

Long-term exposure limit (8-hour TWA): OSHA 5 mg/m³ respirable fraction

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust

CRYSTALLINE SILICA

Long-term exposure limit (8-hour TWA): ACGIH 0.025 mg/m³

A2

ACGIH = American Conference of Governmental Industrial Hygienists.

OSHA = Occupational Safety and Health Administration.

A2 = Suspected Human Carcinogen.

A4 = Not Classifiable as a Human Carcinogen.

BENZOYL PEROXIDE (CAS: 94-36-0)**DNEL**

Industry - Inhalation; Long term : 11.75 mg/m³ Industry - Dermal; Long term : 6.6 mg/kg/day Industry - Oral; Long term : 1.6 mg/kg/day

PNEC

- Sediment (Marinewater); 0.0338 mg/kg - Fresh water; 0.000602 mg/l - Sediment (Freshwater); 0.338 mg/kg - STP; 0.35 mg/l - Marine water; 0.000602 mg/l

Exposure controls**Protective equipment****Appropriate engineering controls**

Provide adequate ventilation.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

Wear protective gloves made of the following material: Nitrile rubber.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. DO NOT SMOKE IN WORK AREA!

Respiratory protection

No specific recommendations.

9. Physical and Chemical Properties**Information on basic physical and chemical properties**

Appearance	Liquid
Color	Black.
Odor	Characteristic.
Odor threshold	Not determined.
pH	Not determined.
Melting point	Not applicable.

CIA-EA Adhesive Anchor System part B

Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Other flammability	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.5 - 1.6
Bulk density	Not applicable.
Solubility(ies)	Not determined.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	50°C
Viscosity	> 60 S ISO2431
Explosive properties	No information available.
Oxidising properties	Not determined.

10. Stability and reactivity

Reactivity	The following materials may react with the product: Acids. Alkalis. Amines. Strong reducing agents.
Stability	Stable at normal ambient temperatures and when used as recommended. Will decompose at temperatures exceeding 50°C.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid contact with strong reducing agents. Avoid heat. Avoid contact with acids and alkalis.
Materials to avoid	Strong reducing agents. Acids, non-oxidizing. Acids - organic. Alkalis - inorganic. Alkalis - organic. Amines.
Hazardous decomposition products	Oxides of carbon.

11. Toxicological information**Information on toxicological effects****Skin sensitisation**

Skin sensitisation	Sensitizing.
---------------------------	--------------

CIA-EA Adhesive Anchor System part B

Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.
Skin Contact	Irritating to skin. May cause sensitisation by skin contact.
Eye contact	Irritation of eyes and mucous membranes.
Route of entry	Skin and/or eye contact.
Medical Symptoms	Skin irritation. Irritation of eyes and mucous membranes.
Medical considerations	No information available.

12. Ecological Information**Persistence and degradability**

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient Not determined.

Mobility in soil

Mobility Mobile. The product is partly miscible with water and may spread in the aquatic environment.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

13. Disposal considerations**Waste treatment methods**

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Dispose of waste via a licensed waste disposal contractor.

14. Transport information**UN Number**

UN No. (DOT) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN proper shipping name

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es)

"LQ" <5 Ltr / <5 Kg

IMDG Class "LQ" c 2.10.2.7

ICAO class/division 9

CIA-EA Adhesive Anchor System part B**Transport labels****Packing group**

DOT pack group III

IMDG packing group III

ICAO packing group III

Environmental hazards**Environmentally Hazardous Substance****Special precautions for user**

EmS F-A, S-F

15. Regulatory information**International Regulations****US Federal Regulations****SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

The following ingredients are not listed or exempt:

GLYCERINE

Not listed.

20-50%

ZINC DISTEARATE

Not listed.

1-5%

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are not listed or exempt:

GLYCERINE

Not listed.

20-50%

ZINC DISTEARATE

Not listed.

1-5%

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

The following ingredients are listed or exempt:

ZINC DISTEARATE

1.0 %

1-5%

CIA-EA Adhesive Anchor System part B**BENZOYL PEROXIDE**

1.0 %

10-20%

CAA Accidental Release Prevention

The following ingredients are not listed or exempt:

GLYCERINE

Not listed.

20-50%

ZINC DISTEARATE

Not listed.

1-5%

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

The following ingredients are listed or exempt:

BENZOYL PEROXIDE

Threshold Quantity: 7500 lbs

10-20%

US State Regulations**State Regulations Comments** Some of the ingredients are listed or exempt.**California Proposition 65 Carcinogens and Reproductive Toxins**

The following ingredients are not listed or exempt:

GLYCERINE

Not listed.

20-50%

ZINC DISTEARATE

Not listed.

1-5%

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

BENZOYL PEROXIDE

Present

10-20%

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

BENZOYL PEROXIDE

Present

10-20%

Massachusetts "Right To Know" List

CIA-EA Adhesive Anchor System part B

The following ingredients are listed or exempt:

QUARTZ GLASS

Present

20-50%

GLYCERINE

Present

20-50%

CRYSTALLINE SILICA

Present

<0.5%

ZINC DISTEARATE

Present

1-5%

BENZOYL PEROXIDE

Present

10-20%

Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

QUARTZ GLASS

Present

20-50%

GLYCERINE

Present

20-50%

CRYSTALLINE SILICA

Present

<0.5%

ZINC DISTEARATE

Present

1-5%

BENZOYL PEROXIDE

Present

10-20%

Minnesota "Right To Know" List

The following ingredients are listed or exempt:

QUARTZ GLASS

Present

20-50%

GLYCERINE

Present

20-50%

CRYSTALLINE SILICA

Present

<0.5%

CIA-EA Adhesive Anchor System part B**ZINC DISTEARATE**

Present

1-5%

BENZOYL PEROXIDE

Present

10-20%

New Jersey "Right To Know" List

The following ingredients are listed or exempt:

QUARTZ GLASS

Present

20-50%

GLYCERINE

Present

20-50%

CRYSTALLINE SILICA

Present

<0.5%

ZINC DISTEARATE

Present

1-5%

BENZOYL PEROXIDE

Present

10-20%

Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

QUARTZ GLASS

Present

20-50%

GLYCERINE

Present

20-50%

CRYSTALLINE SILICA

Present

<0.5%

ZINC DISTEARATE

Present

1-5%

BENZOYL PEROXIDE

Present

10-20%

Inventories**Canada - DSL/NDL**

The following ingredients are listed or exempt:

WATER

Domestic Substance List

1-5%

CIA-EA Adhesive Anchor System part B**GLYCERINE**

Domestic Substance List

20-50%

ZINC DISTEARATE

Domestic Substance List

1-5%

US - TSCA

All the ingredients are listed or exempt.

WATER

Present

1-5%

QUARTZ GLASS

Present

20-50%

GLYCERINE

Present

20-50%

CRYSTALLINE SILICA

Present

<0.5%

ZINC DISTEARATE

Present

1-5%

BENZOYL PEROXIDE

Present

10-20%

BENZOIC ACID,NONYL ESTER,BRANCHED AND LINEAR

Present

5-10%

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	5/21/2015
Revision	2
Supersedes date	10/25/2013
SDS No.	10561
Hazard statements in full	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure if inhaled. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

CIA-EA Adhesive Anchor System part B

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.