# MSDS

# Material Safety Data Sheet



1403 Herkimer Street Joliet, IL 60432-1059 (877) EKI-CHEM (815) 723-4000 www.eki-chem.com

24 HOUR EMERGENCY TELEPHONE NUMBER **CALL CHEMTREC** 1-800-424-9300

## **Muci-Carmine Stain Solution, Southgate's**

#### SECTION 1 PRODUCT IDENTIFICATION

NAME: Muci-Carmine Stain Solution, Southgate's

EKI ORDER NUMBERS: 7391

SYNONYMS: N/I

CAS NO: Does not apply FORMULA: Does not apply REVISION DATE: 26 April 2004

\*\*\*\*LABEL HAZARD STATEMENT AND PRECAUTIONS\*\*\*\*

WARNING! FLAMMABLE LIQUID AND VAPOR. HARMFUL IF INHALED. MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. MAY CAUSE SKIN OR EYE IRRITATION. Keep away from heat sparks and flame. Keep container tightly closed. Avoid breathing vapor. Use only with adequate ventilation. Avoid contact with skin, eyes and clothing. Do not taste or swallow. thoroughly after handling.

## SECTION 2 HAZARDOUS INGREDIENTS / EXPOSURE LIMITS

INGREDIENT/CAS NO	OSHA PEL	ACGIH TLV	
Ethyl Alcohol/64-17-5	1000 ppm TWA	1000 ppm TWA	
Isopropyl Alcohol 67-63-0	400 ppm TWA	200 ppm TWA	
		400 ppm STEL	
Methyl Alcohol/67-56-1	200 ppm TWA	200 ppm TWA Skin	
		250 ppm STEL Skin	
Carmine, Alum Lake/1390-65-4	N/E	N/E	
Aluminum Hydroxide/21645-51-	-2 N/E	N/E	
Methyl Alcohol, ~2.5%, is su	abject to the reportin	ng requirements of SARA 31:	3 and 40CFR372.

## SECTION 3 PHYSICAL / CHEMICAL CHARACTERISTICS

SOLUBILITY IN WATER: Miscible BOILING POINT (C): N/E VAPOR DENSITY: N/E VAPOR PRESSURE (mm Hg): N/E SPECIFIC GRAVITY: N/E MELTING POINT (C): N/E EVAPORATION RATE: N/E APPEARANCE AND ODOR: Dark reddish-pruple liquid. Odor of ethyl alcohol.

#### FIRE / EXPLOSION HAZARD DATA SECTION 4

FLASH POINT (C): 13

AUTOIGNITION TEMPERATURE (C): 422

FLAMMABLE LIMITS (%) UEL: 19 LEL: 3.3

EXTINGUISHING MEDIA: Water spray, dry chemical, "alcohol" foam, CO2. Water may be

ineffective.

E K Industries, Inc. Revised: 26 April 2004 SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should wear self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive-pressure mode.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapor can flow to distant ignition sources and flash back.

## SECTION 5 REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Heat, flames, sources of ignition.

MATERIALS TO AVOID: Strong oxidizers, silver salts, acid chlorides, alkali

metals, metal hydrides, hydrazine.

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO<sub>2</sub>. HAZARDOUS POLYMERIZATION: Does not occur.

## SECTION 6 HEALTH HAZARD DATA

ROUTES OF ENTRY AND EFFECTS OF OVEREXPOSURE

INHALATION: Causes respiratory tract irritation. May cause drowsiness, loss of appetite, inability to concentrate.

SKIN CONTACT: May cause irritation and dehydration.

EYE CONTACT: May cause irritation.

SKIN ABSORPTION: N/I

INGESTION: May cause intoxication, headache, blindness.

CHRONIC: Causes drying of skin. May affect nervous system, liver.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Skin or eye disorders, impaired

liver or kidney function. CARCINOGENICITY: None

### \*\*\*\*FIRST AID PROCEDURES\*\*\*\*

EYE CONTACT: Immediately flush with plenty of water for at least 15 minutes. Get medical attention.

SKIN CONTACT: Immediately flush with plenty of water for at least 15 minutes, while removing contaminated clothing and shoes. Get medical attention for persistent irritation.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

INGESTION: If conscious, induce vomiting immediately as directed by medical personnel.

## SECTION 7 PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED: Ventilate area and remove sources of ignition. Absorb spill with inert material and containerize for disposal. WASTE DISPOSAL METHOD: Dispose in accordance with all applicable federal, state, and

STORAGE: Store tightly closed in an approved flammable liquids storage area.

### SECTION 8 CONTROL MEASURES

local environmental regulations.

VENTILATION: Local preferred.

RESPIRATORY PROTECTION: Full facepiece respirator.

EYE PROTECTION: Chemical splash goggles and/or full face shield.

SKIN PROTECTION: Gloves, lab coat and impervious apron.

E K INDUSTRIES, INC. MAKES NO REPRESENTATION AS TO THE COMPREHENSIVENESS OR ACCURACY OF THIS INFORMATION. INDIVIDUALS RECEIVING THIS INFORMATION MUST EXERCISE THEIR INDEPENDENT JUDGMENT IN DETERMINING ITS APPROPRIATENESS FOR A PARTICULAR PURPOSE. ACCORDINGLY, E K INDUSTRIES, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES OF ANY KIND OR NATURE RESULTING FROM THE USE OF ANY SUCH INFORMATION. NO REPRESENTATIONS OR WARRANTIES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO: EXPRESS WARRANTIES, IMPLIED WARRANTIES OF MERCHANTABILITY, OR WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.

E K Industries, Inc. Revised: 26 April 2004