

Product name: EPOSPEED S
Revision Date: 2014-03-24
Document No.: M0189

Page: 1/10
Print date: 2014-03-24
SDS-ID: GB-EN/1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: EPOSPEED S
Cat. No. SA401101
Container size: 20 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Soluble UV resin for curing samples to glass slides.

1.3. Details of the supplier of the safety data sheet

Supplier: Struers A/S
Pederstrupvej 84
DK-2750 Ballerup
Tel: +45 44 600 800

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI
Any questions to the contents of this safety data sheet should be sent to:
Lisbeth.Mygind@struers.dk

1.4. Emergency telephone number

Emergency telephone: +45 44 600 800
(Only during office hours)

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	2/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is classified:

<u>67/548/EEC:</u>	R43 N;R51/53
<u>GHS/CLP:</u>	Skin Sens. 1;H317 - Eye Irrit. 2;H319 - Aquatic Chronic 2;H411
<u>Human health:</u>	May cause an allergic skin reaction. Causes serious eye irritation.
<u>Environment:</u>	Toxic to aquatic life with long lasting effects.

2.2. Label elements



Warning

<u>Contains:</u>	(3',4'-Epooxycyclohexane)methyl-3,4-epoxycyclohexyl carboxylate Diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
P273	Avoid release to the environment.
P280e	Wear protective clothing, gloves, eye and face protection.
P302/352	IF ON SKIN: Wash with plenty of water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

<u>PBT/vPvB:</u>	Not relevant.
------------------	---------------

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: epoxy resin .

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	3/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

67/548/EEC:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
40-50	2386-87-0	219-207-4	01-2119846133-44-xxxx	(3',4'-Epoxy cyclohexane) methyl-3,4-epoxycyclohexyl carboxylate	R43 R52-53	
10-15	122-99-6	204-589-7	01-2119488943-21-xxxx	2-Phenoxyethanol	Xn;R22 Xi;R36	
10-15	31308-55-1	250-561-2	-	Octahydro-4,7-methano-1H-indene methanol	Xi;R38	
1-3	159120-95-3	403-500-0	-	Diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate	R43 N;R50-53	
0,5-1,5	108-32-7	203-572-1	01-2119537232-48-xxxx	Propylene carbonate	Xi;R36	

GHS/CLP:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
40-50	2386-87-0	219-207-4	01-2119846133-44-xxxx	(3',4'-Epoxy cyclohexane) methyl-3,4-epoxycyclohexyl carboxylate	Skin Sens. 1;H317 Aquatic Chronic 3;H412	
10-15	122-99-6	204-589-7	01-2119488943-21-xxxx	2-Phenoxyethanol	Acute Tox. 4;H302 Eye Irrit. 2;H319	
10-15	31308-55-1	250-561-2	-	Octahydro-4,7-methano-1H-indene methanol	Eye Irrit. 2;H319	
1-3	159120-95-3	403-500-0	-	Diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate	Skin Sens. 1;H317 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	
0,5-1,5	108-32-7	203-572-1	01-2119537232-48-xxxx	Propylene carbonate	Eye Irrit. 2;H319	

References: The full text for all R-phrases and hazard statements are displayed in section 16.

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	4/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with suitable absorbent material.

6.4. Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	5/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Avoid contact with skin and eyes. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Observe good chemical hygiene practices.

Technical measures: Work practice should minimise contact. Technical aids: Use disposable equipment (rags, brushes, spatulas, putty knives, etc.), if possible.

Technical precautions: First-aid equipment, including eye wash bottle, must be available at the work site.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in closed original container in a dry place. Store in a cool and well-ventilated place.

7.3. Specific end use(s)

Specific use(s): Not relevant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Mix and prepare in a place with efficient exhaust ventilation. An eye wash bottle must be available at the work site. Provide access to washing facilities including soap, skin cleanser and fatty cream.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment. Use respiratory equipment with gas filter, type A2.

Hand protection: Wear protective gloves. Butyl rubber gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of splashes.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and water after work. When using do not eat, drink or smoke.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	6/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: blue liquid

Odour: Aromatic.

Boiling point: > 200 °C

Flash point: > 100 °C

Explosion limits: Not available.

Relative density: Not available.

Solubility: insoluble in water

9.2. Other information

Other data: VOC (Volatile Organic Substances): 150 g/l (calculated)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Strong oxidising substances and strong bases.

10.5. Incompatible materials

Incompatible materials: None known.

10.6. Hazardous decomposition products

Hazardous decomposition products: None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation: Not relevant at normal room temperatures. When heated, irritating vapours may be formed.

Skin contact: Risk of sensitisation or allergic reactions among sensitive individuals. May cause irritation.

Eye contact: Causes serious eye irritation.

Ingestion: May cause stomach pain or vomiting.

Specific effects: May cause sensitisation.

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	7/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Degradability: The degradability of the product has not been stated.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of collected dust according to agreement with local authorities. Waste is classified as hazardous waste. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 16 05 08

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	8/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN-No: 3082

14.2. UN proper shipping name

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate)

Additional IMDG information:
EmS: F-A , S-F
MFAG:1

14.3. Transport hazard class(es)

Class: 9

14.4. Packing group

PG: III

14.5. Environmental hazards

Marine pollutant: Yes.

Environmentally Hazardous substance: Yes.

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	9/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
Statutory Instruments 2008 No. 2852 - The REACH Enforcement Regulations 2008.
EH40/2005, Workplace exposure limits 2005, with amendments.
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).
The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: Not relevant.

SAFETY DATA SHEET

Product name:	EPOSPEED S	Page:	10/10
Revision Date:	2014-03-24	Print date:	2014-03-24
Document No.:	M0189	SDS-ID:	GB-EN/1.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: -

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information:

Classification according to Regulation (EC) No. 1272/2008:
Calculation method.

Wording of

R-phrases/H-statements:

R22	Harmful if swallowed.
R36	Irritating to eyes.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.