

## MATERIAL SAFETY DATA SHEET

**Product Trade Name:** EZ MUL® NT

**Revision Date:** 13-Jan-2014

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of NOHSC, Non-Dangerous Goods according to the criteria of ADG.

**Manufacturer/Supplier** Halliburton Australia Pty. Ltd.  
15 Marriott Road  
Jandakot  
WA 6164  
Australia

ACN Number: 009 000 775  
Telephone Number: 61 (08) 9455 8300  
Fax Number: 61 (08) 9455 5300

**Product Emergency Telephone**

Australia: 08-64244950  
Papua New Guinea: 05 1 281 575 5000  
NewZealand: 06-7559274

**Fire, Police & Ambulance - Emergency Telephone**

Australia: 000  
Papua New Guinea: 000  
New Zealand: 111

### Identification of Substances or Preparation

**Product Trade Name:** EZ MUL® NT  
**Synonyms:** None  
**Chemical Family:** Blend  
**UN Number:** None  
**Dangerous Goods Class:** None  
**Subsidiary Risk:** None  
**Hazchem Code:** None Allocated  
**Poisons Schedule:** None Allocated  
**Application:** Emulsifier

**Prepared By** Chemical Compliance  
Telephone: 1-580-251-4335  
e-mail: fdunexchem@halliburton.com

### 2. HAZARDS IDENTIFICATION

**Statement of Hazardous Nature** Non-Hazardous according to the criteria of NOHSC, Non-Dangerous Goods according to the criteria of ADG.

**Hazard Overview** May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and other central nervous system effects. May be harmful if swallowed. Combustible.

**Classification** Xi - Irritant.

**Risk Phrases** R43 May cause sensitization by skin contact.  
R36/38 Irritating to eyes and skin.

**Safety Phrases** S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S24/25 Avoid contact with skin and eyes.

**HSNO Classification** 6.3A Irritating to the skin  
6.4A Irritating to the eye  
6.5B Contact sensitizers

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	Australia	NOHSC	New Zealand	ACGIH TLV-TWA
			WES			
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	60 - 100%	Not applicable		Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	10 - 30%	Not applicable		Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	1 - 5%	TWA: 20 ppm 96.9 mg/m <sup>3</sup> STEL: 50 ppm STEL: 242 mg/m <sup>3</sup>		TWA: 25 ppm 121 mg/m <sup>3</sup>	TWA: 20 ppm
Diethylene glycol monobutyl ether	112-34-5	1 - 5%	Not applicable		Not applicable	Not applicable

**Non-Hazardous Substance to Total of 100%**

### 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.

**Eyes** In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion** Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.

**Notes to Physician** Not Applicable

### 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

**Extinguishing media which must not be used for safety reasons**

Do NOT spray pool fires directly with water. A solid stream of water directed into hot burning liquid can cause splattering.

**Special Exposure Hazards** Decomposition in fire may produce toxic gases. Use water spray to cool fire exposed surfaces.

**Special Protective Equipment for Fire-Fighters** Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautionary Measures** Use appropriate protective equipment.

**Environmental Precautionary Measures** Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning / Absorption** Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

**7. HANDLING AND STORAGE**

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid breathing mist. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another.

**Storage Information** Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use. Store in a cool, dry location.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls** Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

**Respiratory Protection** If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Organic vapor respirator with a dust/mist filter. (A2P2/P3) In high concentrations, supplied air respirator or a self-contained breathing apparatus.

**Hand Protection** Impervious rubber gloves. Nitrile gloves. Neoprene gloves. Butyl rubber gloves.

**Skin Protection** Rubber apron.

**Eye Protection** Chemical goggles; also wear a face shield if splashing hazard exists.

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Dark amber
Odor:	Mild hydrocarbon
pH:	4-7
Specific Gravity @ 20 C (Water=1):	0.96
Density @ 20 C (kg/l):	0.96
Bulk Density @ 20 C (kg/M3):	Not Determined
Boiling Point/Range (C):	150
Freezing Point/Range (C):	-20
Pour Point/Range (C):	Not Determined
Flash Point/Range (C):	65
Flash Point Method:	PMCC
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (g/m <sup>3</sup> ):	Not Determined
Flammability Limits in Air - Lower (%):	0.6
Flammability Limits in Air - Upper (g/m <sup>3</sup> ):	Not Determined
Flammability Limits in Air - Upper (%):	4.7
Vapor Pressure @ 20 C (mmHg):	0.2
Vapor Density (Air=1):	Not Determined
Percent Volatiles:	35
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Insoluble
Solubility in Solvents (g/100ml):	Not Determined
VOCs (g/l):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined
Decomposition Temperature (C):	Not Determined

## 10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	Keep away from heat, sparks and flame.
Incompatibility (Materials to Avoid)	Strong oxidizers.
Hazardous Decomposition Products	Oxides of nitrogen. Hydrocarbons. Carbon monoxide and carbon dioxide.
Additional Guidelines	Not Applicable

## 11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Eye or skin contact, inhalation.
-----------------------------	----------------------------------

Symptoms related to exposure  
Acute Toxicity

**Inhalation**

May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

**Eye Contact**

May cause eye irritation.

**Skin Contact**

May cause skin irritation. May cause an allergic skin reaction.

**Ingestion**

Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

**Chronic Effects/Carcinogenicity**

No data available to indicate product or components present at greater than 1% are chronic health hazards.

**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	> 2020 mg/kg (Rat)	> 2000 mg/kg (Rat)	No data available
Hydrotreated light petroleum distillate	64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	5.28 mg/L (Rat) 4h
Ethylene glycol monobutyl ether	111-76-2	470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Rabbit) 207 mg/kg (Guinea pig) 400-500 mg/kg (Rabbit)	450 ppm (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 ppm (Rat) 4h 925 ppm (Rat) 4h >633 ppm (Guinea pig) 1h
Diethylene glycol monobutyl ether	112-34-5	3384 mg/kg (Rat) 6560 mg/kg (Rat) 5660 mg/kg (Rat) 2406 mg/kg (Mouse) 2000 mg/kg (Guinea pig)	2700 mg/kg (Rabbit) 2764 mg/kg (Rabbit)	No data available

**12. ECOLOGICAL INFORMATION****Ecotoxicological Information****Ecotoxicity Product**

**Acute Fish Toxicity:** EC50: 1701 mg/l (Corophium volutator)  
**Acute Crustaceans Toxicity:** TLM48: 199.4 mg/l (Acartia tonsa)  
**Acute Algae Toxicity:** Not determined

**Ecotoxicity Substance**

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	68990-47-6	EC50(72h): > 100 mg/L (growth rate) (Pseudokirchnerella subcapitata)	LC50(96h): > 100 mg/L (Danio rerio)	EC50(3h): > 100 mg/L (respiration rate) (Activated sludge)	IC50(48h): > 100 mg/L (Daphnia magna)

Hydrotreated light petroleum distillate	64742-47-8	EC50(72h): > 10,000 mg/L (Skeletonema costatum) (ISO 10253)	LC50 96h): > 10,000 mg/L (Scophthalmus maximus) (OSPARCOM 1995)	No information available	LC50(48h): > 10,000 mg/L (Acartia tonsa) (ISO 14669)
Ethylene glycol monobutyl ether	111-76-2	EC50: 839.56 mg/l (Skeletonema costatum) EC50(72h): 911 mg/L (biomass) EC50: > 500 mg/l (Scenedesmus subspicatus) NOEC(72h): 88 mg/L (biomass)(Pseudokirchnerella subcapitata)	LC50: > 1000 mg/l (Scophthalmus maximus juvenile) LC50(96h): 1474 mg/L (Oncorhynchus mykiss) NOEC(21d): > 100mg/L (Danio rerio)	TT/EC3(48h): 463 mg/L (Uronema parduzci) TT/EC3(72h): 73 mg/L (Entosiphon sulcatum) TT/EC3(16h): 700 mg/L (Pseudomonas putida)	EC50: >1000 mg/L (Daphnia magna) EC50 (48h): 1800 mg/L (Daphnia magna) EC50: 1875 mg/l (Daphnia magna) NOEC(21d)(reproduction) : 100 mg/L (Daphnia magna)
Diethylene glycol monobutyl ether	112-34-5	EC50: > 100 mg/L (Desmodesmus subspicatus)	LC50: 1300 mg/L (Lepomis macrochirus)	EC10: >1995 mg/L (Activated sludge, industrial)	EC50: > 100 mg/L (Daphnia magna)

### 12.2 Persistence and degradability

Substances	Persistence and Degradability
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	Readily biodegradable (71% @ 28d)
Hydrotreated light petroleum distillate	Readily biodegradable (87% @ 28d)
Ethylene glycol monobutyl ether	Readily biodegradable (75-88% @ 28d)
Diethylene glycol monobutyl ether	Readily biodegradable (71% @ 28d)

### 12.3 Bioaccumulative potential

Substances	Log Pow
Fatty acid, tall-oil, reaction product with diethylenetriamine, maleic anhydride, tetraethylenepentamine, and triethylenetetramine	2.4
Hydrotreated light petroleum distillate	7.5
Ethylene glycol monobutyl ether	0.81
Diethylene glycol monobutyl ether	1.0

### 12.4 Mobility in soil

No information available

### 12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

### 12.6 Other adverse effects

## **13. DISPOSAL CONSIDERATIONS**

**Disposal Method** Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

## **14. TRANSPORT INFORMATION**

### **Land Transportation**

#### **ADR**

Not restricted

### **Air Transportation**

**ICAO/IATA**  
Not restricted

## Sea Transportation

**IMDG**  
Not restricted

## Other Transportation Information

**Labels:** None

## 15. REGULATORY INFORMATION

### Chemical Inventories

<b>Australian AICS Inventory</b>	Product contains one or more components not listed on inventory.
<b>New Zealand Inventory of Chemicals</b>	All components listed on inventory or are exempt.
<b>US TSCA Inventory</b>	All components listed on inventory or are exempt.
<b>EINECS Inventory</b>	This product, and all its components, complies with EINECS

**Classification** Xi - Irritant.

**Risk Phrases** R43 May cause sensitization by skin contact.  
R36/38 Irritating to eyes and skin.

**Safety Phrases** S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S24/25 Avoid contact with skin and eyes.

## 16. OTHER INFORMATION

**The following sections have been revised since the last issue of this SDS**  
Not applicable

### Contact

**Australian Poisons Information Centre**  
24 Hour Service: - 13 11 26  
Police or Fire Brigade: - 000 (exchange): - 1100

**New Zealand National Poisons Centre**  
0800 764 766

**Additional Information** For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**\*\*\*END OF MSDS\*\*\***