

# RESENE ENAMACRYL

## RESENE PAINTS LTD

Version No: 1.3  
Safety Data Sheet according to HSNO Regulations

Chemwatch Hazard Alert Code: 3

Issue Date: 28/11/2014  
Print Date: 28/11/2014  
Initial Date: 28/11/2014  
S.GHS.NZL.EN

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### Product Identifier

|                               |                                                                                                                                        |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Product name                  | RESENE ENAMACRYL                                                                                                                       |
| Chemical Name                 | Not Applicable                                                                                                                         |
| Synonyms                      | Incl White, Pastel, Light, Mid, Deep, Ultra Deep, Ochre, Green, Aluminium, Magenta, Yellow 2, Red, Fine Metallic Aluminium, Cool black |
| Proper shipping name          | Not Applicable                                                                                                                         |
| Chemical formula              | Not Applicable                                                                                                                         |
| Other means of identification | Not Available                                                                                                                          |
| CAS number                    | Not Applicable                                                                                                                         |

#### Relevant identified uses of the substance or mixture and uses advised against

|                          |                                             |
|--------------------------|---------------------------------------------|
| Relevant identified uses | Use according to manufacturer's directions. |
|--------------------------|---------------------------------------------|

#### Details of the manufacturer/importer

|                         |                                            |
|-------------------------|--------------------------------------------|
| Registered company name | RESENE PAINTS LTD                          |
| Address                 | 32-50 VOGEL STREET, LOWER HUTT New Zealand |
| Telephone               | +64 4 577 0500                             |
| Fax                     | +64 4 577 3327                             |
| Website                 | www.resene.co.nz                           |
| Email                   | Not Available                              |

#### Emergency telephone number

|                                   |               |
|-----------------------------------|---------------|
| Association / Organisation        | Not Available |
| Emergency telephone numbers       | 0800737363    |
| Other emergency telephone numbers | 0800737363    |

#### CHEMWATCH EMERGENCY RESPONSE

| Primary Number | Alternative Number 1 | Alternative Number 2 |
|----------------|----------------------|----------------------|
| +800 2436 2255 | +612 9186 1132       | Not Available        |

Once connected and if the message is not in your preferred language then please dial 01

### SECTION 2 HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation.  
Not regulated for transport of Dangerous Goods.

|                                                 |                                                                                                                                       |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| GHS Classification [1]                          | Chronic Aquatic Hazard Category 3                                                                                                     |
| Legend:                                         | 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI |
| Determined by Chemwatch using GHS/HSNO criteria | 9.1C (fish)                                                                                                                           |

#### Label elements

|                    |                |
|--------------------|----------------|
| GHS label elements | Not Applicable |
|--------------------|----------------|

|             |                |
|-------------|----------------|
| SIGNAL WORD | NOT APPLICABLE |
|-------------|----------------|

#### Hazard statement(s)

|      |                                                   |
|------|---------------------------------------------------|
| H412 | Harmful to aquatic life with long lasting effects |
|------|---------------------------------------------------|

#### Precautionary statement(s) Prevention

Continued...

## RESENE ENAMACRYL

**P273** Avoid release to the environment.

**Precautionary statement(s) Response**

Not Applicable

**Precautionary statement(s) Storage**

Not Applicable

**Precautionary statement(s) Disposal**

**P501** Dispose of contents/container to authorised chemical landfill or if organic to high temperature incineration

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS****Substances**

See section below for composition of Mixtures

**Mixtures**

| CAS No        | %[weight] | Name                  |
|---------------|-----------|-----------------------|
| Not Available | 10-30     | acrylic resin         |
| Not Available | 30-60     | water                 |
|               | various   | proprietary materials |

**SECTION 4 FIRST AID MEASURES**

NZ Poisons Centre 0800 POISON (0800 764 766) | NZ Emergency Services: 111

**Description of first aid measures**

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>  | <p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> <li>▶ Wash out immediately with fresh running water.</li> <li>▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>▶ Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul> |
| <b>Skin Contact</b> | <p>If skin contact occurs:</p> <ul style="list-style-type: none"> <li>▶ Immediately remove all contaminated clothing, including footwear.</li> <li>▶ Flush skin and hair with running water (and soap if available).</li> <li>▶ Seek medical attention in event of irritation.</li> </ul>                                                                                                                                                                                                                                                   |
| <b>Inhalation</b>   | <ul style="list-style-type: none"> <li>▶ If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>▶ Other measures are usually unnecessary.</li> </ul>                                                                                                                                                                                                                                                                                                                                                 |
| <b>Ingestion</b>    | <ul style="list-style-type: none"> <li>▶ Immediately give a glass of water.</li> <li>▶ First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>                                                                                                                                                                                                                                                                                                                                       |

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

for irritant gas exposures:

- ▶ the presence of the agent when it is inhaled is evanescent (of short duration) and therefore, cannot be washed away or otherwise removed
- ▶ arterial blood gases are of primary importance to aid in determination of the extent of damage. Never discharge a patient significantly exposed to an irritant gas without obtaining an arterial blood sample.
- ▶ supportive measures include suctioning (intubation may be required), volume cycle ventilator support (positive and expiratory pressure (PEEP), steroids and antibiotics, after a culture is taken
- ▶ If the eyes are involved, an ophthalmologic consultation is recommended

Occupational Medicine: Third Edition; Zenz, Dickerson, Horvath 1994 Pub: Mosby

For acute or short term repeated exposures to ammonia and its solutions:

- ▶ Mild to moderate inhalation exposures produce headache, cough, bronchospasm, nausea, vomiting, pharyngeal and retrosternal pain and conjunctivitis. Severe inhalation produces laryngospasm, signs of upper airway obstruction (stridor, hoarseness, difficulty in speaking) and, in excessively, high doses, pulmonary oedema.
- ▶ Warm humidified air may soothe bronchial irritation.
- ▶ Test all patients with conjunctival irritation for corneal abrasion (fluorescein stain, slit lamp exam)
- ▶ Dyspneic patients should receive a chest X-ray and arterial blood gases to detect pulmonary oedema.

**SECTION 5 FIREFIGHTING MEASURES****Extinguishing media**

Metal dust fires need to be smothered with sand, inert dry powders.

**Special hazards arising from the substrate or mixture**

|                             |                                                                                                                                                                                                                                                                                      |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Fire Incompatibility</b> | <ul style="list-style-type: none"> <li>▶ Reacts with acids producing flammable / explosive hydrogen (H<sub>2</sub>) gas</li> <li>▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result</li> </ul> |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Advice for firefighters**

|                              |                                                                   |
|------------------------------|-------------------------------------------------------------------|
| <b>Fire Fighting</b>         | ▶ Alert Fire Brigade and tell them location and nature of hazard. |
| <b>Fire/Explosion Hazard</b> | ▶ <b>DO NOT</b> disturb burning dust.                             |

**SECTION 6 ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

Continued...

## RESENE ENAMACRYL

|                                                                             |                                |
|-----------------------------------------------------------------------------|--------------------------------|
| Minor Spills                                                                | ▶ Remove all ignition sources. |
| Major Spills                                                                | Moderate hazard.               |
| Personal Protective Equipment advice is contained in Section 8 of the MSDS. |                                |

## SECTION 7 HANDLING AND STORAGE

## Precautions for safe handling

|                   |                                                                                                                                      |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Safe handling     | ▶ <b>DO NOT</b> allow clothing wet with material to stay in contact with skin<br>▶ Avoid all personal contact, including inhalation. |
| Other information | ▶ Store in original containers.                                                                                                      |

## Conditions for safe storage, including any incompatibilities

|                         |                                                                                |
|-------------------------|--------------------------------------------------------------------------------|
| Suitable container      | ▶ Metal can or drum<br>▶ Packaging as recommended by manufacturer.             |
| Storage incompatibility | For aluminas (aluminium oxide):<br>▶ Incompatible with hot chlorinated rubber. |

## PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

## Control parameters

## OCCUPATIONAL EXPOSURE LIMITS (OEL)

## INGREDIENT DATA

Not Available

## EMERGENCY LIMITS

| Ingredient       | Material name | TEEL-1        | TEEL-2        | TEEL-3        |
|------------------|---------------|---------------|---------------|---------------|
| RESENE ENAMACRYL | Not Available | Not Available | Not Available | Not Available |

| Ingredient    | Original IDLH | Revised IDLH  |
|---------------|---------------|---------------|
| acrylic resin | Not Available | Not Available |
| water         | Not Available | Not Available |

## Exposure controls

|                                  |                                                                                                            |
|----------------------------------|------------------------------------------------------------------------------------------------------------|
| Appropriate engineering controls | CARE: Explosive vapour air mixtures may be present on opening vessels which have contained liquid ammonia. |
| Personal protection              |                         |
| Eye and face protection          | ▶ Safety glasses with side shields.                                                                        |
| Skin protection                  | See Hand protection below                                                                                  |
| Hands/feet protection            | ▶ Wear chemical protective gloves, e.g. PVC.                                                               |
| Body protection                  | See Other protection below                                                                                 |
| Other protection                 | ▶ Protective overalls, closely fitted at neck and wrist.                                                   |
| Thermal hazards                  | Not Available                                                                                              |

## Recommended material(s)

## GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

**"Forsberg Clothing Performance Index".**The effect(s) of the following substance(s) are taken into account in the **computer-generated** selection:

RESENE ENAMACRYL

| Material         | CPI |
|------------------|-----|
| BUTYL            | C   |
| HYPALON          | C   |
| NATURAL RUBBER   | C   |
| NATURAL+NEOPRENE | C   |
| NEOPRENE         | C   |
| NEOPRENE/NATURAL | C   |
| NITRILE          | C   |

## Respiratory protection

Type AK-P Filter of sufficient capacity.

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator   |
|------------------------------------|----------------------|----------------------|--------------------------|
| up to 5 x ES                       | AK-AUS / Class 1 P2  | -                    | AK-PAPR-AUS / Class 1 P2 |
| up to 25 x ES                      | Air-line*            | AK-2 P2              | AK-PAPR-2 P2             |
| up to 50 x ES                      | -                    | AK-3 P2              | -                        |
| 50+ x ES                           | -                    | Air-line**           | -                        |

\* - Continuous-flow; \*\* - Continuous-flow or positive pressure demand

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen

Continued...

## RESENE ENAMACRYL

|             |   |
|-------------|---|
| NITRILE+PVC | C |
| PE/EVAL/PE  | C |
| PVC         | C |

cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO<sub>2</sub>), G = Agricultural chemicals, K = Ammonia(NH<sub>3</sub>), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

\* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

**NOTE:** As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                                     |                                                                                                                               |                                                |               |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|---------------|
| <b>Appearance</b>                                   | Note that all of the monopropylene glycol ethers may exist in two isomeric forms, alpha or beta.<br>  Coloured viscous liquid |                                                |               |
| <b>Physical state</b>                               | Liquid                                                                                                                        | <b>Relative density (Water = 1)</b>            | 1.1           |
| <b>Odour</b>                                        | Not Available                                                                                                                 | <b>Partition coefficient n-octanol / water</b> | Not Available |
| <b>Odour threshold</b>                              | Not Available                                                                                                                 | <b>Auto-ignition temperature (°C)</b>          | Not Available |
| <b>pH (as supplied)</b>                             | 8-9                                                                                                                           | <b>Decomposition temperature</b>               | Not Available |
| <b>Melting point / freezing point (°C)</b>          | Not Available                                                                                                                 | <b>Viscosity (cSt)</b>                         | 1080          |
| <b>Initial boiling point and boiling range (°C)</b> | 100                                                                                                                           | <b>Molecular weight (g/mol)</b>                | Not Available |
| <b>Flash point (°C)</b>                             | Not Available                                                                                                                 | <b>Taste</b>                                   | Not Available |
| <b>Evaporation rate</b>                             | Not Available                                                                                                                 | <b>Explosive properties</b>                    | Not Available |
| <b>Flammability</b>                                 | Not Available                                                                                                                 | <b>Oxidising properties</b>                    | Not Available |
| <b>Upper Explosive Limit (%)</b>                    | Not Available                                                                                                                 | <b>Surface Tension (dyn/cm or mN/m)</b>        | Not Available |
| <b>Lower Explosive Limit (%)</b>                    | Not Available                                                                                                                 | <b>Volatile Component (%vol)</b>               | 43            |
| <b>Vapour pressure (kPa)</b>                        | Not Available                                                                                                                 | <b>Gas group</b>                               | Not Available |
| <b>Solubility in water (g/L)</b>                    | Miscible                                                                                                                      | <b>pH as a solution(1%)</b>                    | Not Available |
| <b>Vapour density (Air = 1)</b>                     | Not Available                                                                                                                 | <b>VOC g/L</b>                                 | Not Available |

## SECTION 10 STABILITY AND REACTIVITY

|                                           |                                                       |
|-------------------------------------------|-------------------------------------------------------|
| <b>Reactivity</b>                         | See section 7                                         |
| <b>Chemical stability</b>                 | ► Unstable in the presence of incompatible materials. |
| <b>Possibility of hazardous reactions</b> | See section 7                                         |
| <b>Conditions to avoid</b>                | See section 7                                         |
| <b>Incompatible materials</b>             | See section 7                                         |
| <b>Hazardous decomposition products</b>   | See section 5                                         |

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

|                     |                                                                                                                                                                                                                                                                                                               |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhaled</b>      | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).                                                                                                                                                    |
| <b>Ingestion</b>    | Acute toxic responses to aluminium are confined to the more soluble forms.                                                                                                                                                                                                                                    |
| <b>Skin Contact</b> | Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.                                                                                                            |
| <b>Eye</b>          | Limited evidence exists, or practical experience suggests, that the material may cause eye irritation in a substantial number of individuals and/or is expected to produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. |
| <b>Chronic</b>      | On the basis of epidemiological data, it has been concluded that prolonged inhalation of the material, in an occupational setting, may produce cancer in humans.                                                                                                                                              |

|                         |                 |                   |
|-------------------------|-----------------|-------------------|
| <b>RESENE ENAMACRYL</b> | <b>TOXICITY</b> | <b>IRRITATION</b> |
|                         | Not Available   | Not Available     |

## RESENE ENAMACRYL

## RESENE ENAMACRYL

for propylene glycol ethers (PGEs):

Typical propylene glycol ethers include propylene glycol n-butyl ether (PnB); dipropylene glycol n-butyl ether (DPnB); dipropylene glycol methyl ether acetate (DPMA); tripropylene glycol methyl ether (TPM).

|                                   |   |                          |   |
|-----------------------------------|---|--------------------------|---|
| Acute Toxicity                    | ☐ | Carcinogenicity          | ☐ |
| Skin Irritation/Corrosion         | ☐ | Reproductivity           | ☐ |
| Serious Eye Damage/Irritation     | ☐ | STOT - Single Exposure   | ☐ |
| Respiratory or Skin sensitisation | ☐ | STOT - Repeated Exposure | ☐ |
| Mutagenicity                      | ☐ | Aspiration Hazard        | ☐ |

Legend:  – Data required to make classification available  
 – Data available but does not fill the criteria for classification  
 – Data Not Available to make classification

## CMR STATUS

Not Applicable

## SECTION 12 ECOLOGICAL INFORMATION

## Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## Persistence and degradability

| Ingredient            | Persistence: Water/Soil | Persistence: Air |
|-----------------------|-------------------------|------------------|
| acrylic resin         | LOW                     | LOW              |
| proprietary materials | HIGH                    | HIGH             |

## Bioaccumulative potential

| Ingredient            | Bioaccumulation      |
|-----------------------|----------------------|
| acrylic resin         | LOW (LogKOW = 0.229) |
| proprietary materials | LOW (BCF = 10)       |

## Mobility in soil

| Ingredient            | Mobility          |
|-----------------------|-------------------|
| acrylic resin         | LOW (KOC = 14.3)  |
| proprietary materials | LOW (KOC = 23.74) |

## SECTION 13 DISPOSAL CONSIDERATIONS

## Waste treatment methods

|                              |                                                                                                                          |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Product / Packaging disposal | Legislation addressing waste disposal requirements may differ by country, state and/ or territory.                       |
|                              | Ensure that the disposal of material is carried out in accordance with Hazardous Substances (Disposal) Regulations 2001. |

## SECTION 14 TRANSPORT INFORMATION

## Labels Required

|                  |                |
|------------------|----------------|
| Marine Pollutant | NO             |
| HAZCHEM          | Not Applicable |

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

| Source | Ingredient | Pollution Category |
|--------|------------|--------------------|
|--------|------------|--------------------|

## SECTION 15 REGULATORY INFORMATION

## Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

|            |                                                                         |
|------------|-------------------------------------------------------------------------|
| HSR Number | Group Standard                                                          |
| HSR002670  | Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2006 |

Continued...

## RESENE ENAMACRYL

|                                                                    |                  |
|--------------------------------------------------------------------|------------------|
| acrylic resin() is found on the following regulatory lists         | "Not Applicable" |
| water() is found on the following regulatory lists                 | "Not Applicable" |
| proprietary materials() is found on the following regulatory lists | "Not Applicable" |

**Location Test Certificate**

Subject to Regulation 55 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations a location test certificate is required when quantity greater than or equal to those indicated below are present.

| Hazard Class   | Quantity beyond which controls apply for closed containers | Quantity beyond which controls apply when use occurring in open containers |
|----------------|------------------------------------------------------------|----------------------------------------------------------------------------|
| Not Applicable | Not Applicable                                             | Not Applicable                                                             |

**Approved Handler**

Subject to Regulation 56 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations, the substance must be under the personal control of an Approved Handler when present in a quantity greater than or equal to those indicated below.

| Class of substance | Quantities     |
|--------------------|----------------|
| Not Applicable     | Not Applicable |

**SECTION 16 OTHER INFORMATION****Other information**

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

[www.chemwatch.net/references](http://www.chemwatch.net/references)

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.