



# MATERIAL SAFETY DATA SHEET

## Section 1. Product and Company Identification

Product Name: EzFlow Urban Tribe Collection  
(Taboo, Clay, Tribal Turquoise, Nomad, Ritual, Free Spirit) DATE: 4-23-09  
Formula: 30-2135, 30-4221, 30-4251, 30-4252, 30-4260, 30-4261 REV: 01  
Item#: 42104; 42130, 42131, 42132, 42133, 42134, 42135

Manufacturer: American International Industries  
2220 Gaspar Ave  
Los Angeles, CA 90040

Chem-Tel: (800) 255-3924

## Section 2. Composition / Information on Ingredients

### Composition:

| Component                             | CAS #      | %       | Exposure Limits ppm |             |
|---------------------------------------|------------|---------|---------------------|-------------|
|                                       |            |         | ACGIH-TWA           | OSHA-PEL    |
| Urethane Acrylate Oligomer            | N/A        | 50-100  | None                | Established |
| Isobornyl Methacrylate                | 7534-94-3  | 20 - 30 | None                | Established |
| Trimethylolpropane<br>Trimethacrylate | 3290-92-4  | 1-10    | None                | Established |
| Hydroxycyclohexyl Phenyl Ketone       | 947-19-3   | 1-10    | None                | Established |
| May Contain:                          |            |         |                     |             |
| Polyester-3                           | N/A        | 0 - 1   | None                | Established |
| Ethylhexyl Hydroxystearate            | 29383-26-4 | 0 - 1   | None                | Established |
| Mica                                  | 12001-26-2 | 0 - 1   | None                | Established |
| Bismuth Oxychloride (CI 77163)        | 7787-59-9  | 0 - 1   | None                | Established |
| Iron Oxides (CI 77491)                | 1309-37-1  | 0 - 1   | None                | Established |
| Iron Oxides (CI 77492)                | 1309-37-1  | 0 - 1   | None                | Established |
| Titanium Dioxide (CI 77891)           | 13463-67-7 | 0 - 1   | None                | Established |
| Barium Sulfate (CI 77120)             | 7727-43-7  | 0 - 1   | None                | Established |
| Iron Oxides (CI 77499)                | 1309-37-1  | 0 - 1   | None                | Established |
| Violet 2 (CI 60725)                   | 81-48-1    | 0 - 1   | None                | Established |
| Yellow 7 (CI 45350)                   | 518-45-6   | 0 - 1   | None                | Established |
| Silica                                | 7631-86-9  | 0 - 1   | None                | Established |
| Rosin (Colophonium, Colophane)        | 9/7/8050   | 0 - 1   | None                | Established |
| Pigment Red 48 (CI 15865)             | 3564-21-4  | 0 - 1   | None                | Established |



## **MATERIAL SAFETY DATA SHEET**

---

|                           |           |       |                  |
|---------------------------|-----------|-------|------------------|
| Green 3 (CI 42053)        | 2353-45-9 | 0 - 1 | None Established |
| Pigment Blue15 (CI 74160) | 147-14-8  | 0 - 1 | None Established |
| Ultramarines (CI 77007)   | 1317-97-1 | 0 - 1 | None Established |

---

### **Section 3. Hazardous Identification**

---

#### **Potential Health Effects, Signs and Symptoms of Exposure:**

Primary Route of Entry: Inhalation, Skin Absorption, Ingestion

Eye: A primary route of exposure that will cause eye irritation characterized by excessive tearing, redness and blinking.

Skin: A primary route of exposure that may cause slight to moderate skin irritation and allergic skin reaction. May cause rash, redness, swelling and blistering (symptoms may be delayed).

Ingestion: Ingestion may cause irritation of the gastrointestinal tract.

Inhalation: Not a likely route of exposure.

---

### **Section 4. First Aid Measures**

---

First Aid for Eye: Immediately flush with water for at least 15 minutes, keeping eyelids open. Seek medical attention.

First Aid for Skin: Thoroughly wash exposed area with soap and water. If irritation develops, seek medical attention. Launder clothing before reuse.

First Aid for Inhalation: If overcome by exposure, victim should be removed to fresh air immediately. Give artificial respiration as needed. Get immediate medical attention.

First Aid for Ingestion: Do not induce vomiting. Immediately seek medical attention.

---

### **Section 5. Fire Fighting Measures**

---

Flash Point (°F/°C): >200°C (392°F)

Flammable Limit (vol%): Not available.

Auto-ignition Temp. (vol%): Not available.

Extinguisher Media: Foam, dry chemical, or carbon dioxide.

Fire Fighting Procedures: Cool exposed containers with water spray. In case of fire, wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: Product may polymerize at high temperatures. Polymerization is an exothermic reaction and may produce sufficient heat to cause thermal decomposition and/or rupture of containers.



## **MATERIAL SAFETY DATA SHEET**

---

### **Section 6. Accidental Release Measures**

---

Spill or Release Procedures: Absorb with inert material (i.e. sawdust, sand), collect in closed containers and dispose of as recommended. Avoid skin contact.

---

### **Section 7. Handling and Storage**

---

Handling: To avoid fire, minimize ignition sources. Avoid contact with skin and eyes.

Storing: Store below 30°C in a well ventilated area, away from direct sunlight, oxidizing or reducing agents.

---

### **Section 8. Exposure Controls / Personal Protective Equipment**

---

Engineering Controls: Local exhaust is recommended for bulk repackaging or continuous large quantity use.

Eyes: Chemical goggles.

Body: Synthetic apron.

Respiratory: Wear appropriate respirator when ventilation is inadequate.

Hands: Rubber gloves.

Feet: Wear chemical resistant shoes.

---

### **Section 9. Physical and Chemical Properties**

---

**Appearance @ 25°C:** Various color viscous gel

**Viscosity:** 50,000 - 80,000cps

**Odor @ 25°C:** Characteristic  
**pH** Not applicable

**Vapor Pressure:** Not available

**Specific Gravity:** Not available

**Vapor Density:** Not available

**Ignition:** Not applicable

**Evaporation Rate:** Negligible

**Total Solids, %** Not applicable

**Solubility** Insoluble in water

---

### **Section 10. Stability and Reactivity**

---

**Stability:** Stable



## **MATERIAL SAFETY DATA SHEET**

---

**Hazardous Decomposition Products:**

Not available

**Incompatibility (Materials to Avoid):**

Elevated temperatures, ultraviolet light, free radical initiators, amines.

**Hazardous Polymerization:**

May occur

---

### **Section 11. Toxicological Information**

---

**Toxicity to Animals:** LD50: Not available; LC50: Not available

**Chronic Effects on Humans**

Not available.

**Other Toxic Effects on Humans**

Slightly hazardous in case of skin contact (irritant).

**Special Remarks on Toxicity to Animals**

Not available.

---

### **Section 12. Ecological Information**

---

**Ecotoxicity:** No data available

**BOD5 and COD:** No data available

**Biodegradable/OECD:**

No data available

**Mobility:** No data available

**Toxicity of the Products of Biodegradation**

No data available

**Special Remarks on the Products of Biodegradation**

No data available



## MATERIAL SAFETY DATA SHEET

---

### Section 13. Disposable Considerations

---

Waste Information: Cured products may be land filled. Uncured product must be handled according to local regulations.

Waste Stream: Consult your local authority. Consult your local hazardous waste management for advice.

---

### Section 14. Transportation Information

---

#### DOT (49CFR 172)

|                                      |                        |
|--------------------------------------|------------------------|
| Proper Shipping Name:                | Non-Regulated Material |
| Identification Number:               | N/A                    |
| Marine Pollutant:                    | No                     |
| Special Provisions:                  | N/A                    |
| Emergency Response Guidebook (ERG)#: | N/A                    |

#### IATA (DGR):

|                                      |                        |
|--------------------------------------|------------------------|
| Proper Shipping Name:                | Non-Regulated Material |
| Class or Division:                   | N/A                    |
| UN or ID Number:                     | N/A                    |
| Packaging Instructions:              |                        |
| Emergency Response Guidance (ICAO)#: |                        |

#### IMO (IMDG):

|                                           |                        |
|-------------------------------------------|------------------------|
| Proper Shipping Name:                     | Non-Regulated Material |
| Class or Division:                        | N/A                    |
| UN or ID Number:                          | N/A                    |
| Special Provisions & Stowage/Segregation: | None                   |
| Emergency Schedule (EmS)#:                |                        |

---

### Section 15. Regulatory Information

---

Regulatory Information available upon request.

---

### Section 16. Other Information

---

No additional information available.

**IBD Color Gel Shades**



## **MATERIAL SAFETY DATA SHEET**

---

|         |              |                    |
|---------|--------------|--------------------|
| 30-0251 | 60883        | Electric Red       |
| 30-0303 | 60889, 60619 | Ultra Violet       |
| 30-0304 | 60888        | Sunray             |
| 30-1077 | 56102        | XOXO               |
| 30-1079 | 56101        | True Love          |
| 30-2134 | 56050        | Calypso Orange     |
| 30-2135 | 56051        | Gypsy Red          |
| 30-2136 | 56052        | Henna Burgundy     |
| 30-2137 | 56053        | Tapestry Purple    |
| 30-2138 | 56054        | Bohemian Blue      |
| 30-2139 | 56055        | Mother Earth Green |
| 30-2644 | 56266        | Tuscan Terracotta  |
| 30-2645 | 56263        | Emerald Isle       |
| 30-2646 | 56268        | Parisian Purple    |
| 30-2647 | 56264        | Bali Blue          |
| 30-2648 | 56256        | Shanghai Red       |
| 30-2649 | 56267        | Sahara Sands       |

**IBD Color Gel Shades Cont.**

|         |              |                    |
|---------|--------------|--------------------|
| 30-5612 | 56241        | Diamond Opal       |
| 30-5613 | 56242        | Turquoise          |
| 30-5614 | 56237        | Emerald            |
| 30-5615 | 56240        | Pearl              |
| 30-5616 | 56238        | Amber              |
| 30-5617 | 56239        | Rose Quartz        |
| 30-6058 | 60578        | Paparazzi          |
| 30-6059 | 60579        | De'lish            |
| 30-6060 | 60580        | Up All Night       |
| 30-6061 | 60581        | Party 'Til Dawn    |
| 30-6062 | 60582        | Pamper Me          |
| 30-6063 | 60583        | Autograph          |
| 30-6064 | 60577        | Stiletto Heels     |
| 30-6068 | 60886        | Return To Paradise |
| 30-6120 | 60587        | Radium             |
| 30-6121 | 60588        | Copper             |
| 30-6122 | 60590        | Rose Gold          |
| 30-6123 | 60593        | Stainless Steel    |
| 30-6124 | 60594        | 24K                |
| 30-6125 | 60595        | Titanium           |
| 30-6308 | 60894, 60639 | Glitter Shimmer    |
| 30-6535 | 60890        | Techno Ruby        |
| 30-6536 | 60700        | Extreme Black      |
| 30-6537 | 60893        | Tango              |
| 30-6540 | 60615        | Golden Reflection  |
| 30-6541 | 60892        | Oxygen             |
| 30-6561 | 60872        | Mistletoe Green    |



## **MATERIAL SAFETY DATA SHEET**

---

|         |       |                 |
|---------|-------|-----------------|
| 30-6562 | 60874 | Hollyberry Red  |
| 30-6563 | 60873 | Silver Bells    |
| 30-6564 | 60875 | Gold Garland    |
| 30-6565 | 60882 | Bio Black       |
| 30-6566 | 60885 | Raw Silk        |
| 30-6567 | 60891 | Underwater      |
| 30-6568 | 60701 | Winter White    |
| 30-6570 | 60578 | Butter Rum      |
| 30-6571 | 60565 | Sweet Berry     |
| 30-6572 | 60564 | Tangerine Dream |
| 30-6573 | 60581 | Glacial Mint    |
| 30-6574 | 60583 | Apricot Cream   |
| 30-6575 | 60566 | Lime Drop       |
| 30-6576 | 60702 | Black Diamond   |
| 30-6577 | 60876 | Merlot          |
| 30-6578 | 60877 | Cabernet        |
| 30-6579 | 60878 | Rose            |
| 30-6580 | 60879 | Port            |

**IBD Color Gel Shades Cont.**

|         |              |                    |
|---------|--------------|--------------------|
| 30-6581 | 60880        | Grapevine          |
| 30-6582 | 60881        | Pinot Noir         |
| 30-6607 | 60896        | Red Hot            |
| 30-6608 | 60897        | Burn Baby Burn     |
| 30-6609 | 60898        | Seared With A Kiss |
| 30-6610 | 60895        | Scarlet Fever      |
| 30-7856 | 60887, 60622 | Seduction          |
| 30-8314 | 60884        | Natural Elegance   |
| 30-8317 | 56276        | Tangelo            |
| 30-8318 | 56272        | Violet Mist        |
| 30-8319 | 56274        | Leafy Luster       |
| 30-8324 | 56273        | Indigo Shore       |
| 30-8325 | 56275        | Sunshower          |
| 30-8326 | 56277        | Plumeria           |
| 30-2318 | 60811        | Like It Love It    |
| 30-2319 | 60809        | Stylin             |
| 30-2315 | 60807        | Fiesty             |
| 30-2316 | 60808        | Flaunt It          |
| 30-2314 | 60813        | Color Addict       |
| 30-2317 | 60814        | Late Nite          |