

SAFETY DATA SHEET

Revision Date 05/11/2015 REVISION NUMBER: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name F-222

Other means of identification

Product code 119682 UN/ID No. 1824 Synonyms NONE

Recommended use of the chemical and restrictions on use
Recommended Use Cleaner/Degreaser.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Importer

Rochester Midland Corporation Rochester Midland Limited

155 Paragon Drive 143 Mills Road Rochester, New York 14624 USA Ajax, ON L1S 2H2

Canada

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Reproductive Toxicity	Category 2
Corrosive to metals	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes severe skin burns and eye damage Suspected of damaging fertility or the unborn child May be corrosive to metals

119682 F-222



Appearance Clear, Brown

Physical state Liquid

Odor Glycol Ether-like odor.

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

• May be harmful in contact with skin

Unknown Acute Toxicity

4.3% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Diethylene glycol methyl ether	111-77-3	10 - 15	*
Sodium Hydroxide	1310-73-2	1 - 5	*
Sodium metasilicate	6834-92-0	1 - 2	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediately call a POISON CENTER or doctor/physician.

119682 F-222

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Ingestion

Most important symptoms and effects, both acute and delayed

No information available. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Product is mostly water and will not burn. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. Cool exposed containers with water spray. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal

Protection.

Environmental precautions

See Section 12 for additional ecological information. **Environmental precautions**

Methods and material for containment and cleaning up

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Methods for containment

Methods for cleaning up Pick up and transfer to properly labeled containers. Flush residue with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling DANGER: Concentrated, alkaline liquid. Mix only with water. Avoid contact with skin, eyes

or clothing. Do not breathe mist or vapors.

119682 F-222

Conditions for safe storage, including any incompatibilities

Keep/store only in original container. Keep containers tightly closed in a dry, cool and **Storage Conditions**

well-ventilated place. Empty containers may retain product residue, follow MSDS/label

precautions even after container is emptied.

Incompatible materials Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Do not mix with:.

Acids. Neutralizes active ingredients.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³ TWA: 2 mg/m ³	10 mg/m ³

Appropriate engineering controls

ENGINEERING CONTROLS Showers

> **Eyewash stations** Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Goggles and face shield are recommended to minimize eye contact.

Skin and body protection Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin

contact. Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this

product.

RESPIRATORY PROTECTION If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

> > None to boiling.

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear, Brown Odor Glycol Ether-like odor. Color No information available Brown Odor threshold

Values Remarks • Method **Property**

pН

No information available Melting point/freezing point No information available Boiling point / boiling range

Flash point

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available No information available Vapor pressure Vapor density No information available

Specific gravity 1.066 - 1.086

Water solubility No information available Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available Oxidizing properties No information available

Other Information

Softening point No information available

VOC (EPA METH.24) (G/L): 144.94 **Density** 8.96 lbs/gal

Bulk density No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Do not mix with:. Acids. Neutralizes active ingredients.

Hazardous Decomposition Products

Carbon Monoxide. If evaporated to dryness, as in a fire, material may burn, releasing:. Smoke. Fumes.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact May be harmful in contact with skin. Causes burns.

Ingestion Causes burns.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol methyl ether 111-77-3	-	= 650 mg/kg (Rabbit)	-
Sodium Hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Reproductive Toxicity Possible risk of impaired fertility. Possible risk of harm to the unborn child.

STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 4.3% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 32308 mg/kg

 ATEmix (dermal)
 4280 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

4.6% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants Fish		Crustacea
Diethylene glycol methyl ether 111-77-3			500: 48 h Daphnia magna mg/L EC50
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Sodium metasilicate 6834-92-0			-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION		Partition coefficient
	Diethylene glycol methyl ether	-0.682
	111-77-3	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

119682 F-222

UN/ID No. 1824

SODIUM HYDROXIDE SOLUTION Proper shipping name

Hazard Class Packing Group

Description 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA DSL/NDSL** Complies

Does not Comply **EINECS/ELINCS**

Complies **ENCS IECSC** Complies **KECL** Complies Complies **PICCS AICS** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %	
Diethylene glycol methyl ether - 111-77-3	1.0	

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD YES **CHRONIC HEALTH HAZARD** YES **FIRE HAZARD** No Sudden release of pressure hazard No **REACTIVE HAZARD** YES

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

119682 F-222

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Sodium Hydroxide 1310-73-2	1000	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Diethylene glycol methyl ether 111-77-3		Listed	Listed
Sodium Hydroxide 1310-73-2	1706	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA

Health hazards 3

Flammability 0

Instability 0

Physical and Chemical Properties ALKALI

HMIS

Health hazards 3

Flammability 0

Physical hazards 0

Personal protection D

Revision Date Revision Note

Revision Not Disclaimer 05/11/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***