HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: FLEXCEM COMPONENT K

Revision Date: 02-Jan-2013

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: FLEXCEM COMPONENT K

Synonyms: None
Chemical Family: Sulfate
Application: Component

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Sodium lauryl sulfate	151-21-3	30 - 60%	Not applicable	Not applicable

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory burns. May be harmful if swallowed.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): Not Determined Flash Point/Range (C): Not Determined **Flash Point Method:** Not Determined **Autoignition Temperature (F):** Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. **Special Exposure Hazards** Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Health 2, Flammability 0, Reactivity 0 **NFPA Ratings: HMIS Ratings:** Health 2, Flammability 0, Reactivity 0

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials.

Scoop up and remove.

HANDLING AND STORAGE

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after **Handling Precautions**

use. Launder contaminated clothing before reuse.

Storage Information Store away from oxidizers. Keep from freezing. Keep container closed when not in

use. Product has a shelf life of 24 months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Use in a well ventilated area. Local exhaust ventilation should be used in areas **Engineering Controls**

without good cross ventilation.

Respiratory Protection Not normally needed. But if significant exposures are possible then the following

respirator is recommended:

Dust/mist respirator. (N95, P2/P3)

Hand Protection Impervious rubber gloves.

Skin Protection Rubber apron.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Eyewash fountains and safety showers must be easily accessible. Other Precautions

PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: White to amber

PHYSICAL AND CHEMICAL PROPERTIES

Odor: Odorless 7 :Ha Specific Gravity @ 20 C (Water=1): 1.04

8.66 Density @ 20 C (lbs./gallon):

Bulk Density @ 20 C (lbs/ft3): Not Determined

Boiling Point/Range (F): 212 Boiling Point/Range (C): 100 Freezing Point/Range (F): 41 Freezing Point/Range (C): 5

Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined

Percent Volatiles: 70

Evaporation Rate (Butyl Acetate=1): Not Determined

Solubility in Water (g/100ml): Miscible

Not Determined Solubility in Solvents (g/100ml): VOCs (lbs./gallon): Not Determined Viscosity, Dynamic @ 20 C (centipoise): Not Determined Viscosity, Kinematic @ 20 C (centistokes): Not Determined Partition Coefficient/n-Octanol/Water: Not Determined

Molecular Weight (g/mole): >600

STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong oxidizers.

Hazardous Decomposition

Products

Oxides of sulfur. Sodium oxides. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation Causes severe respiratory burns.

Skin Contact Causes severe burns. Prolonged or repeated contact may cause ulceration of the

Eye Contact Causes severe eye irritation May cause eye burns.

Causes burns of the mouth, throat and stomach. Ingestion

Aggravated Medical Conditions Skin disorders. Eye ailments.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Other Information None known.

Toxicity Tests

Oral Toxicity: LD50: 1000 mg/kg (Rat) **Dermal Toxicity:** LD50: 580 mg/kg (Rabbit)

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Transportation Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law Does not apply.

NJ Right-to-Know Law Does not apply.

PA Right-to-Know Law Does not apply.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class D2B Toxic Materials

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS