

FRESH CARE SHOE SPRAY

FLAMMABLE LIMITS IN AIR

LOWER (%): No data
UPPER (%): No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

Water may be ineffective. Carbon Dioxide, Dry Chemicals, Foam.

FIRE FIGHTING PROCEDURES:

Use water spray to cool nearby containers and structures exposed to fire. Do not allow runoff to enter sewers or public watercourses. Wear self-contained breathing equipment and rubber protective clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Reclaim as much as possible.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Clean up any remaining slippery surfaces by appropriate techniques, such as: mopping or swabbing with appropriate solvents; washing with mild, caustic detergents or solutions; or high pressure steam.

PERSONAL PRECAUTIONS:

Not applicable

ENVIRONMENTAL PRECAUTIONS:

Not applicable

METHODS FOR CLEANING UP:

Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

WARNING Extremely flammable. Do not store near heat, sparks or flame. Do not inhale vapors.

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not puncture or incinerate container. Follow label directions carefully.

Store in a cool, dry location away from incompatible materials.

OTHER PRECAUTIONS:

Keep out of reach of children.

SPECIFIC USE(S):

Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

None normally required. Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure.

PROTECTIVE GLOVES:

For continuous occupational exposure, wear impervious gloves (rubber, nitrile, neoprene).

EYE PROTECTION:

Safety Glasses.

OTHER PERSONAL PROTECTION
EQUIPMENT:

Eyewash fountains and safety showers must be easily accessible.

VENTILATION:

General mechanical or local exhaust as needed to maintain exposure below TLV or PEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear, colorless liquid. Fresh clean fragrance.

BOILING POINT (F):

63.3° C

(C) Not determined

VAPOR PRESSURE:

55 ± 5

VAPOR DENSITY (AIR=1):

> 1

SOLUBILITY IN WATER:

COMPLETE

SPECIFIC GRAVITY:

0.926

VOC Content (%):

15.0

FRESH CARE SHOE SPRAY

9. PHYSICAL AND CHEMICAL PROPERTIES

EVAPORATION RATE: UNKNOWN
PH: 10.5 ± 0.5

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Carbon Dioxide. Carbon Monoxide. Smoke. Soot. Organic vapors.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids and oxidizers.
CONDITIONS/HAZARDS TO AVOID: None anticipated

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established
EFFECTS OF CHRONIC EXPOSURE: Not established.
OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: Not applicable.
PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
ACETONE 67-64-1	30 - 60	Listed	Listed	Listed	Not Listed
Propellant - isobutane 75-28-5	7 - 13	Listed	Listed	Listed	Not Listed
PROPANE 74-98-6	3 - 7	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
ACETONE 67-64-1	30 - 60	2270 kg 5000 lb	Not Listed	Not Listed
Propellant - isobutane 75-28-5	7 - 13	Not Listed	Not Listed	Not Listed
PROPANE 74-98-6	3 - 7	Not Listed	Not Listed	Not Listed

FRESH CARE SHOE SPRAY

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
ACETONE 67-64-1	30 - 60	Listed
Propellant - isobutane 75-28-5	7 - 13	<row><value>A</value><value>B1</value></row> A
PROPANE 74-98-6	3 - 7	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
ACETONE 67-64-1	30 - 60	Listed
Propellant - isobutane 75-28-5	7 - 13	Listed
PROPANE 74-98-6	3 - 7	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
ACETONE 67-64-1	30 - 60	Listed
Propellant - isobutane 75-28-5	7 - 13	Listed
PROPANE 74-98-6	3 - 7	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
ACETONE 67-64-1	30 - 60	Listed
Propellant - isobutane 75-28-5	7 - 13	Listed
PROPANE 74-98-6	3 - 7	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***