

# Safety Data Sheet

## Fleetline Big Blue EP2 Lithium Complex Grease

### 1. IDENTIFICATION

#### Product Identification

Product Name: Fleetline Big Blue EP2 Lithium Complex Grease

Product Number: FLE723

#### Company Identification

Dennis K Burke Inc

284 Eastern Ave

Chelsea MA 02150

800-289-2875 (For Product Information)

#### 24 hr Emergency Number:

1-800-424-9300 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

#### OSHA/HCS STATUS:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### CLASSIFICATION(S):

#### SIGNAL WORD:

Warning

#### SYMBOL(S):



#### HAZARD STATEMENT(S):

Causes Serious Eye Irritation

#### PRECAUTIONARY STATEMENT(S):

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand. Wash with plenty of soap and water.

Hazard Rating		
	HMIS	NFPA
Health:	1	0
Flammability:	1	1
Reactivity:	0	0
Personal Protection:	B	-

**GENERAL PRECAUTIONARY STATEMENT(S):**

Keep out of reach of  
children. Read label  
before use.

**PREVENTION PRECAUTIONARY STATEMENT(S):**

Avoid breathing mist/vapors.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.  
In case of inadequate ventilation wear respiratory protection.

**RESPONSE PRECAUTIONARY STATEMENT(S):**

Get medical advice/attention.  
IF ON SKIN: wash with plenty of soap and water.  
IF SKIN irritation or rash occurs: Get medical advice/attention.  
IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF experiencing respiratory symptoms: call a POISON CENTER or doctor/physician.  
Wash with plenty of soap and water.  
Wash contaminated clothing before reuse.

**STORAGE PRECAUTIONARY STATEMENT(S):**

Store in a dry place.  
Store in a closed container.

**DISPOSAL PRECAUTIONARY STATEMENT(S):**

Dispose of contents/containers should be cleaned of residual product before disposal, and disposed of in accordance with all applicable laws and regulations.

**OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION:**

No additional information available

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**DANGEROUS COMPONENT LISTING:**

<u><b>Ingredient Name</b></u>	<u><b>Amount</b></u>	<u><b>CAS Number</b></u>
Zinc Dialkylthiophosphate	< 2.5 %	68457-79-4
2, 2, 4-trimethyl-1, 2-dihydroquinoline polymer	< 2.5 %	26780-96-1

### 4. FIRST AID MEASURES

**EYE CONTACT FIRST AID:**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**SKIN CONTACT FIRST AID:**

IF ON SKIN: wash with plenty of soap and water. IF SKIN irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

**INHALATION FIRST AID:**

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF experiencing respiratory symptoms: call a POISON CENTER or doctor/physician.

**INGESTION FIRST AID:**

Rinse mouth. If concerned seek medical attention.

**NOTES TO PHYSICIAN:**

Treat Symptomatically.

**5. FIRE FIGHTING MEASURES****FLAMMABLE PROPERTIES**

COC Flash Point: >225 °C (>473.0 °F)

Autoignition Temperature: Product is not selfigniting

**FLAMMABLE LIMITS IN AIR**

LEL: N/A

UEL: N/A

**EXTINGUISHING MEDIA:**

Carbon dioxide, foam, or dry powder. Do not use water, because this product is oil based. Water may cause frothing.

**FIRE & EXPLOSION HAZARDS:**

Can burn in fire, releasing toxic vapors, fumes, and smoke.

**FIRE FIGHTING INSTRUCTIONS:**

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear.

**COMBUSTION PRODUCTS:**

Hazardous decomposition products are oxides of carbon and nitrogen including CO and CO<sub>2</sub>.

**6. ACCIDENTAL RELEASE MEASURES****SAFEGUARDS (PERSONNEL):**

Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction.

**INITIAL CONTAINMENT:**

Absorb spills with inert material. Do not allow material to enter soil or surface water.

**LARGE SPILLS PROCEDURE:**

Absorb spill with inert material (e g, dry sand or earth), then place in a chemical waste container. Do not flush to sewer.

**SMALL SPILLS PROCEDURE:**

Absorb spills with inert material.

**MISCELLANEOUS:**

Treat or dispose of in accordance with all federal, state, and local requirements. Incineration is preferred.

## 7. HANDLING AND STORAGE

**HANDLING (PERSONNEL):**

DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Empty drums should be completely drained, properly bunged, and promptly returned to a drum reconditioner, or properly disposed of. Wash hands thoroughly after handling.

**HANDLING (PHYSICAL ASPECTS):**

Secure container after each use. Store in a cool dry area.

Avoid contact with strong oxidizing agents.

**STORAGE PRECAUTIONS:**

Store in a cool dry place, in a tightly closed container. Eliminate all sources of ignition - heat, sparks, flame, electricity, impact and friction.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**OCCUPATIONAL EXPOSURE LIMITS**

Material	Source	Type	mg/m3
Oil Mist, Mineral	ACGIH	TWA (Inhalable fraction.)	5 mg/m3
Oil Mist, Mineral	ACGIH	STEL(Mist.)	10 mg/m3
Oil Mist, Mineral	OSHA	TWA (Mist.)	5 mg/m3

**ENGINEERING CONTROLS:**

Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product. TLV for mineral oil is 5 mg/cubic meter.

**EYE / FACE PROTECTION REQUIREMENTS:**

When splashing of the material may occur, chemical goggles and/or a face shield are recommended.

**SKIN PROTECTION REQUIREMENTS:**

Where contact is likely, wear chemical resistant gloves.

**RESPIRATORY PROTECTION REQUIREMENTS:**

Under normal use conditions, with adequate ventilation, no special handling equipment is required. If mists are produced, local ventilation may be required to keep exposure below limits.

**GENERAL COMMENTS:**

Always observe good personal hygiene practices. Wash hands and other exposed skin areas with plenty of mild soap and water before eating, drinking, smoking, etc...

**9. PHYSICAL AND CHEMICAL PROPERTIES**

FORM .....: Semi-Solid  
ODOR .....: Petroleum Like  
COLOR .....: Blue  
VAPOR PRESSURE.....: N/A  
VAPOR DENSITY .....: N/A  
AUTOIGNITION TEMPERATURE .: Product is not selfigniting  
SPECIFIC GRAVITY .....: .8964 Approximately  
MELTING PT. ....: Not Determined  
VISCOSITY .....: 7.2 cSt at 100 °C  
FLASH PT. ....: >437 °F  
POUR PT. ....: -48 °F

**10. STABILITY AND REACTIVITY****STABILITY:**

Stable.

**POLYMERIZATION:**

Hazardous polymerization will not occur.

**INCOMPATIBILITY WITH OTHER MATERIALS:**

Avoid contact with strong oxidizing agents.

**DECOMPOSITION:**

In the case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced. Hydrogen sulfide and alkyl mercaptans and sulfides may also be released.

**11. TOXICOLOGICAL INFORMATION****EYE IRRITATION:**

Not expected to cause eye irritation. Based on data from components or similar materials. Vapors may cause irritation.

**SKIN IRRITATION:**

Slightly irritating based on data from components or similar materials. Prolonged or repeated skin contact without proper hygiene may result in skin disorders such as acne.

**RESPIRATORY IRRITATION:**

Based on data from components and similar materials, Inhalation of vapors or mists may cause irritation.

**DERMAL TOXICITY:**

LD50 = 102041 mg/kg, Rabbit

**ORAL TOXICITY:**

LD50 = 2000-5000 mg/kg , Rat

**INHALATION TOXICITY:**

Based on data from components and similar materials, product is not considered to be an inhalation hazard under normal conditions of use.

**SENSITISATION:**

Component concentrations in this formulation would not be expected to cause skin sensitization, based on tests of the components or similar formulations.

**CHRONIC EXPOSURE:****CHRONIC TOXICITY:**

No data available to indicate product or components present at greater than 1% are chronic health hazards.

**CARCINOGENICITY:**

IARC: 9002-88-4 High Density Polyethylene Polymer

NTP: None

OSHA-Ca: None

**MUTAGENICITY:**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**REPRODUCTIVE TOXICITY:**

No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.

**TERATOGENICITY:**

No data available to indicate either product or components present at greater than 0.1% that may cause birth defects.

**ADDITIONAL INFORMATION:**

No other health hazards known.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS:

Ecological Toxicity data has not been determined specifically for this product. The ecological toxicity hazard is based on an evaluation of data for the components or a similar material. This material is expected to be harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment.

ENVIRONMENTAL FATE

This material is not expected to be readily biodegradable. The biodegradability of this material is based on an evaluation of data for the components or a similar material. This product contains components which may be persistent in the environment.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Avoid disposal into waste water treatment facilities. Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements. This product, if discarded, is not considered a hazardous waste.

14. TRANSPORTATION INFORMATION

PRODUCT LABEL : Fleetline Big Blue EP2 Lithium Complex Grease  
D.O.T SHIPPING ....: Not Regulated by DOT.  
IMDG: This material is not classified as dangerous under IMDG regulations.  
IATA: This material is not classified as dangerous under IATA regulations.  
TRANSPORT CANADA: This material is not classified as dangerous under Transport Canada regulations.

15. REGULATORY INFORMATION

No information available.

16. OTHER INFORMATION

REASON FOR ISSUE ....: SDS Update  
APPROVAL DATE .....: May 12, 2015

\*\*\*\*\*  
This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Dennis K Burke Inc. The data on this sheet are related only to the specific material designated herein. Dennis K. Burke, Inc. assumes no legal responsibility for use or reliance upon these data.  
\*\*\*\*\*