SECTION 1. IDENTIFICATION

Product identifier used on the label				
:	Fuel Power Diesel Fuel Tr	reatment		
Product Code(s) :		US Product Codes: 00100, 90100, 90600, 00101, 90101, 00102P, 00103 Canadian Product Codes: 00099,90099,00230, 90230		
Recommended use of the chemical	and restrictions on use			
:	Fuel system treatment No restriction	ns on use known.		
Chemical family :	Ethylene glycol monobutyl ether			
Name, address, and telephone	number of	Name, address, and telephone number of		
the manufacturer:		the supplier:		
FPPF Chemical Company, Inc. 117 West Tupper Street Buffalo, NY, USA 14201		Refer to manufacturer		
Manufacturer's Telephone # :	1-800-735-3773			
24 Hr. Emergency Tel # :	Chemtrec 1-800-424-9300 (Within ((Outside U.S.).	Continental U.S.); Chemtrec 703-527-3887		

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear to cloudy liquid. Amber liquid.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Classification

Flammable Liquid - Category 4 Acute Toxicity, oral - Category 4 Acute Toxicity, dermal - Category 3 Acute Toxicity, inhalation - Category 3 (vapor) Skin Corrosion/Irritation - Category 2 Serious eye damage/eye irritation Category 2A

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Combustible liquid and vapor. Harmful if swallowed. Toxic if inhaled. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation.

Precautionary statement(s)

SDS Preparation Date (mm/dd/yyyy): 05/28/2015

SAFETY DATA SHEET

Keep away from flames and hot surfaces. - No smoking. Use only outdoors or in a well-ventilated area. Avoid breathing mist, vapors or spray. Do not eat, drink or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Wash hands and face thoroughly after handling.

In case of fire, use water fog, dry chemical, CO2 or 'alcohol' foam.

IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth.

IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTRE or doctor/physician if you feel unwell. If skin irritation occurs, get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Store in well-ventilated place. Keep container closed. Keep cool. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

No OSHA defined hazard classes.

Other hazards which do not result in classification: May be sensitive to static discharge. Burning produces obnoxious and toxic fumes. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Environmental precautions: Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Common name and synonyms	CAS #	Concentration
Ethylene glycol monobutyl ether (EGMBE)	2-butoxyethanol EGMBE 2-Butoxy-1-ethanol	111-76-2	95.0 - 100.0

SECTION 4. FIRST-AID MEASURES

Description of first aid measure	S
Ingestion	: IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth.
Inhalation	: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.
Skin contact	: IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/physician if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
Most important symptoms and	effects, both acute and delayed
Indication of any immediate me	 Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Symptoms may include severe abdominal pain, nausea and vomiting. Toxic in contact with skin. May be absorbed through the skin, producing symptoms similar to ingestion or inhalation. Toxic if inhaled. Symptoms may include coughing, choking and wheezing. May cause respiratory impairment and lung damage. Causes skin irritation. Contact may cause redness, swelling and a painful sensation. Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis. Prolonged overexposure may cause slight kidney effects, such as increased organ weight. Prolonged or repeated contact may cause drying, cracking and defatting of the skin. Chronic overexposure to 2-butoxyethanol may cause liver, kidney and blood damage, based on animal data. dical attention and special treatment needed
mulcation of any inmediate me	•
	 Provide general supportive measures and treat symptomatically. Show this safety data sheet to the doctor in attendance.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media	
Suitable extinguishing media	
:	Dry chemical, foam, carbon dioxide and water fog.
Unsuitable extinguishing media	
:	Do not use water stream as it may scatter and spread fire.
Special hazards arising from the sul	ostance or mixture / Conditions of flammability
:	are heavier than air and collect in confined and low-lying areas. Material will float on water and can be re-ignited at the water's surface. Vapors may travel considerable distance to a source of ignition and flash back. After prolonged storage, may release explosive peroxides in the presence of air. Rate of peroxide formation is not known. This product will accumulate static charge by flow, splashing or agitation. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.
Flammability classification (OSHA 2	
:	Flammable Liquid - Category 4
Hazardous combustion products	
:	None known or reported by the manufacturer. In the event of fire the following can be released: Carbon oxides; irritating fumes and smoke
Special protective equipment and protective	recautions for firefighters
Protective equipment for fire-fight	ers
:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.
Special fire-fighting procedures	
:	Move containers from fire area if safe to do so. Use water spray to keep containers cool. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

• •	
	: Evacuate personnel to safe areas. Keep all other personnel upwind and away from the spill/release. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	 Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.
Methods and material for conta	inment and cleaning up
	: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools. Bond and ground transfer containers and equipment to avoid static accumulation. For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Do not use combustible absorbents, such as sawdust. Pick up and transfer to properly labelled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.
Special spill response procedu	res
	 In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887. If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

	 Keep away from flames and hot surfaces No smoking. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Avoid breathing mist or spray. Take precautionary measures against static discharges. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not ingest. Do not get in eyes, on skin, or on clothing. Use proper bonding and grounding techniques when transferring liquid. Avoid contact with incompatible materials.
Conditions for safe storage	: Store in well-ventilated place. Keep cool. Keep tightly closed. Store locked up. Store away from incompatibles and out of direct sunlight. Take measures to prevent the build up of electrostatic charge. After prolonged storage, may release explosive peroxides in the presence of air. Rate of peroxide formation is not known. Direct sunlight or heat may accelerate the release of peroxides. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.
Incompatible materials	: Strong oxidizing agents, Perchloric acid, Bases

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:	-			
Chemical Name	ACGIH TLV		OSHA PEL	
	TWA	<u>STEL</u>	PEL	<u>STEL</u>
Ethylene glycol monobutyl ether (EGMBE)	20 ppm	N/Av	50 ppm (skin)	N/Av

Exposure controls

Ventilation and engineering measures

	Use only outdoors or in a well-ventilated area. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use non-sparking equipment. In case of insufficient ventilation wear suitable respiratory equipment.	
Respiratory protection	If engineering controls and work practices are not effective in controlling exposure to this material, then wear suitable approved respiratory protection. If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Confirmation of which	
	type of respirator is most suitable for the intended application should be obtained from respiratory protection suppliers.	
Skin protection	Wear protective gloves/clothing. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye / face protection	Wear eye/face protection. Chemical splash goggles are recommended. A full face shield may also be necessary.	
Other protective equipment	Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.	
General hygiene considerations		
	Avoid breathing mist or spray. Do not eat, drink, smoke or use cosmetics while working with this product. Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.	
SECTION 9. PHYSICAL AND	IEMICAL PROPERTIES	

Appearance	:	Clear to slightly hazy amber liquid.
Odour	:	Solvent odor.
Odour threshold	:	N/Av
рН	:	N/Av
Melting/Freezing point	:	-102.64°F (-74.8°C) estimated
Initial boiling point and boiling ra	ange	9

Flash point	67.8°C / 154°F	
Flashpoint (Method)	Tag closed cup	
Evaporation rate (BuAe = 1)	Slower than n-bu	ityl acetate
Flammability (solid, gas)	N/Ap	
Lower flammable limit (% by vol		
	1.1%	
Upper flammable limit (% by vol		
	10.6%	
Oxidizing properties	None known.	
Explosive properties	Not explosive	
Vapour pressure	0.6 mm Hg	
Vapour density	>1	
Relative density / Specific gravit		
	0.89	
Solubility in water	soluble	
Other solubility(ies)	N/Av	
Partition coefficient: n-octanol/v	or Coefficient of	water/oil distribution
	N/Av	
Auto-ignition temperature	460.4°F (238°C	e) estimated
Decomposition temperature	N/Av	
Viscosity	N/Av	
Volatiles (% by weight)	100%estimated	
Volatile organic Compounds (VO)	
	100%estimated	
Absolute pressure of container		
	N/Ap	
Flame projection length	N/Av	
Other physical/chemical comme		
	None known or r	eported by the manufacturer.
SECTION 10. STABILITY AN	EACTIVITY	

Reactivity	: Not normally reactive.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous rea	ctions
	 Hazardous polymerization does not occur. May form explosive peroxides during prolonged exposure to air and heat. May be sensitive to static discharge.
Conditions to avoid	 Keep away from flames and hot surfaces. Keep away from direct sunlight. Do not use in areas without adequate ventilation. Take precautionary measures against static discharge. Avoid contact with incompatible materials.
Incompatible materials	: Strong oxidizing agents, Perchloric acid, Bases
Hazardous decomposition p	roducts
	 May form explosive peroxides. Exposure to light may accelerate peroxide formation. None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation	:	YES
Routes of entry skin & eye	:	YES
Routes of entry Ingestion	:	YES
Routes of exposure skin absorpti	on	
	:	YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Sign and symptoms ingestion	• Toxic if inhaled. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Inhalation of vapors or mists may cause irritation to the nose, throat and upper respiratory tract. Symptoms may include coughing, choking and wheezing.
	 Harmful if swallowed. Ingestion may cause symptoms similar to inhalation. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea.
Sign and symptoms skin	 Toxic in contact with skin. May be absorbed through the skin, producing symptoms similar to ingestion or inhalation. Causes skin irritation. Symptoms include: Dryness, itching, cracking, burning, redness and swelling.
Sign and symptoms eyes	 Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis.
Potential Chronic Health Effects	
	 Prolonged or repeated contact may cause drying, cracking and defatting of the skin. Chronic overexposure to 2-butoxyethanol may cause liver, kidney and blood damage. Prolonged overexposure may cause slight kidney effects, such as increased organ weight.
Mutagenicity	: Not expected to be mutagenic in humans.
Carcinogenicity	Not expected to have carcinogenic effects.
Reproductive effects & Teratog	
	: This product is not expected to cause reproductive or developmental effects.
Sensitization to material	: Not expected to be a skin or respiratory sensitizer.
Specific target organ effects	 The substance or mixture is not classified as specific target organ toxicant, single exposure. The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Medical conditions aggravated	•
	 Pre-existing skin, eye, respiratory and central nervous system disorders.
Synergistic materials	: Not available.
Toxicological data	: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

	LC50(4hr) LD50			
Chemical name	inh, rat	(Oral, rat)	<u>(Rabbit, dermal)</u>	
Ethylene glycol monobutyl ether (EGMBE)	450 ppm (2.175 mg/L)	530 mg/kg	400 - 500 mg/kg	

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL I	SECTION 12. ECOLOGICAL INFORMATION						
Ecotoxicity	:	No data is available on the product itself. See the following tables for individual ingredient ecotoxicity data.					

Fuel Power Diesel Fuel Treatment SDS Preparation Date (mm/dd/yyyy): 05/28/2015

SAFETY DATA SHEET

Ecotoxicity data:

Ingredients	CAO No	Toxicity to Fish				
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Ethylene glycol monobutyl ether (EGMBE)	111-76-2	1490mg/L (Lepomis marcrhius)	>100mg/L (Zebra fish)	none		

Ingredients	CAS No	Toxicity to Daphnia					
			NOEC / 21 day	M Factor			
Ethylene glycol monobutyl ether (EGMBE)	111-76-2	835 mg/L (Daphnia magna)	100mg/L (Daphnia magna)	none			

Ingredients	CAS No	Toxicity to Algae					
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor			
Ethylene glycol monobutyl ether (EGMBE)	111-76-2	911mg/L/72hr (Green algae)	286mg/L (Green algae)	none			
Persistence and degradability							
	: The following in monobutyl ethe	0	be readily biodegradable: Ethy	lene glycol			
Bioaccumulation potential	: No data is avail information.	able on the product itself. So	ee the following data for ingred	ient			
<u>Components</u>	Partition coeffi	cent n-octanol/ater (log Ko	w) Bioconcentratio	on factor (BCF)			
Ethylene glycol monobutyl ether (EGMBE) (CAS 111-76-2)		0.81 at 25 °C		0.97			

Mobility in soil : Other Adverse Environmental effects

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal Methods of Disposal	Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Dispose in accordance with all applicable regulations.	
RCRA	If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.	

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label				
49CFR/DOT	NA1993	Combustible liquid, n.o.s. (Ethylene glycol monobutyl ether)	Combustible.	III	COMBUSTIBLE				
49CFR/DOT Additional information	Not regulated for road or rail shipment if packaged in non-bulk containers (450 L / 119 Gallons or less each). The 'label' appearing here is the placard to be used for bulk shipments.								

Fuel Power Diesel Fuel Treatment SDS Preparation Date (mm/dd/yyyy): 05/28/2015

SAFETY DATA SHEET

TDG	None	Not regulated.	Not regulated	none	\bigotimes			
TDG Additional information	None.							
Special precaut	ions for user	: Keep away from heat and open flames No smoki	ng.					
Environmental		•	his product does not meet the criteria for an environmentally hazardous mixture, ccording to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.					

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS # Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration		
Ethylene glycol monobutyl ether (EGMBE)	111-76-2	Yes	N/Ap	N/Ap	No	N/Ap	

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Acute Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	Californi	ia Proposition 65		State	e "Right to	o Know" L	ists	
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethylene glycol monobutyl ether (EGMBE)	111-76-2	No	Not listed	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

All ingredients are present on the DSL. Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethylene glycol monobutyl ether (EGMBE)	111-76-2	203-905-0	Present	Present	(7)-97; (2)-407	KE-04134	Present	HSR001154

SECTION 16. OTHER INFORMATION

: ACGIH: American Conference of Governmental Industrial Hygienists CA: California CAS: Chemical Abstract Services

	CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
	of 1980
	CFR: Code of Federal Regulations
	CNS: Central Nervous System
	CSA: Canadian Standards Association
	DOT: Department of Transportation
	EC50: Effective Concentration 50%.
	EINECS: European Inventory of Existing Commercial chemical Substances
	ENCS: Existing and New Chemical Substances
	EPA: Environmental Protection Agency
	HMIS: Hazardous Materials Identification System
	HSDB: Hazardous Substances Data Bank
	IARC: International Agency for Research on Cancer
	IMDG: International Maritime Dangerous Goods
	KECI: Korean Existing Chemicals Inventory
	KECL: Korean Existing Chemicals List
	LC: Lethal Concentration
	LD: Lethal Dose
	MA: Massachusetts
	MN: Minnesota
	N/Ap: Not Applicable
	N/Av: Not Available
	NFPA: National Fire Protection Association
	NIOSH: National Institute of Occupational Safety and Health
	NJ: New Jersey
	NOEC: No observable effect concentration
	NTP: National Toxicology Program
	OECD: Organisation for Economic Co-operation and Development
	OSHA: Occupational Safety and Health Administration
	PA: Pennsylvania
	PEL: Permissible exposure limit
	PICCS: Philippine Inventory of Chemicals and Chemical Substances
	RCRA: Resource Conservation and Recovery Act
	RI: Rhode Island
	RTECS: Registry of Toxic Effects of Chemical Substances
	SARA: Superfund Amendments and Reauthorization Act
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit
	TDG: Canadian Transportation of Dangerous Goods Act & Regulations
	TLV: Threshold Limit Values
	TPQ: Threshold Planning Quantity
	TSCA: Toxic Substance Control Act
	TWA: Time Weighted Average
	WHMIS: Workplace Hazardous Materials Identification System
References :	Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2015
	(Chempendium, RTECs, HSDB, INCHEM).
	European Chemicals Agency, Classification Legislation, 2015
	Information taken from reference works and the literature.
	Material Safety Data Sheet from manufacturer
	OECD- The Global Portal to Information on Chemical Substances - eChemPortal,
	2015
Proposition Data (manufalture)	National occupational exposure limits
Preparation Date (mm/dd/yyyy)	
:	05/28/2015
Other special considerations for han	dling
	Provide adequate information, instruction and training for operators.

Prepared for:	
FPPF Chemical Company, Inc. 117 West Tupper Street	
Buffalo, NY, USA 14201	
Telephone: 1-800-735-3773	
Please direct all enquiries to FPPF Chemical Company	
Prepared by:	
ICC The Compliance Center Inc.	Generalize and Counter
Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)	Sicc Compliance Center
http://www.thecompliancecenter.com	

DISCLAIMER

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from FPPF Chemical Company, Inc and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and FPPF Chemical Company, Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and FPPF Chemical Company, Inc.

END OF DOCUMENT