

Safety Data Sheet

Revision Date: 09-10-2015
Product Code: 3200-003

1. IDENTIFICATION

Product Name	CHEM-O-PON W/R GLOSS WHITE BASE
Product Code	3200-003
Document ID	G3200-003
Revision Number	1
Prior Version Date	None
Intended Use	Industrial Maintenance Coating
Restrictions On Use	For Industrial Use Only
Chemical Family	Water Reducible Epoxy
Chemical Manufacturer / Importer	JONES-BLAIR® Company, LLC 2728 Empire Central Dallas, TX 75235 1-214-353-1600
Emergency Telephone Number:	ChemTrec Center 1-800-424-9300 International: 703-527-3887

2. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

Hazard Pictograms



GHS Classification

Skin Sensitisation Category 1
Carcinogenicity Category 2

Signal Word

Warning

Hazard Statements

May cause an allergic skin reaction. Suspected of causing cancer.

Precautionary Statements

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust, fume, mist, vapours or spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, protective clothing, eye protection and face protection. Use personal protective equipment as required.

Response

IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention.

Wash contaminated clothing before reuse.

Storage

Store locked up.

Disposal

Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards Not Otherwise

Not applicable

Safety Data Sheet

Revision Date: 09-10-2015
Product Code: 3200-003

Classified (HNOC)

Additional Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Component	CAS #	%
Titanium dioxide	13463-67-7	15 - 40
Aluminum oxide	1344-28-1	1 - 5
Tetraethylenepentamine	112-57-2	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Eye Contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.
Skin Contact	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.
Ingestion	If swallowed, do not induce vomiting. Get medical attention immediately.
Most Important Acute Symptoms and Effects	Not Available
Most Important Delayed Symptoms and Effects	Not Available
Special treatment needed:	No additional first aid information available

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.
Unsuitable Extinguishing Media	No data available
Fire and/or Explosion Hazards	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous Combustion Products	Ammonia, Nitrogen containing gases, Toxic fumes, Chlorine containing gases, Carbon dioxide, Carbon monoxide
Special Protective Equipment and Precautions for Fire-Fighters	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Will not burn, no special instructions available. Use methods appropriate for surrounding materials.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures	Follow personal protective equipment recommendations found in Section VIII of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including the material spilled, the quantity of the spill, the area in which the spill occurred. See MSDS sections III, XIII and XV for disposal considerations.
Methods and Material for Containment	Prevent the spread of any spill to minimize harm to human health and

Safety Data Sheet

Revision Date: 09-10-2015

Product Code: 3200-003

and Cleaning Up

the environment if safe to do so. Dike with suitable absorbent material. Gather and store in a sealed container pending disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Overexposure may be harmful. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Conditions for Safe Storage Materials to Avoid/Chemical Incompatibility

Store in a cool dry place. Keep container(s) closed.

Sodium Nitrite, Acids, Oxidizing agents, Peroxides, Caustics (bases, alkalis), Chlorinated compounds, Ethylene oxide

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

<u>Chemical Component</u>	<u>OSHA PEL</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH STEL</u>
Titanium dioxide	15 mg/m ³ TWA (total dust)	10 mg/m ³ TWA	
Aluminum oxide	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	10 mg/m ³ TWA	

Appropriate Engineering Controls Local exhaust ventilation or other engineering controls may be required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910.

Respiratory Protection General or local exhaust ventilation is the preferred means of protection. In cases where ventilation is inadequate, respiratory protection may be required to avoid overexposure. Follow respirator manufacturer's directions for respirator use.

Eye Protection Wear safety glasses with side shields when handling this product.
Skin Protection Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Clothing suitable to prevent skin contact.

General Hygiene Conditions As with all chemicals, good industrial hygiene practices should be followed when handling this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State	Liquid
Color	White
Odor	Ammonia Like
Odor Threshold	No data available
pH	No data available
Melting Point/Freezing Point (F/C)	No data available / No data available
Initial Boiling Point and Boiling Range	
Low (F)	No data available
Flash Point (F/C)	212 / 100
Flammability (solid, gas)	No data available
Upper Flammable/Explosive Limit	No data available
Lower Flammable/Explosive Limit	No data available
Vapor Pressure	< 5.00 (mm Hg @ 70°F / 21°C)
Vapor Density	No data available
Relative Density	1.000
Solubility in Water	Complete; 100%
Partition coefficient: n-octanol/water	No data available
Auto-ignition Temperature	No data available

Safety Data Sheet

Revision Date: 09-10-2015
Product Code: 3200-003

Decomposition Temperature:	No data available
Viscosity	17 - 22 Z3
Volatiles, % by volume	76.32
Volatiles, % by weight	55.42
Volatile Organic Chemicals (g/L)	
(Regulatory, Calculated)	102.43
(Actual, Calculated)	27.36
Density	11.37 - 11.57 lbs./Gal

10. STABILITY AND REACTIVITY

Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	No data available
Conditions to Avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Contamination.
Incompatible Materials	Sodium Nitrite, Acids, Oxidizing agents, Peroxides, Caustics (bases, alkalis), Chlorinated compounds, Ethylene oxide
Hazardous Decomposition Products	Ammonia, Nitrogen containing gases, Toxic fumes, Chlorine containing gases, Carbon dioxide, Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Routes of Exposure	Inhalation Skin contact Eye contact Ingestion
--------------------	--

Immediate (Acute) Health Effects by Route of Exposure

Inhalation Irritation	Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract. Moderately irritating to respiratory tract.
Skin Contact	Can cause minor skin irritation.
Eye Contact	Can cause mechanical irritation if dusts are generated.

Long-Term (Chronic) Health Effects

Carcinogenicity	Contains Titanium Dioxide which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence with respect to humans and sufficient evidence in experimental animals.
Inhalation	Overexposure may cause lung damage.

Product Toxicology Data

Inhalation Dust/Mist Acute Toxicity Estimate (ATE)	68.37 mg/L
---	------------

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	Oral LD50 Rat > 25,000 mg/kg	Dermal LD50 Rabbit > 10,000 mg/kg	Inhalation LC50 (4h) Rat > 6.82 mg/L
Polyamine Polymer	Oral LD50 Rat > 2000 mg/kg	Dermal LD50 Rat > 2000 mg/kg	
Aluminum oxide	Oral LD50 Rat > 10,000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat > 2.30 mg/L

Carcinogen Information

Chemical Name Titanium dioxide	IARC Carcinogen 2B	OSHA Carcinogen	NTP Carcinogen
-----------------------------------	-----------------------	-----------------	----------------

Safety Data Sheet

Revision Date: 09-10-2015
Product Code: 3200-003

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available) No data available
Mobility in soil No data available

13. DISPOSAL CONSIDERATIONS

Safe Handling of Waste Refer to other sections of this SDS to determine the toxicity and physical characteristics of the material to determine the proper waste identification and disposal in compliance with applicable regulations.

14. TRANSPORT INFORMATION

This section provides basic shipping classification information and does not contain all regulatory transportation details. Refer to all applicable regulations for domestic, international, air, vessel and ground transportation requirements and restrictions.

DOT Basic Description: Paint, Not-Regulated

Marine Pollutant: No

15. REGULATORY INFORMATION

TSCA Status All components of this product are either listed on the TSCA Inventory; or, are not subject to the inventory notification requirements.

Regulated Components

<u>SARA EHS Chemicals</u>	<u>CAS #</u>	<u>%</u>
Not applicable		

CERCLA

Not applicable

SARA 313

Aluminum oxide	1344-28-1	1 - 5
----------------	-----------	-------

SARA 311/312

Health (Acute):	Y
Health (chronic):	Y
Fire (Flammable):	N
Pressure:	N
Reactivity:	N

U. S. State Regulations:

California Prop 65 Chemicals

Cancer	<u>CAS #</u>	<u>%</u>
Titanium dioxide	13463-67-7	15 - 40
Reproductive		
Not applicable		

Canadian Regulations:

CEPA DSL: The components of this product ARE listed on the Canadian Domestic Substances List.

WHMIS Hazard Class: D2A

Safety Data Sheet

Revision Date: 09-10-2015
Product Code: 3200-003

16. OTHER INFORMATION

Revision Date	09-10-2015
Disclaimer	This SDS has been prepared in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada's Controlled Product Regulations (CPR). To the best of our knowledge the information contained herein is accurate. Determination of safe handling, application and use of this material is the responsibility of the end user. This information is furnished without warranty, expressed or implied.