


Safety Data SheetTrade Name: **PULPDENT FLOWS-RITE™**

1.0 Commercial Product Name and Supplier				
1.1	Commercial product name / designation		Flows-Rite™ Multi-Purpose Flowable Composite & Veneer Cement	
1.2	Application / Use		Dental material for use by dental professional only.	
1.2.2	SIC		851 Human health activity	
1.2.3	Use Category		55	
1.3	Manufacturer			
	Pulpdent Corporation			
	80 Oakland Street		Telephone: 1 617 926-6666	
	P.O. Box 780		Fax: 1 617 926-6262	
	Watertown, MA 02472 USA		Email: Pulpdent@pulpdent.com	
1.4	Emergency Number		24 Hour Emergency: 1-800-535-5053 (USA)	
1.5	Authorized European Representative			
	International Business Solutions Ltd.		Tel: 07989 407479 / Fax: 01256 350330	
	54 Mayfield Ridge, Hatch Warren		Email: s.williams5@btconnect.com	
	Basingstoke, RG22 4RS UK			
2.0 Hazards Identification				
2.1	Classification		Irritant.	
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]		<u>Hazard Class</u>	<u>Hazard Category</u> <u>Hazard Statement</u>
			Eye irritation	2 H319
			STOT SE	3 H335
			Skin irritation	2 H315
			Skin sensitization	1 H317
2.1.2	Classification according to Directive 67/548/EEC (See SECTION 16 for full text of risk phrases)		Irritant; Xi; R 36/37/38 - 43	
2.2	GHS Label Elements			
	Hazard Pictograms			
				
	Signal Word: WARNING			
	Restricted to use by dental professional only.			
	Hazard Statements			
	H319: Eye irritation. 2. May cause eye irritation.			
	H335: STOT SE. 3. May cause respiratory irritation.			
	H315: Skin irritation. 2. May cause skin irritation.			
	H317: Sensitization. 1. May cause an allergic skin reaction.			

Safety Data SheetTrade Name: **PULPDENT FLOWS-RITE™****Precautionary Statements**

P261: Avoid breathing vapor.

P280: Wear protective gloves and eye protection

P305+P351: If in eyes, rinse cautiously with water for several minutes.

P337+P313: If eye irritation persists, get medical advice/attention.

P302+P352: If on skin, wash with plenty of soap and water.

P333+P313: If irritation or rash occurs, get medical advice/attention.

P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

3.0 Composition

3.1 Chemical characterization of the preparation Glass filler materials in methacrylate resins.

3.2 Hazardous ingredients

CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1278/2008 (CLP)
Proprietary	Uncured methacrylate ester monomers	55-65%	Xi (Irritant), R36/37/38; R43	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315 Skin sensitization, 1, H317
112945-52-5	Amorphous silica	5 %	Xi (Irritant), R36/37/38	Eye irritation, 2, H319 STOT SE 3, H335 Skin irritation, 2, H315

4.0 First Aid Measures

- 4.1 General Information May be irritating to eyes, respiratory system and skin. Do not inhale vapors. May cause sensitization by skin contact. Show this safety data sheet to medical personnel. Seek medical attention in case of uncertainty.
- 4.2 Inhalation Move to fresh air. If necessary, administer oxygen, artificial respiration and seek medical attention.
- 4.3 Skin Contact Take off contaminated clothing. Wash skin thoroughly with soap and running water for 15 minutes.
- 4.4 Eye Contact Keep eyelids apart and flush with running water for 15+ minutes. Seek medical attention.
- 4.5 Ingestion Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention. May be irritating to mucous membranes.
- 4.6 Precautions for first responders Ventilate the area. Wear eye and skin protection.
- 4.7 Information for physicians

Safety Data SheetTrade Name: **PULPDENT FLOWS-RITE™**

Symptoms	Irritation or redness in eyes, throat or on skin.
Hazards	May be irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.
Treatment	As above under First Aid.

5.0 Fire Fighting Measures

5.1	Suitable extinguishing media	Carbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may be used to keep fire exposed containers cool.
5.2	Extinguishing media to avoid	Do not use direct water stream
5.3	Special exposure hazards in a fire	Heat may cause polymerization with rapid release of energy, especially in amounts greater than in this product.
5.4	Special protective equipment for fire-fighters	A self-contained breathing apparatus should be worn by fire fighting personnel. Cool exposed containers with water spray to prevent polymerization under fire conditions.

6.0 Accidental Release Measures

6.1	Personal precautions.	Ventilate area. Wear safety glasses, gloves, and lab coat.
6.2	Environmental precautions	Contain uncured, spilled material. Cured/set-up material is, to our knowledge, inert. Follow all government regulations.
6.3	Method for clean up	Wipe up spill with suitable material (paper towels or cloths). Collect for disposal in a covered container. Wash area of spill with alcohol or soap and water.

7.0 Handling and Storage

7.1	Handling	For use only by dental professionals trained in their use. Follow good hygiene practices. Do not smoke, eat or drink while using. Remove applicator tip from syringe and cap container immediately after use. Keep light cure materials shaded from intense light sources.
7.2	Storage	Keep containers tightly closed. Store product in original container at cool room temperature (<25°C) and in a dry, well-ventilated area. Avoid direct, strong light, sources of ignition and extremes of temperature (>27°C/80°F, <5°C/40°F). Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.
7.3	Specific uses	Dental material

8.0 Exposure Controls / Personal Protection

8.1	Exposure limit values	PEL: Not established. TLV: Not established.
8.2	Exposure controls	

Safety Data SheetTrade Name: **PULPDENT FLOWS-RITE™**

8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use of this product in the quantity provided.
8.2.1.1	Respiratory protection	None required under normal conditions of use. Good general ventilation is sufficient to control any airborne vapors from uncured material.
8.2.1.2	Hand protection	No special requirements. The usual surgical gloves worn by dental staff will limit contact with uncured material.
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses worn by dental staff.
8.2.1.4	Skin protection	No special requirements. Good personal hygiene, safety practices and wearing a lab coat should protect dental staff from unnecessary exposure to uncured material.
8.2.1.5	Other controls	Nearby emergency eye wash fountain. Wash hands after use.
8.2.2	Environmental exposure controls	Cure material before disposing.

9.0 Physical and Chemical Properties

9.1	Appearance / Color	
9.1.1	Color / Physical state	Tooth-colored paste
9.1.2	Odor	Faint, characteristic
9.2	Important health, safety and environmental information	
9.2.1	pH	Not determined
9.2.2	Boiling point	Not determined
9.2.3	Flash point	Not determined
9.2.4	Flammability (solid, gas)	Not applicable
9.2.5	Explosive properties	Not applicable
9.2.6	Oxidizing properties	Not determined
9.2.7	Vapor pressure	< 1 mm Hg / 133 Pa / Id: B
9.2.8	Specific gravity	1.930
9.2.9	Solubility in water	Nil
9.2.10	Partition coefficient	Not determined
9.2.11	Viscosity	Not determined
9.2.12	Vapor density	Not determined
9.2.13	Evaporation rate	Not determined

10.0 Stability and reactivity

10.1	Conditions to avoid	Avoid temperature extremes (>80°F / 27°C, <40°F / 5°C/), intense light, moisture, contamination.
------	---------------------	--

Safety Data SheetTrade Name: **PULPDENT FLOWS-RITE™**

10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.
10.3	Hazardous decomposition products	Under fire conditions and with amounts far greater than that supplied in this product, hazardous polymerization may occur with heat build up and release of carbon monoxide, carbon dioxide, and oxides of nitrogen.
10.4	Further information	Stable if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light.

11.0 Toxicological information

11.1	Acute toxicity	Not toxic. Minimal health hazard in the quantities present in this product and under normal conditions of use.
11.2	Irritation and corrosiveness	May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure.
11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged and/or frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) of this material may cause eye and respiratory irritation.
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known
11.6	Empirical data	Not available
11.7	Clinical experience	Flows-Rite has been sold on the domestic and international market for about 15 years. During that time there have been no reports of adverse events.

12.0 Ecological Information

12.1	Ecotoxicity	Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.
------	-------------	--

13.0 Disposal Considerations

13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
------	-------------	---

14.0 Transport Information

14.1	Restrictions	None. Not regulated.
------	--------------	----------------------

15.0 Regulatory Information

15.1	EU	Class IIa medical device under MDD 93/42/EEC.
15.2	US FDA	Class II medical device
15.3	Health Canada	Class III medical device

Safety Data SheetTrade Name: **PULPDENT FLOWS-RITE™**

16.0	Other information	
16.1	List of relevant R phrases	R36/37/38, Irritating to eyes, respiratory system and skin. R43, Sensitizing by skin contact.
16.2	Hazard Statements	H319: Eye irritation. Hazard category 2. H335: Specific Target Organ Toxicity - Single exposure; hazard category. 3. Respiratory tract irritation. H315: Skin irritation. Hazard category 2. H317: Skin Sensitization. Hazard category 1.
16.3	Precautionary Statements	P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305 + P351: If in eyes, rinse cautiously with water for several minutes. P337 + P313: If eye irritation persists, get medical advice/attention. P302 + P352: If on skin, wash with plenty of soap and water. P333 + P313: If irritation or rash occurs, get medical advice / attention. P410 + P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.
16.4	Restrictions on use	Pulpdent products are to be sold to and used by dental professionals only.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) US Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency
16.7	Information which has been added, deleted or revised.	This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format and Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.