



# SAFETY DATA SHEET

Revision Date 01/30/2015

REVISION NUMBER: 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product name GREASE KLEEN

### Other means of identification

Product code 118320

UN/ID No. 3266

Synonyms NONE

### Recommended use of the chemical and restrictions on use

Recommended Use Cleaner/Degreaser.

Uses advised against No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Rochester Midland Corporation  
155 Paragon Drive  
Rochester, New York 14624 USA

### Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053  
OUTSIDE U.S.: +1-352-323-3500

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

### Label elements

#### **Emergency Overview**

**DANGER**

#### **Hazard statements**

Causes skin irritation  
Causes serious eye damage  
May be corrosive to metals



**Appearance** Clear Yellow

**Physical state** Liquid

**Odor** Butyl odor

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician  
IF ON SKIN: Wash with plenty of soap and water  
If skin irritation occurs: Get medical advice/attention  
Take off contaminated clothing and wash before reuse

**Hazards not otherwise classified (HNOC)**

No information available

**Other Information**

**Unknown Acute Toxicity** 4.9% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
SODIUM HYDROXIDE	1310-73-2	< 2	*
2-BUTOXYETHANOL	111-76-2	1 - 5	*
Sodium metasilicate	6834-92-0	< 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures**

**General advice** Immediately call a POISON CENTER or doctor/physician.

**Eye contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Skin contact** IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.

**Inhalation** IF INHALED: Remove to fresh air.

**Ingestion** IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

No information available.

**Explosion data**

**Sensitivity to Mechanical Impact** NONE.

**Sensitivity to Static Discharge** NONE.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Alkaline liquid. Avoid contact with skin, eyes or clothing. Do not breathe mist or vapors.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store in a cool, dry location away from incompatible materials. Keep from freezing. Contact with certain food sugars can release hazardous amounts of carbon monoxide gas in enclosed vessels.

**Incompatible materials** Acids.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
SODIUM HYDROXIDE 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm	S* (vacated) S* (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>	700 ppm

**Appropriate engineering controls**

**ENGINEERING CONTROLS** Showers  
Eyewash stations  
Ventilation systems.



**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

**Incompatible materials**

Acids.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

<b>Product Information</b>	Serious eye damage/eye irritation
<b>Inhalation</b>	No data available.
<b>Eye contact</b>	Severely irritating to eyes. Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin contact</b>	Causes skin irritation.
<b>Ingestion</b>	Large amounts may cause irritation, nausea, diarrhea.

PRODUCT COMPOSITION CAS#	Oral LD50	Dermal LD50	Inhalation LC50
SODIUM HYDROXIDE 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
2-BUTOXYETHANOL 111-76-2	= 470 mg/kg ( Rat )	= 220 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h
Sodium metasilicate 6834-92-0	= 600 mg/kg ( Rat )	-	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** No information available.

PRODUCT COMPOSITION CAS#	ACGIH	IARC	NTP	OSHA
2-BUTOXYETHANOL 111-76-2	A3	Group 3	-	-

**Reproductive Toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 4.9% of the mixture consists of ingredient(s) of unknown toxicity  
The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 6779 mg/kg  
**ATEmix (dermal)** 18427 mg/kg

ATEmix (inhalation-dust/mist) 36.9 mg/l

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

6.27% of the mixture consists of component(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION CAS#	Algae/aquatic plants	Fish	Crustacea
SODIUM HYDROXIDE 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
2-BUTOXYETHANOL 111-76-2	-	2950: 96 h Lepomis macrochirus mg/L LC50 1490: 96 h Lepomis macrochirus mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	-

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

PRODUCT COMPOSITION CAS#	Partition coefficient
2-BUTOXYETHANOL 111-76-2	0.81

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

**14. TRANSPORT INFORMATION**

UN/ID No. 3266  
 Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM SILICATE)  
 Hazard Class 8  
 Packing Group III  
 Description 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

**15. REGULATORY INFORMATION**

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Does not Comply
<b>IECSC</b>	Complies
<b>KECL</b>	Does not Comply
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION CAS#	SARA 313 - Threshold Values %
2-BUTOXYETHANOL - 111-76-2	1.0

**SARA 311/312 Hazard Categories**

<b>ACUTE HEALTH HAZARD</b>	YES
<b>CHRONIC HEALTH HAZARD</b>	No
<b>FIRE HAZARD</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>REACTIVE HAZARD</b>	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION CAS#	Hazardous Substances RQs (in LBS)	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
SODIUM HYDROXIDE 1310-73-2	1000	

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
SODIUM HYDROXIDE 1310-73-2	1706	Listed	Listed

---

2-BUTOXYETHANOL 111-76-2	0275	Listed	Listed
-----------------------------	------	--------	--------

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION****NFPA**

Health hazards 2

Flammability 0

Instability 0

Physical and Chemical Properties ALKALI

**HMIS**

Health hazards 2

Flammability 0

Physical hazards 0

Personal protection B

Revision Date

01/30/2015

Revision Note

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**\*\*\* END OF SDS \*\*\***