

MATERIAL SAFETY DATA SHEET

Product Trade Name: GS-5 ADDITIVE

Revision Date: 16-Jul-2014

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: GS-5 ADDITIVE

Synonyms: None

Chemical Family: Blend

Application: Additive

Manufacturer/Supplier Halliburton Energy Services
P.O. Box 1431
Duncan, Oklahoma 73536-0431
Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	ACGIH TLV-TWA	OSHA PEL-TWA
Branched ethoxylated nonylphenol	68412-54-4	1 - 5%	Not applicable	Not applicable
Ethylene glycol	107-21-1	5 - 10%	100 mg/m ³	50 ppm CEIL

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May be harmful if swallowed. May cause birth defects.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.

Eyes Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

Ingestion Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.

Notes to Physician Not Applicable

5. FIRE FIGHTING MEASURES

Flash Point/Range (F):	Not Determined Min: > 200
Flash Point/Range (C):	Not Determined Min: > 93
Flash Point Method:	Not Determined
Autoignition Temperature (F):	Not Determined
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (%):	Not Determined
Flammability Limits in Air - Upper (%):	Not Determined
Fire Extinguishing Media	Water fog, carbon dioxide, foam, dry chemical. Use water spray to cool fire exposed surfaces.
Special Exposure Hazards	Decomposition in fire may produce toxic gases.
Special Protective Equipment for Fire-Fighters	Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.
NFPA Ratings:	Health 2, Flammability 1, Reactivity 0
HMIS Ratings:	Health 2*, Flammability 1, Physical Hazard 0 , PPE: X

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures	Use appropriate protective equipment.
Environmental Precautionary Measures	Prevent from entering sewers, waterways, or low areas.
Procedure for Cleaning / Absorption	Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. HANDLING AND STORAGE

Handling Precautions	Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Avoid breathing mist.
Storage Information	Store away from oxidizers. Store in a cool well ventilated area. Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls	Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.
Respiratory Protection	If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Organic vapor/acid gas respirator with a dust/mist filter.
Hand Protection	Impervious rubber gloves.
Skin Protection	Rubber apron.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	White
Odor:	Odorless
pH:	2.5-4.5
Specific Gravity @ 20 C (Water=1):	1.1
Density @ 20 C (lbs./gallon):	9.16
Bulk Density @ 20 C (lbs/ft3):	Not Determined
Boiling Point/Range (F):	Not Determined
Boiling Point/Range (C):	Not Determined
Freezing Point/Range (F):	Not Determined
Freezing Point/Range (C):	Not Determined
Vapor Pressure @ 20 C (mmHg):	Not Determined
Vapor Density (Air=1):	Not Determined
Percent Volatiles:	Not Determined
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Miscible
Solubility in Solvents (g/100ml):	Not Determined
VOCs (lbs./gallon):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined

10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	None anticipated
Incompatibility (Materials to Avoid)	Strong oxidizers.
Hazardous Decomposition Products	Carbon monoxide and carbon dioxide.
Additional Guidelines	Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Symptoms related to exposure

Acute Toxicity

Inhalation

Excessive inhalation causes headache, dizziness, nausea and incoordination. May cause respiratory irritation.

Eye Contact

May cause eye irritation

Skin Contact

May cause skin irritation. May cause an allergic skin reaction.

Ingestion

Harmful if swallowed. May cause kidney damage. May affect the heart and cardiovascular system. May cause brain disorders.

Chronic Effects/Carcinogenicity

Prolonged or repeated exposure may cause reproductive system damage. Prolonged or repeated exposure may cause embryo and fetus toxicity.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Branched ethoxylated nonylphenol	68412-54-4	1310 mg/kg (Rat)	2 mL/kg (Rabbit)	No data available
Ethylene glycol	107-21-1	4000 mg/kg (Rat) 7712 mg/kg (Rat) > 10000 mg/kg (Rat) 1670 mg/kg (Cat) 1400 – 1600 mg/kg (Human)	9530 µL/kg (Rabbit) > 3500 mg/kg (Mouse)	> 2.5 mg/L (Rat, 6h) (saturated concentration)

12. ECOLOGICAL INFORMATION**Ecotoxicological Information****Ecotoxicity Product**

Acute Fish Toxicity:	LC50 (96): > 100 mg/l
Acute Crustaceans Toxicity:	Not determined
Acute Algae Toxicity:	Not determined

Ecotoxicity Substance

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Branched ethoxylated nonylphenol	68412-54-4	No information available	No information available	No information available	No information available
Ethylene glycol	107-21-1	EC50: 6500 - 13000 mg/L (Pseudokirchneriella subcapitata) TGK(8d): > 10000 mg/L (Scenedesmus quadricauda)	LC50: 41000 mg/L (Oncorhynchus mykiss) LC50(96h): 72860 mg/L (Pimephales promelas) NOEC(7d): 32000 mg/L (mortality) (Pimephales promelas)	TTC(16h): > 10000 mg/L (Pseudomonas putida) EC20(30 m): > 1995 mg/L (activated sludge, domestic) (similar substance – diethylene glycol)	EC50: 46300 mg/L (Daphnia magna) EC50(48h): >100 mg/L (Daphnia magna) NOEC(7d): 8590 mg/L (reproduction) (Ceriodaphnia dubia)

12.2. Persistence and degradability

No information available

Substances	Persistence and Degradability
Ethylene glycol	Readily biodegradable (100% @ 10d)

12.3. Bioaccumulative potential

No information available

Substances	Log Pow
Ethylene glycol	-1.36

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No information available.

Substances	PBT and vPvB assessment
Ethylene glycol	Not PBT/vPvB

12.6. Other adverse effects**13. DISPOSAL CONSIDERATIONS****Disposal Method**

Disposal should be made in accordance with federal, state, and local regulations.

14. TRANSPORT INFORMATION**US DOT**

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

US DOT Bulk

DOT (Bulk) Not Applicable

Canadian TDG ul0

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

IMDG/IMO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

IATA/ICAO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

Special Precautions for User: None

15. REGULATORY INFORMATION**US Regulations****US TSCA Inventory**

All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard Class

Acute Health Hazard
Chronic Health Hazard

EPA SARA (313) Chemicals

This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372: Ethylene Glycol//107-21-1

EPA CERCLA/Superfund Reportable Spill Quantity

EPA Reportable Spill Quantity is 10004 Gallons based on Ethylene glycol (CAS: 107-21-1).

EPA RCRA Hazardous Waste Classification	If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.
California Proposition 65	The California Proposition 65 regulations apply to this product.
MA Right-to-Know Law	One or more components listed.
NJ Right-to-Know Law	One or more components listed.
PA Right-to-Know Law	One or more components listed.
Canadian Regulations	
Canadian DSL Inventory	All components listed on inventory or are exempt.
WHMIS Hazard Class	D2B Toxic Materials

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS

Not applicable

Additional information For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

*****END OF MSDS*****