



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** WELLBUTRIN SR TABLETS

**Other means of identification** Not available.

**Synonym(s)** WELLBUTRIN SR (SUSTAINED RELEASE) TABLETS \* WELLBUTRIN SR TABLETS 100 MG \* WELLBUTRIN SR TABLETS 150 MG \* WELLBUTRIN SR TABLETS 200 MG \* WELLBUTRIN SR CONTROLLED RELEASE TABLETS \* WELLBUTRIN SR COMPRIMIDOS \* WELLBUTRIN SR COMPRIMIDOS RECUBIERTOS \* WELLBUTRIN SR POTAHOVANE TABLETY \* WELLBUTRIN SR TABLETAS \* WELLBUTRIN SR TABLETY \* WELLBUTRIN SR \* NDC NO 0173-0947-55 \* NDC NO 0173-0135-55 \* NDC NO 0173-0722-00 \* BUPROPION HYDROCHLORIDE, FORMULATED PRODUCT

**Recommended use** Medicinal Product

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

**Recommended restrictions** No other uses are advised.

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

GlaxoSmithKline US  
5 Moore Drive  
Research Triangle Park, NC 27709 USA  
US General Information (normal business hours): +1-888-825-5249  
Email Address: msds@gsk.com  
Website: www.gsk.com  
EMERGENCY PHONE NUMBERS -  
TRANSPORT EMERGENCIES::  
US / International toll call +1 703 527 3887  
available 24 hrs/7 days; multi-language response

## 2. Hazard(s) identification

### Classified hazards

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

### Label elements

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

### Hazard(s) not otherwise classified (HNOC)

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

## 3. Composition/information on ingredients

### Mixtures

#### Hazardous components

Chemical name	Common name and synonyms	CAS number	%
BUPROPION HYDROCHLORIDE	1-PROPANONE,1-(3-CHLOROPHENYL)-2-((±)-2-(TERT-BUTYLAMINO)-3'-CHLORPROF GR 67205A 323U66 HCl	31677-93-7	26 - < 36.1

Hazardous components			
Chemical name	Common name and synonyms	CAS number	%
MICROCRYSTALLINE CELLULOSE	AVICEL PH MICROCRYSTALLINE CELLULOSE ABICEL ALPHA-CELLULOSE ARBOCEL ARBOCELL B 600/30 ARBOCELL BC 200 AVICEL PH101 AVICEL PH102 AVICEL PH103 AVICEL PH105 AVICEL PH112 AVICEL PH200 BETA-AMYLOSE CELLEX MX CELLULOSE (8CI9CI) CELLULOSE 248 CELLULOSE CRYSTALLINE CELLULOSE, FOOD GRADE CELUFI CRYSTALLINE CELLULOSE EMOCEL MCC MICROCRYSTALLINE CELLULOSE POWDERED CELLULOSE RTECS FJ5691460 SOLKA FLOC BW200 CELLULOSA (FIBRA PAPEL) CELLULOSE (PAPER FIBRES) CELLULOSE-PAPER FIBER CELULOSA (FIBRA PAPEL) TSELLULOOS	9004-34-6	20 - < 30
HYDROXYPROPYL METHYL CELLULOSE	METHOCEL K4M GONIOSOL ISOPRO ALKALINE ISOPTO PLAIN ISOPTO TEARS METHOCEL E,F,K METHOCEL HG METHYL CELLULOSE PROPYLENE GLYCOL ETHER HYPROMELLOSE TEARISOL ULTRA TEARS RTECS NF9125000 CELLULOSE, 2-HYDROXYPROPYL METHYL ESTER METHYLHYDROXYPROPYLCELLULOSE PHARMACOAT 603	9004-65-3	10 - < 20
MAGNESIUM STEARATE	OCTADECANOIC ACID, MAGNESIUM SALT STEARIC ACID, MAGNESIUM SALT MAGNESIUM DISTEARATE DIBASIC MAGNESIUM STEARATE MAGNESIUM DISTEARATE, PURE OCTADECANOIC ACID MAGNESIUM SALT MAGNESIUM OCTADECANOATE C36H70MGO4 OHS13505 RTECS WI4390000 MAGNESIUMDISTEARAT	557-04-0	< 1

Other components below reportable levels

30 - < 40

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

##### Inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing is difficult, trained personnel should give oxygen. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

##### Skin contact

Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse. Get medical attention if symptoms occur.

<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes.
<b>Ingestion</b>	If swallowed, rinse mouth with water (only if the person is conscious). If ingestion of a large amount does occur, call a poison control center immediately.
<b>Most important symptoms/effects, acute and delayed</b>	Irritation of eyes and mucous membranes. The following adverse effects have been noted with therapeutic use of this material: insomnia; agitation; anxiety; headache; tremor; visual disturbances; dry mouth; nausea; vomiting; rash; depression; constipation; convulsions.
<b>Indication of immediate medical attention and special treatment needed</b>	No specific antidotes are recommended. Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information centre.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Pre-placement and periodic health surveillance is not usually indicated. The final determination of the need for health surveillance should be determined by local risk assessment.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	In the event of fire, cool tanks with water spray.
<b>Specific methods</b>	Cool containers exposed to flames with water until well after the fire is out.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS.
<b>Methods and materials for containment and cleaning up</b>	Stop the flow of material, if this is without risk. Collect spillage. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the MSDS.
<b>Environmental precautions</b>	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the MSDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### GSK

#### Components

Components	Type	Value
BUPROPION HYDROCHLORIDE (CAS 31677-93-7)	8 HR TWA	1000 mcg/m <sup>3</sup>
HYDROXYPROPYL METHYL CELLULOSE (CAS 9004-65-3)	OHC	2
MAGNESIUM STEARATE (CAS 557-04-0)	OHC	1
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	OHC	1

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

**US. ACGIH Threshold Limit Values**

Components	Type	Value
MAGNESIUM STEARATE (CAS 557-04-0)	TWA	10 mg/m3
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	TWA	10 mg/m3

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value	Form
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	REL	5 mg/m3	Respirable.
		10 mg/m3	Total

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

An Exposure Control Approach (ECA) is established for operations involving this material based upon the OEL/Occupational Hazard Category and the outcome of a site- or operation-specific risk assessment. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

If contact is likely, safety glasses with side shields are recommended.

**Hand protection**

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Glove selection must take into account any solvents and other hazards present.

**Other**

Not normally needed.

**Respiratory protection**

No personal respiratory protective equipment normally required.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

An occupational/industrial hygiene monitoring method has been developed for this material. For advice on suitable monitoring methods, seek guidance from a qualified environment, health and safety professional. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using, do not eat, drink or smoke.

**9. Physical and chemical properties****Appearance****Physical state**

Solid.

**Form**

Tablet.

**Color**

Not available.

**Odor**

Not available.

**Odor threshold**

Not available.

**pH**

Not available.

**Melting point/freezing point**

Not available.

**Initial boiling point and boiling range**

Not available.

**Flash point**

Not available.

**Evaporation rate**

Not available.

**Flammability (solid, gas)**

Not available.

**Upper/lower flammability or explosive limits****Flammability limit - lower (%)**

Not available.

**Flammability limit - upper (%)**

Not available.

<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents. Fluorine.
<b>Hazardous decomposition products</b>	Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion</b>	Health injuries are not known or expected under normal use. May be harmful if swallowed.
<b>Inhalation</b>	Health injuries are not known or expected under normal use. Inhalation of dusts may cause respiratory irritation.
<b>Skin contact</b>	Health injuries are not known or expected under normal use. Dust or powder may irritate the skin.
<b>Eye contact</b>	Health injuries are not known or expected under normal use. Dust or powder may irritate eye tissue.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	The following adverse effects have been noted with therapeutic use of this material: insomnia; agitation; anxiety; headache; tremor; visual disturbances; dry mouth; nausea; vomiting; rash; depression; constipation; convulsions. No specific target organ effects have been identified.
---	---

### Information on toxicological effects

<b>Acute toxicity</b>	Health injuries are not known or expected under normal use. Adverse effects might occur with repeated ingestion.
-----------------------	--

Components	Species	Test Results
BUPROPION HYDROCHLORIDE (CAS 31677-93-7)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	544 - 636 mg/kg
	Rat	482 - 607 mg/kg
<b>Chronic</b>		
<i>Oral</i>		
LOEL	Dog	40 mg/kg/day, 52 weeks
	Rat	100 mg/kg/day, 104 weeks
		25 mg/kg/day, 55 weeks
NOAEL	Dog	40 mg/kg/day, 52 weeks
	Rat	100, 104 weeks
		100 mg/kg/day, 55 weeks
<b>Subacute</b>		
<i>Oral</i>		
NOAEL	Dog	150 mg/kg/day, 47 Day

Components	Species	Test Results
<b>Subchronic</b>		
<i>Oral</i>		
NOAEL	Rat	450 mg/kg/day, 90 Day
HYDROXYPROPYL METHYL CELLULOSE (CAS 9004-65-3)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
MAGNESIUM STEARATE (CAS 557-04-0)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg
* Estimates for product may be based on additional component data not shown.		
<b>Skin corrosion/irritation</b>	Health injuries are not known or expected under normal use.	
<b>Corrosivity</b>		
BUPROPION HYDROCHLORIDE	OECD 404	Result: Non-irritant Species: Rabbit
<b>Irritation Corrosion - Skin: P.I.I. value</b>		
MAGNESIUM STEARATE	0	
BUPROPION HYDROCHLORIDE	0.5	
<b>Serious eye damage/eye irritation</b>	Health injuries are not known or expected under normal use. Dust or powder may irritate eye tissue.	
<b>Eye</b>		
BUPROPION HYDROCHLORIDE	Result: Irritant	Species: Rabbit
<b>Eye / Kay and Calandra class - Intact</b>		
MAGNESIUM STEARATE	4	Recovery Period: 2 days
BUPROPION HYDROCHLORIDE	5	
<b>Respiratory sensitization</b>	Not available.	
<b>Skin sensitization</b>	Health injuries are not known or expected under normal use.	
<b>Maximisation assay (Magnusson and Kligman)</b>		
HYDROXYPROPYL METHYL CELLULOSE	Result: Negative	Species: Guinea pig
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
BUPROPION HYDROCHLORIDE	Ames	Result: Negative
	L5178Y mouse lymphoma thymidine kinase locus assay	Result: Negative
	in vivo cytogenetics assay	Result: Positive
	Species: Rat	
<b>Carcinogenicity</b>	Health injuries are not known or expected under normal use.	
BUPROPION HYDROCHLORIDE	Result: Negative	Species: Mouse
	Result: Negative	Species: Rat
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.	
BUPROPION HYDROCHLORIDE	Embryo-foetal development- Oral	Result: Maternal toxicity; adverse foetal effects
	Species: Rabbit	
	Embryo-foetal development- Oral	Result: maternal toxicity
	Species: Rat	

**Specific target organ toxicity - single exposure** None known.

**Specific target organ toxicity - repeated exposure** None known.

**Aspiration hazard** Not available.

## 12. Ecological information

**Ecotoxicity** No information is available about the potential of this product to produce adverse environmental effects. Contains a substance which causes risk of hazardous effects to the environment.

Components		Species	Test Results
BUPROPION HYDROCHLORIDE (CAS 31677-93-7)			
<b>Aquatic</b>			
<i>Acute</i>			
Activated Sludge Respiration	IC50	Residential sludge	> 100 mg/l, 3 hours, Nominal
	NOEC	Residential sludge	100 mg/l, 3 hours, Nominal
Algae	EC50	Green algae ( <i>Scenedesmus subspicatus</i> )	0.95 mg/l, 72 hours
	NOEC	Green algae ( <i>Scenedesmus subspicatus</i> )	0.62 mg/l, 72 hours
Crustacea	EC50	Water flea ( <i>Daphnia magna</i> )	3.8 mg/l, 48 hours, Static test, OECD 202
	NOEC	Water flea ( <i>Daphnia magna</i> )	1 mg/l, 48 hours, Static test
Fish	EC50	Rainbow trout (Juvenile <i>Oncorhynchus mykiss</i> )	33 mg/l, 96 hours, Static renewal test, OECD 203
	NOEC	Rainbow trout (Juvenile <i>Oncorhynchus mykiss</i> )	16 mg/l, 96 hours, Static renewal test
Microtox	MIC	<i>Aspergillus flavus</i>	1000 mg/l
		<i>Azotobacter chroococcum</i>	> 1000 mg/l
		<i>Chaetomium globosum</i>	1000 mg/l
		<i>Nostoc</i> sp.	1000 mg/l
		<i>Pseudomonas fluorescens</i>	> 1000 mg/l
<i>Chronic</i>			
Crustacea	LOEC	Water flea ( <i>Ceriodaphnia dubia</i> )	> 0.4 mg/l, 7 days, 7 day static renewal, EPA 1002
	NOEC	Water flea ( <i>Ceriodaphnia dubia</i> )	0.4 mg/l, 7 days
Fish	Growth test NOEC	Fathead minnow (Juvenile <i>Pimephales promelas</i> )	0.1 mg/l, 32 days, Static renewal test
HYDROXYPROPYL METHYL CELLULOSE (CAS 9004-65-3)			
<b>Aquatic</b>			
<i>Acute</i>			
Fish	EC50	Fish	> 100 mg/L, 96 hours
MAGNESIUM STEARATE (CAS 557-04-0)			
<b>Aquatic</b>			
<i>Acute</i>			
Fish	EC50	Orange-red killfish (Adult <i>Oryzias latipes</i> )	130 mg/l, 96 hours
Microtox	EC50	Microtox	12.5 mg/l, 15 minutes

\* Estimates for product may be based on additional component data not shown.

### Persistence and degradability

#### Photolysis

##### Half-life (Photolysis-aqueous)

BUPROPION HYDROCHLORIDE 54 Hours

##### Half-life (Photolysis-atmospheric)

MAGNESIUM STEARATE 17 Hours Estimated

## Photolysis

### UV/visible spectrum wavelength

BUPROPION HYDROCHLORIDE	251 nm
MAGNESIUM STEARATE	210 nm

## Hydrolysis

### Half-life (Hydrolysis-neutral)

BUPROPION HYDROCHLORIDE	16.7 Days
-------------------------	-----------

## Biodegradability

### Percent degradation (Aerobic biodegradation-soil)

MAGNESIUM STEARATE	50 %, 13 days
--------------------	---------------

## Bioaccumulative potential

### Partition coefficient n-octanol / water (log Kow)

HYDROXYPROPYL METHYL CELLULOSE	-5
BUPROPION HYDROCHLORIDE	1.54

### Bioconcentration factor (BCF)

HYDROXYPROPYL METHYL CELLULOSE	3.2 Estimated
MAGNESIUM STEARATE	> 9999 Estimated

## Mobility in soil

### Adsorption

#### Sludge/biomass distribution coefficient - log Kd

BUPROPION HYDROCHLORIDE	1.79 Measured, pH 7
-------------------------	---------------------

#### Soil/sediment sorption - log Koc

BUPROPION HYDROCHLORIDE	2.93 Calculated
MAGNESIUM STEARATE	5.86 Estimated

## Mobility in general

### Volatility

#### Henry's law

BUPROPION HYDROCHLORIDE	0 atm m <sup>3</sup> /mol, 25 C Estimated
HYDROXYPROPYL METHYL CELLULOSE	0 atm m <sup>3</sup> /mol Estimated

### Distribution

#### Octanol/water distribution coefficient log DOW

BUPROPION HYDROCHLORIDE	-0.6, pH 1.2 -0.91, pH 6 1.54, pH 7.4
-------------------------	---

**Other adverse effects** Not available.

## 13. Disposal considerations

### Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Local disposal regulations

Dispose in accordance with all applicable regulations.

### Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

### Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

### Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

### DOT

<b>UN number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substances, solid, n.o.s. (BUPROPION HYDROCHLORIDE, FORMULATED PRODUCT), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	9
<b>Subsidiary class(es)</b>	Not available.
<b>Packing group</b>	III
<b>Special precautions for user</b>	Not available.
<b>Labels required</b>	9
<b>Special provisions</b>	8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33
<b>Packaging exceptions</b>	155



Packaging non bulk 213  
Packaging bulk 240  
Qty limits cargo No limit  
Qty limits passenger No limit

**IATA**

UN number UN3077  
UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (BUPROPION HYDROCHLORIDE, FORMULATED PRODUCT)  
Transport hazard class(es) 9  
Subsidiary class(es) -  
Packaging group III  
Labels required Not available.  
ERG Code 9L  
Passenger & cargo Allowed.  
Additional Information:  
Packaging Instruction 956  
Pkg Inst cargo only 956  
Pkg Inst passenger & cargo Y956  
SP see 44 A97,A158,A179  
Max net qty pkg 400 kg  
Max net qty pkg cargo only 400 kg  
Max net qty pkg LQ 30 kg G

**IMDG**


UN number UN3077  
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BUPROPION HYDROCHLORIDE, FORMULATED PRODUCT)  
Transport hazard class(es) 9  
Subsidiary class(es) -  
Packaging group III  
Environmental hazards  
Marine pollutant Yes  
Labels required Not available.  
EmS F-A, S-F  
Special precautions for user Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code MARPOL Annex II applies to liquids used in a ship's operation that pose a threat to the marine environment. These materials may not be transported in bulk.

**DOT; IATA; IMDG**



Marine pollutant



## 15. Regulatory information

### US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)  
Not regulated.



<b>Version #</b>	14
<b>Further information</b>	This material has not been assessed for HMIS or NFPA ratings.
<b>References</b>	GSK Hazard Determination
<b>Disclaimer</b>	The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.
<b>Revision Information</b>	Product and Company Identification: Business Units Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Toxicological Information: Ecological Information: Reports Transport Information: Proper Shipping Name/Packing Group GHS: Classification