

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	BEECHAMS ALL-IN-ONE TABLETS
Registration number	-
Synonyms	CONTAC COLD CHEST CONGESTION NON-DROWSY REGULAR STRENGTH * FORMULA NUMBER: FMBU 08784 * PARACETAMOL, GUAIPHENESIN AND PHENYLEPHRINE HYDROCHLORIDE, FORMULATED PRODUCT
Issue date	27-August-2014
Version number	07
Revision date	27-August-2014

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Medicinal Product

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

Uses advised against No other uses are advised.

1.3. Details of the supplier of the safety data sheet

GlaxoSmithKline UK
980 Great West Road
Brentford, Middlesex TW8 9GS UK
UK General Information (normal business hours): +44-20-8047-5000
Email Address: msds@gsk.com
Website: www.gsk.com

1.4. Emergency telephone number

TRANSPORT EMERGENCIES::
UK In-country toll call: +(44)-870-8200418
International toll call: +1 703 527 3887
available 24 hrs/7 days; multi-language response

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Classification according to Regulation (EC) No 1272/2008 as amended

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Supplemental label information None.

2.3. Other hazards Caution - Pharmaceutical agent.
See section 11 for additional information on health hazards.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
---------------	---	------------------	------------------------	-----------	-------

PARACETAMOL	35.0 - 36.0	103-90-2 203-157-5	-	-	
Classification:	DSD: Xn;R22, R52/53 CLP: Acute Tox. 4;H302, Aquatic Chronic 3;H412				
GUAIPHENESIN	14.0 - 15.0	93-14-1 202-222-5	-	-	
Classification:	DSD: Xn;R22 CLP: Acute Tox. 4;H302				
Talc	1 - < 3	14807-96-6 238-877-9	-	-	
Classification:	DSD: - CLP: -				
HYDROPHOBIC AMORPHOUS FUMED SILICA	< 1	68909-20-6 272-697-1	-	-	
Classification:	DSD: - CLP: -				
PHENYLEPHRINE HYDROCHLORIDE	<1.0	61-76-7 200-517-3	-	-	
Classification:	DSD: Repr. Cat. 3;R62-63, T;R24, Xn;R22, Xi;R37, N;R50/53 CLP: Acute Tox. 4;H302, Acute Tox. 3;H311, Acute Tox. 4;H312, STOT SE 3;H335, Repr. 2;H361, Aquatic Acute 1;H400, Aquatic Chronic 1;H410				
Polyvinylpyrrolidone	< 0.2	9003-39-8 -	-	-	
Classification:	DSD: R52/53 CLP: Aquatic Chronic 3;H412				
POTASSIUM SORBATE	< 0.1	24634-61-5 246-376-1	-	-	
Classification:	DSD: Xi;R36/38 CLP: Skin Irrit. 2;H315, Eye Irrit. 2;H319				

Other components below reportable levels 40.0 - 45.0

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. If breathing is difficult, trained personnel should give oxygen. Call a physician if symptoms develop or persist. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse. Get medical attention if symptoms occur.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion	If swallowed, rinse mouth with water (only if the person is conscious). If ingestion of a large amount does occur, call a poison control centre immediately. Do not induce vomiting without medical advice.
4.2. Most important symptoms and effects, both acute and delayed	None known.
4.3. Indication of any immediate medical attention and special treatment needed	No specific antidotes are recommended. Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information centre.

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Water. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust from the spilled material. Wear a dust mask if dust is generated above exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Stop the flow of material, if this is without risk. Collect spillage. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimise dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Sweep up or vacuum up spillage and collect in suitable container for disposal.
6.4. Reference to other sections	For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Medicinal Product

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

GSK Components	Type	Value
GUAIPHENESIN (CAS 93-14-1)	8 HR TWA	600 mcg/m ³

GSK Components	Type	Value
PARACETAMOL (CAS 103-90-2)	OHC	2
	8 HR TWA	4000 mcg/m3
PHENYLEPHRINE HYDROCHLORIDE (CAS 61-76-7)	OHC	1
	15 MIN STEL	200 mcg/m3
	8 HR TWA	30 mcg/m3
	OHC	3
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedures.	
Derived no-effect level (DNEL)	Not available.	
Predicted no effect concentrations (PNECs)	Not available.	
8.2. Exposure controls		
Appropriate engineering controls	General ventilation normally adequate. An Exposure Control Approach (ECA) is established for operations involving this material based upon the OEL/Occupational Hazard Category and the outcome of a site- or operation-specific risk assessment.	
Individual protection measures, such as personal protective equipment		
General information	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Follow all local regulations if personal protective equipment (PPE) is used in the workplace.	
Eye/face protection	Not normally needed. If contact is likely, safety glasses with side shields are recommended. (eg. EN 166)	
Skin protection		
- Hand protection	Not normally needed. For prolonged or repeated skin contact use suitable protective gloves. Select suitable chemical resistant protective gloves (EN 374) with a protective index 6 (>480min permeation time).	
- Other	Not normally needed. Wear suitable protective clothing as protection against splashing or contamination. (EN 14605 for splashes, EN ISO 13982 for dust)	
Respiratory protection	No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Where breathable aerosols/dust are formed, use suitable combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (eg. EN 14387).	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. For advice on suitable monitoring methods, seek guidance from a qualified environment, health and safety professional.	
Environmental exposure controls		
Hazard guidance and control recommendations	Contain spills and prevent releases and observe national regulations on emissions. Environmental manager must be informed of all major releases.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid.
Form	Tablet.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.

Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
10.5. Incompatible materials	Alkali metals.
10.6. Hazardous decomposition products	None known. Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of exposure	
Ingestion	Harmful if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Health injuries are not known or expected under normal use.
Eye contact	Health injuries are not known or expected under normal use. Direct contact with eyes may cause temporary irritation.
Symptoms	None known.
11.1. Information on toxicological effects	
Acute toxicity	Harmful if swallowed. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test results
GUAIPHENESIN (CAS 93-14-1)		
Acute		
Oral		
LD50	Rat	1510 mg/kg
PARACETAMOL (CAS 103-90-2)		
Acute		
Oral		
LD50	Rat	1944 mg/kg
TD	Human	>= 150 mg/kg

Components	Species	Test results
Subacute		
<i>Oral</i>		
NOAEL	Rat	12500 ppm, 14 Day dietary, continuous
Subchronic		
<i>Oral</i>		
NOAEL	Rat	6200 ppm, 13 weeks dietary, continuous
TD	Rat	>= 12500 ppm, 13 weeks dietary, continuous
<i>Other</i>		
LOAEL	Mouse	130 ppm, 61 weeks dietary, continuous
NOAEL	Mouse	3200 ppm, 13 weeks dietary, continuous
		0.3 %, 41 weeks dietary, continuous
TD	Mouse	6100 ppm, 13 weeks dietary, continuous
		1.25 %, 41 weeks dietary, continuous

PHENYLEPHRINE HYDROCHLORIDE (CAS 61-76-7)

Acute

Oral

LD50

Rat

350 mg/kg

Subacute

Oral

NOAEL

Mouse

2000 ppm, 14 Day Dietary study, highest dose tested.

Rat

2000 ppm, 14 Day Dietary study, highest dose tested.

Subchronic

Oral

LD

Mouse

5000 - 20000 ppm, 12 weeks dietary study

Rat

5000 - 20000 ppm, 12 weeks dietary study

LOAEL

Mouse

1250 ppm, 12 weeks dietary study

Rat

1250 ppm, 12 weeks dietary study

Polyvinylpyrrolidone (CAS 9003-39-8)

Acute

Oral

LD50

Rat

> 5000 mg/kg

POTASSIUM SORBATE (CAS 24634-61-5)

Acute

Oral

LD50

Rat

4340 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Health injuries are not known or expected under normal use.

Irritation Corrosion - Skin

PHENYLEPHRINE HYDROCHLORIDE

Supplier SDS
Result: Non-irritant
Species: Rabbit
Notes: US Pharmacopeia

Irritation Corrosion - Skin: P.I.I. value

PARACETAMOL

OECD 404, Literature data
Result: Slight irritant
Species: Rabbit

Serious eye damage/eye irritation

Health injuries are not known or expected under normal use.

Eye

PHENYLEPHRINE HYDROCHLORIDE

Clinical use
Result: Pharmacological, cardiovascular effects.
Species: Human

Eye		OECD 405
PARACETAMOL		Result: Slight irritant
		Species: Rabbit
PHENYLEPHRINE HYDROCHLORIDE		Supplier SDS
		Result: Irritant
Eye / Initial pain reaction score		
PARACETAMOL		Literature data
Respiratory sensitisation	Not available.	
Skin sensitisation	This product is not expected to cause skin sensitisation.	
Sensitisation		
PHENYLEPHRINE HYDROCHLORIDE		Clinical use - Ophthalmology
		Result: Low incidence of contact hypersensitivity.
		Species: Human
GUAIPHENESIN		SAR / QSAR, DEREK, Lhasa, UK
		Result: negative
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Mutagenicity		
PHENYLEPHRINE HYDROCHLORIDE		Ames
		Result: negative
		Notes: NTP Study report - Phenylephrine.
PARACETAMOL		Ames, Literature data
		Result: negative
PHENYLEPHRINE HYDROCHLORIDE		Chromosomal Aberration Assay In Vitro, CHO cells
		Result: negative
		Notes: NTP Study report - Phenylephrine.
PARACETAMOL		Chromosomal Aberration Assay In Vitro, Literature data
		Result: positive
		HPRT gene mutation in human lymphocytes, Literature data
		Result: negative
		In vivo Micronucleus, Literature data
		Result: negative
		Species: Mouse
PHENYLEPHRINE HYDROCHLORIDE		L5178Y mouse lymphoma thymidine kinase locus assay
		Result: Equivocal
		Notes: NTP Study report - Phenylephrine.
GUAIPHENESIN		SAR / QSAR, DEREK, Lhasa, UK
		Result: negative
PHENYLEPHRINE HYDROCHLORIDE		sister chromatid exchange
		Result: positive
		Notes: NTP Study report - Phenylephrine.
Carcinogenicity	Health injuries are not known or expected under normal use. Contains a material (talc) classified as a carcinogen by external agencies. High concentrations or doses administered over an extended period of time were required to produce adverse effects.	
PHENYLEPHRINE HYDROCHLORIDE		133 - 270 mg/kg/day
		Result: negative
		Species: Mouse
		Test Duration: 103 weeks
		Notes: NTP Report - Tox and carc studies with phenylephrine hydrochloride.
		24 - 50 mg/kg/day
		Result: negative
		Species: Rat
		Test Duration: 103 weeks
		Notes: NTP Report - Tox and carc studies with phenylephrine hydrochloride.
PARACETAMOL		Literature data
		Result: Equivocal. Increase in adenomas at toxic dose.
		Species: Mouse
		Literature data
		Result: Equivocal. Liver and bladder neoplasms at toxic doses.
		Species: Rat
		Literature data
		Result: negative
		Species: Mouse
		Literature data
		Result: negative
		Species: Rat
GUAIPHENESIN		SAR / QSAR, DEREK, Lhasa, UK
		Result: negative

IARC Monographs. Overall Evaluation of Carcinogenicity

PARACETAMOL (CAS 103-90-2)

3 Not classifiable as to carcinogenicity to humans.

POLYVINYLPYRROLIDONE (CAS 9003-39-8)

3 Not classifiable as to carcinogenicity to humans.

TALC (CAS 14807-96-6)

2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

Components in this product have been shown to cause birth defects and reproductive disorders in laboratory animals. These effects are linked only to high doses of this substance; low doses did not produce this adverse effect.

Reproductivity

PARACETAMOL

250 mg/kg/day Embryofetal Development, Literature data

Result: Foetal NOAEL

Species: Rat

387 mg/kg/day Embryofetal Development, Literature data

Result: negative

Species: Mouse

750 mg/kg/day Embryofetal Development, Literature data

Result: decrease in foetal weight, minor skeletal abnormalities.

Species: Rat

<= 1400 mg/kg/day Pre- and Post-natal development, Literature data

Result: reduced weight gain during nursing.

Species: Rat

GUAIPHENESIN

Embryofetal Development, Epidemiology

Result: No clear association with developmental effects.

Species: Human

PHENYLEPHRINE HYDROCHLORIDE

Epidemiology

Result: Equivocal, evidence of malformations, or other adverse foetal effect from clinical use. Other studies show no such association.

Species: Human

PARACETAMOL

Epidemiology, Literature data

Result: No clear association with therapeutic use.

Species: Human

PHENYLEPHRINE HYDROCHLORIDE

Result: Foetal growth retardation and onset of early delivery at doses equivalent to clinical exposure.

Species: Rabbit

Specific target organ toxicity - single exposure

Causes damage to organs.

PHENYLEPHRINE HYDROCHLORIDE

Clinical use

Organ: Cardiovascular effects, some marked.

PARACETAMOL

Species: Human

Organ: Liver

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure by ingestion.

Aspiration hazard

Not likely, due to the form of the product.

Mixture versus substance information

No information available.

Other information

Caution - Pharmaceutical agent.

SECTION 12: Ecological information

12.1. Toxicity

The product contains a substance which may cause long-term adverse effects in the environment.

Components		Species	Test results
GUAIPHENESIN (CAS 93-14-1)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/l, 24 hours
PARACETAMOL (CAS 103-90-2)			
Aquatic			
Acute			
Algae	EC50	Green algae (Scenedesmus subspicatus)	134 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	50 mg/l, 48 hours Static test
Fish	EC50	Fathead minnow (Juvenile Pimephales promelas)	814 mg/l, 96 hours Flow-through test

Components		Species	Test results
PHENYLEPHRINE HYDROCHLORIDE (CAS 61-76-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	> 124 mg/l, 72 hours Measured
	NOEC	Algae	31 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	0.86 mg/l, 48 hours Measured
	NOEC	Daphnia	0.21 mg/l, 48 hours
Fish	EC50	Rainbow trout (Adult Oncorhynchus mykiss)	> 100 mg/l, 96 hours Measured
	NOEC	Rainbow trout (Adult Oncorhynchus mykiss)	100 mg/l, 96 hours
Polyvinylpyrrolidone (CAS 9003-39-8)			
<i>Acute</i>			
	IC50	Activated sludge	> 1000 mg/l, 3 hours Static test
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	84 mg/l, 48 hours Static test
	NOEC	Water flea (Daphnia magna)	32 mg/l, 48 hours Static test
POTASSIUM SORBATE (CAS 24634-61-5)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	750 mg/l, 48 hours
Fish	EC50	Rainbow trout (Adult Oncorhynchus mykiss)	> 500 mg/l, 96 hours Static test
		Zebra fish (Adult Brachydanio rerio)	1250 mg/l, 48 hours
			> 1000 mg/l, 96 hours
<i>Chronic</i>			
Crustacea	EC50	Water flea (Daphnia magna)	901 mg/l, 24 hours
Other	EC50	Bacteria	5000 mg/l, 21 hours
Talc (CAS 14807-96-6)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Zebra fish (Adult Brachydanio rerio)	> 100 g/l, 24 hours Static renewal test

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

PARACETAMOL	99 %, 5 days Modified Zahn-Wellens, Activated sludge
PHENYLEPHRINE HYDROCHLORIDE	81 %, 28 days Modified Zahn-Wellens, DOC removal., Activated sludge
	99 %, 7 days Modified Zahn-Wellens, primary biodegradation, loss of parent., Activated sludge
POTASSIUM SORBATE	95 %, 6 days Zahn-Wellens
Polyvinylpyrrolidone	0 %, 28 days Modified MITI test, Activated sludge

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

GUAIPHENESIN	-0,98
PARACETAMOL	0,36
PHENYLEPHRINE HYDROCHLORIDE	0,49 (Measured).

12.4. Mobility in soil

Not available.

Mobility in general

Not available.

Volatility**Henry's law**

PARACETAMOL

0 atm m³/mol Estimated

12.5. Results of PBT and vPvB assessment Not available.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge into drains, water courses or onto the ground. Dispose in accordance with all applicable regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information**ADR**

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I**

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorisations**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

Restrictions on use**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Not available.

References

GSK Hazard Determination

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R22 Harmful if swallowed.
R24 Toxic in contact with skin.
R36/38 Irritating to eyes and skin.
R37 Irritating to respiratory system.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R62 Possible risk of impaired fertility.
R63 Possible risk of harm to the unborn child.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H361 Suspected of damaging fertility or the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Revision information

Product and Company Identification: Product and Company Identification
Composition / Information on Ingredients: Undisclosed Ingredient Statement
Physical & Chemical Properties:

Training information

Follow training instructions when handling this material.

Disclaimer

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.