

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Trade name or designation of the mixture** NEOSPORIN EYE/EAR DROPS

**Registration number** -

**Synonyms** NEOSPORIN EAR/EYE SOLUTION \* GRAMICIDIN, NEOMYCIN SULPHATE AND POLYMYXIN B SULPHATE, FORMULATED PRODUCT

**Issue date** 12-December-2014

**Version number** 04

**Revision date** 12-December-2014

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Medicinal Product.

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

**Uses advised against** No other uses are advised.

**1.3. Details of the supplier of the safety data sheet**

GlaxoSmithKline UK  
980 Great West Road  
Brentford, Middlesex TW8 9GS UK  
UK General Information (normal business hours): +44-20-8047-5000  
Email Address: [msds@gsk.com](mailto:msds@gsk.com)  
Website: [www.gsk.com](http://www.gsk.com)

**1.4. Emergency telephone number**

TRANSPORT EMERGENCIES::  
UK In-country toll call: + (44)-870-8200418  
International toll call: +1 703 527 3887  
available 24 hrs/7 days; multi-language response

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC as amended**

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

**Classification according to Regulation (EC) No 1272/2008 as amended**

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended**

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

**2.3. Other hazards**

This product is non-flammable.  
Caution - Pharmaceutical agent. See section 11 for additional information on health hazards.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
---------------	---	------------------	------------------------	-----------	-------

ETHANOL	0.5	64-17-5 200-578-6	-	603-002-00-5	
---------	-----	----------------------	---	--------------	--

**Classification:** **DSD:** F;R11, Xi;R36  
**CLP:** Flam. Liq. 2;H225, Eye Irrit. 2;H319

NEOMYCIN SULFATE	<1.0	1405-10-3 215-773-1	-	-	
------------------	------	------------------------	---	---	--

**Classification:** **DSD:** Xi;R36, R43  
**CLP:** Skin Sens. 1;H317, Eye Irrit. 2;H319

POLYMYXIN B SULFATE	<1.0	1405-20-5 2157747	-	-	
---------------------	------	----------------------	---	---	--

**Classification:** **DSD:** Xn;R22  
**CLP:** Acute Tox. 4;H302

Propylene glycol	< 1	57-55-6 200-338-0	-	-	
------------------	-----	----------------------	---	---	--

**Classification:** **DSD:** -  
**CLP:** -

BENZALKONIUM CHLORIDE	<0.1	8001-54-5 -	-	-	M=10
-----------------------	------	----------------	---	---	------

**Classification:** **DSD:** C;R34, Xn;R22, N;R50/53  
**CLP:** Acute Tox. 4;H302, Skin Corr. 1B;H314, Aquatic Acute 1;H400, Aquatic Chronic 1;H410

GRAMICIDIN	<0.1	1405-97-6 215-790-4	-	-	
------------	------	------------------------	---	---	--

**Classification:** **DSD:** -  
**CLP:** -

Other components below reportable levels >95.0

**List of abbreviations and symbols that may be used above**

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

**Composition comments** The full text for all R- and H-phrases is displayed in section 16.

**SECTION 4: First aid measures**

**General information** In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**4.1. Description of first aid measures**

**Inhalation** Move to fresh air. If breathing is difficult, trained personnel should give oxygen. Call a physician if symptoms develop or persist. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

**Skin contact** Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse. Get medical attention if symptoms occur.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Ingestion** If swallowed, rinse mouth with water (only if the person is conscious). If ingestion of a large amount does occur, call a poison control centre immediately. Do not induce vomiting without advice from poison control center.

**4.2. Most important symptoms and effects, both acute and delayed** Direct contact with eyes may cause temporary irritation.

Material name: NEOSPORIN EYE/EAR DROPS

128420 Version #: 04 Revision date: 12-December-2014 Issue date: 12-December-2014

SDS IRELAND

2 / 12

#### 4.3. Indication of any immediate medical attention and special treatment needed

No specific antidotes are recommended. Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information centre.

### SECTION 5: Firefighting measures

#### General fire hazards

This product is non-flammable.

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Water. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

##### Unsuitable extinguishing media

None known.

#### 5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

#### 5.3. Advice for firefighters

##### Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

##### Special fire fighting procedures

Move containers from fire area if you can do so without risk.

#### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Keep unnecessary personnel away. Keep upwind. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8.

##### For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

#### 6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

#### 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices. No special control measures required for the normal handling of this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 7.3. Specific end use(s)

Medicinal Product.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

###### GSK

###### Components

###### Type

###### Value

###### Note

GRAMICIDIN (CAS 1405-97-6)

OHC

2

NEOMYCIN SULFATE (CAS 1405-10-3)

8 HR TWA

2000 mcg/m<sup>3</sup>

OHC

1

SKIN SENSITISER  
Reproductive hazard

POLYMYXIN B SULFATE (CAS 1405-20-5)

8 HR TWA

100 mcg/m<sup>3</sup>

OHC

3

**Ireland. Occupational Exposure Limits**

Components	Type	Value	Form
ETHANOL (CAS 64-17-5)	STEL	1000 ppm	Total vapour and particulates. Particulate. Total vapour and particulates.
Propylene glycol (CAS 57-55-6)	TWA	470 mg/m3	
		10 mg/m3	
		150 ppm	
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Recommended monitoring procedures	Follow standard monitoring procedures.		
Derived no-effect level (DNEL)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
Exposure guidelines	Not available.		
8.2. Exposure controls			
Appropriate engineering controls	General ventilation normally adequate. An Exposure Control Approach (ECA) is established for operations involving this material based upon the OEL/Occupational Hazard Category and the outcome of a site- or operation-specific risk assessment.		
Individual protection measures, such as personal protective equipment			
General information	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Follow all local regulations if personal protective equipment (PPE) is used in the workplace.		
Eye/face protection	If contact is likely, safety glasses with side shields are recommended. (e.g. EN 166). Not normally needed.		
Skin protection			
- Hand protection	For prolonged or repeated skin contact use suitable protective gloves. Select suitable chemical resistant protective gloves (EN 374) with a protective index 6 (>480min permeation time). Not normally needed.		
- Other	Wear suitable protective clothing as protection against splashing or contamination. (EN 14605 for splashes, EN ISO 13982 for dust). Not normally needed.		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Where breathable aerosols/dust are formed, use suitable combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (eg. EN 14387). No personal respiratory protective equipment normally required.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. For advice on suitable monitoring methods, seek guidance from a qualified environment, health and safety professional.		
Environmental exposure controls			
Hazard guidance and control recommendations	Environmental manager must be informed of all major releases.		

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance**

<b>Physical state</b>	Liquid.
<b>Form</b>	Solution.
<b>Colour</b>	Not available.
<b>Odour</b>	Not available.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Expected to be non-flammable based on components present.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Vapour pressure** Not available.

**Vapour density** Not available.

**Relative density** Not available.

**Solubility(ies)**

**Solubility (water)** Not available.

**Solubility (other)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** Not available.

**Explosive properties** Not available.

**Oxidizing properties** Not available.

**9.2. Other information** No relevant additional information available.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

**10.3. Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid** Contact with incompatible materials.

**10.5. Incompatible materials** Strong oxidising agents.

**10.6. Hazardous decomposition products** None known. Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

**SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

**Information on likely routes of exposure**

**Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.  
**NEOMYCIN SULFATE** Literature search  
Result: May cause irritation

**Skin contact** Health injuries are not known or expected under normal use.

**Eye contact** Health injuries are not known or expected under normal use.

**Ingestion** Health injuries are not known or expected under normal use. Expected to be a low ingestion hazard. However, ingestion is not likely to be a primary route of occupational exposure.

**Symptoms** Direct contact with eyes may cause temporary irritation.

**11.1. Information on toxicological effects**

**Acute toxicity** Health injuries are not known or expected under normal use.

Components	Species	Test results
BENZALKONIUM CHLORIDE (CAS 8001-54-5)		
<b>Acute</b>		
Oral		
LD50	Rat	240 - 590 mg/kg
ETHANOL (CAS 64-17-5)		
<b>Acute</b>		
Oral		
LD50	Rat	> 2000 mg/kg
<b>Chronic</b>		
Oral		
LOAEL	Monkey	40 %, 48 months % ingested calories

Components	Species	Test results
<b>Subacute</b>		
<i>Oral</i>		
LOEL	Rat	16.9 g/kg, 4 weeks Dietary - Dose given as g/kg/day 6 %, 4 weeks percent in diet - continuous
<b>Subchronic</b>		
<i>Inhalation</i>		
LOEL	Rat	2 ml, 36 weeks haematological parameters
NOAEL	Guinea pig	3000 ppm No adverse effects
	Rat	86 mg/m3, 90 Day Daily dosing
<i>Oral</i>		
LOAEL	Rat	5000 mg/kg/day, 10 weeks Liver toxicity 80 ml/kg, 85 Day Daily dose - Liver toxicity 10.2 g/kg, 12 weeks Dosed in drinking water - Continuous 7.7 g/kg, 12 weeks Dosed in drinking water - continuous
GRAMICIDIN (CAS 1405-97-6)		
<b>Acute</b>		
<i>Oral</i>		
Evident toxicity	Rat	> 1000 mg/kg
LD	Rat	> 1000 mg/kg
NEOMYCIN SULFATE (CAS 1405-10-3)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	> 8000 mg/kg
POLYMYXIN B SULFATE (CAS 1405-20-5)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	790 mg/kg
* Estimates for product may be based on additional component data not shown.		
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation. Health injuries are not known or expected under normal use.	
<b>Corrosivity</b>		
NEOMYCIN SULFATE	Literature search Result: Irritant	
POLYMYXIN B SULFATE	Literature search Result: May cause irritation	
ETHANOL	OECD 404 Result: Negative; not considered a significant irritant Species: Rabbit	
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation. Health injuries are not known or expected under normal use.	
<b>Eye</b>		
POLYMYXIN B SULFATE	Acute ocular irritation Result: Non-Irritating Species: Rabbit	
NEOMYCIN SULFATE	Literature search Result: Irritant	
GRAMICIDIN	Literature search Result: Severe Irritant	
ETHANOL	OECD 405 Result: Severe Species: Rabbit	
<b>Respiratory sensitisation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.	
NEOMYCIN SULFATE	Literature search Result: positive	
<b>Skin sensitisation</b>	This product is not expected to cause skin sensitisation. Health injuries are not known or expected under normal use.	

**Sensitisation**

POLYMYXIN B SULFATE

GRAMICIDIN

NEOMYCIN SULFATE

ETHANOL

Clinical use

Result: Hypersensitivity reactions can occur rarely in patients.

Literature search

Result: Sensitisation may occur in susceptible individuals

Literature search

Result: positive

OECD 406

Result: negative

Species: Guinea pig

**Germ cell mutagenicity**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Health injuries are not known or expected under normal use.

**Mutagenicity**

ETHANOL

Ames

Result: negative

Chromosomal Aberration Assay In Vitro, CHO cells

Result: negative

Dominant lethal assay

Result: positive

Species: Mouse

Dominant lethal assay

Result: positive

Species: Rat

Gene mutation and repair

Result: negative

Species: Bacteria

Gene mutation and repair

Result: positive

Species: Bacteria

In vitro cytogenetics assay

Result: positive

In vitro cytogenetics assay

Result: positive

Species: Aspergillus niger

L5178Y mouse lymphoma thymidine kinase locus assay

Result: Weakly positive

Yeast mutation

Result: negative

Yeast mutation

Result: positive

in vitro micronucleus assay

Result: negative

in vivo cytogenetics assay

Result: negative

Species: Hamster

in vivo cytogenetics assay

Result: negative

Species: Rat

in vivo cytogenetics assay

Result: positive

Species: Mouse

sister chromatid exchange

Result: positive

**Carcinogenicity**

Carcinogenic effects are not expected as a result of occupational exposure. Contains a material (ethanol) classified as a carcinogen by external agencies. These effects are linked only to high doses of this substance; lower doses did not cause this adverse effect.

ETHANOL

0, inadequate study

Result: Increase in liver sarcomas

Species: Mouse

0, inadequate study

Result: Time to tumour reduced

Species: Mouse

Test Duration: 80 weeks

0, inadequate study

Result: negative

Species: Hamster

Test Duration: 807 Day

0, inadequate study

Result: negative

Species: Mouse

Test Duration: 1020 Day

**Carcinogenicity**  
ETHANOL

0, inadequate study  
Result: negative  
Species: Rat  
0, inadequate study  
Result: negative  
Species: Rat  
Test Duration: 78 weeks  
Epidemiology, causation linked to excessive consumption.  
Species: Human  
Organ: oral cavity, larynx, pharynx, oesophagus, liver  
Neonatal, inadequate study  
Result: negative  
Species: Rat

**Reproductive toxicity**

This product is not expected to cause reproductive or developmental effects. Health injuries are not known or expected under normal use.

**Reproductivity**  
ETHANOL

0.3 - 4.1 g/kg Embryo-foetal development - Oral, daily dose  
Species: Monkey  
Organ: facial anomalies, nervous system dysfunction  
1 - 2 g/kg Embryo-foetal development - Oral, daily dose  
Result: embryoletality  
Species: Rat  
1.8 g/kg Embryo-foetal development - Oral, daily dose  
Result: Increased abortion  
Species: Monkey  
5 g/kg Embryo-foetal development - Oral, daily dose - intravenous  
Result: reduced foetal body weight; no malformations or other variations  
Species: Monkey  
7 - 17 g/kg Embryo-foetal development - Oral, daily dose - gavage  
Species: Rat  
Organ: skeletal malformations, dilated renal pelves  
Embryo-foetal development - Oral, 15-30% in diet  
Result: resorptions, neural defects, cardiac malformations  
Species: Mouse  
Embryo-foetal development - Oral, Causation is linked to excessive consumption.  
Species: Human  
Organ: growth deficiency, CNS dysfunction, facial defects, major organ malformation  
Embryofetal Development, in utero - 36% total calories  
Species: Rat  
Organ: gonadal growth and development  
Fertility, Female, 10% in drinking water  
Result: negative  
Species: Rat  
Fertility, Female, 20-25% total calories  
Result: negative  
Species: Rat  
Fertility, Male, 5-6% v/v liquid diet  
Species: Mouse  
Organ: significant effects on testes and seminal vesicles  
Test Duration: 70 Day

**Specific target organ toxicity - single exposure** Not assigned.

**Specific target organ toxicity - repeated exposure** Not assigned.

GRAMICIDIN

POLYMYXIN B SULFATE

Animal Studies  
Organ: Red blood cells.  
Clinical use  
Result: High doses can cause respiratory irritation.  
Organ: Lungs

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

**Mixture versus substance information** No information available.

**Other information** Caution - Pharmaceutical agent. Occupational exposure to the substance or mixture may cause adverse effects.



## SECTION 12: Ecological information

**12.1. Toxicity** Not expected to be harmful to aquatic organisms.

Components		Species	Test results
BENZALKONIUM CHLORIDE (CAS 8001-54-5)			
<i>Acute</i>			
	IC50	Activated sludge	14 mg/l
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Green algae (Chlorella pyrenoidosa)	0.056 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	0.018 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	0.32 mg/l, 96 hours Static test
		Guppy (Juvenile Poecilia reticulata)	1.3 mg/l, 96 hours Static renewal test
		Orange-red killfish (Adult Oryzias latipes)	2.4 mg/l, 96 hours Static renewal test
		Rainbow trout (Adult Oncorhynchus mykiss)	1.15 mg/l, 96 hours Static test
Microtox	EC50	Microtox	1.43 mg/l, 10 minutes
ETHANOL (CAS 64-17-5)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Blue-green algae (Microcystis aeruginosa)	1450 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	9190 mg/l, 48 hours Static test
Fish	EC50	Fathead minnow (Adult Pimephales promelas)	14200 mg/l, 96 hours Flow-through test
		Rainbow trout (Adult Salmo gairdneri)	13000 mg/l, 96 hours Static test
Propylene glycol (CAS 57-55-6)			
<i>Acute</i>			
	IC50	Activated sludge	> 1000 mg/l, 3 hours
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	19000 mg/l, 14 days
	NOEC	Green algae (Selenastrum capricornutum)	15000 mg/l, 14 days
Crustacea	EC50	Daphnia	43500 mg/l, 48 hours
	NOEC	Daphnia	28500 mg/l, 48 hours
Fish	EC50	Fathead minnow (Adult Pimephales promelas)	51400 mg/l, 96 hours Static test
		Rainbow trout (Adult Oncorhynchus mykiss)	51600 mg/l, 96 hours Static test
	NOEC	Fathead minnow (Adult Pimephales promelas)	41000 mg/l, 96 hours Static test
		Rainbow trout (Adult Oncorhynchus mykiss)	42000 mg/l, 96 hours Static test
Microtox	EC50	Microtox	51400 mg/l, 30 minutes

\* Estimates for product may be based on additional component data not shown.

**12.2. Persistence and degradability** Not available.

### Photolysis

#### Half-life (Photolysis-aqueous)

ETHANOL 1 - 36.6 years Measured  
Propylene glycol 1.3 - 2.3 years Estimated

#### Half-life (Photolysis-atmospheric)

ETHANOL 4 - 5.9 Days Estimated

## Photolysis

### Half-life (Photolysis-atmospheric)

Propylene glycol 32 Hours Estimated

## Biodegradability

### Percent degradation (Aerobic biodegradation-inherent)

ETHANOL 37 - 86 %, 5 days BOD5, Activated sludge

Propylene glycol 62 %, 5 days BOD5, Activated sludge

79 %, 20 Days BOD20, Activated sludge

### Percent degradation (Anaerobic biodegradation)

Propylene glycol 100 %, 9 days

**12.3. Bioaccumulative potential** Not available.

### Partition coefficient

#### n-octanol/water (log Kow)

ETHANOL -0.31

Propylene glycol -1.35

### Bioconcentration factor (BCF)

Propylene glycol < 1 Estimated

**12.4. Mobility in soil** Not available.

### Adsorption

#### Soil/sediment sorption - log Koc

ETHANOL 1.2 Calculated

**Mobility in general** Not available.

### Volatility

#### Henry's law

ETHANOL 0.000005 atm m<sup>3</sup>/mol Measured

Propylene glycol 0 atm m<sup>3</sup>/mol Estimated

**12.5. Results of PBT** Not available.

### and vPvB assessment

**12.6. Other adverse effects** Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not discharge into drains, water courses or onto the ground. Dispose in accordance with all applicable regulations.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** MARPOL Annex II applies to liquids used in a ship's operation that pose a threat to the marine environment. These materials may not be transported in bulk.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

##### Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended**

Not listed.

**Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### **Authorisations**

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### **Restrictions on use**

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

ETHANOL (CAS 64-17-5)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work**

Not listed.

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding**

Not listed.

#### **Other EU regulations**

**Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances**

Not listed.

**Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

ETHANOL (CAS 64-17-5)

**Directive 94/33/EC on the protection of young people at work**

Not listed.

#### **Other regulations**

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

#### **National regulations**

Follow national regulation for work with chemical agents.

#### **15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

#### **List of abbreviations**

Not available.

#### **References**

GSK Hazard Determination

#### **Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

#### **Full text of any statements or R-phrases and H-statements under Sections 2 to 15**

R11 Highly flammable.  
R22 Harmful if swallowed.  
R34 Causes burns.  
R36 Irritating to eyes.  
R43 May cause sensitization by skin contact.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**Revision information**

Product and Company Identification: Product and Company Identification  
Composition / Information on Ingredients: Undisclosed Ingredient Statement  
Physical & Chemical Properties:  
Transport Information: Agency Name and Packaging Type/Transport Mode Selection  
Regulatory Information: United States  
GHS: Classification

**Training information**

Follow training instructions when handling this material.

**Disclaimer**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.