



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Gap Filler 1000SR
Registration number -
Synonyms None.
Product code Part A; GB 7 mils; Potlife 60 mins
Issue date 14-March-2014
Version number 04
Revision date 06-January-2016
Supersedes date 28-September-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Thermally Conductive Silicone Gap Filler Material used together with Part B.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier The Bergquist Company
Address: 18930 West 78th Street
Chanhausen, MN. 55317
Non-Emergency calls: 1-800-347-4572
Contact person: AEHMSDS@henkel.com

1.4. Emergency telephone number

Chemical Emergency
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word Not applicable.
Hazard statements Not applicable.

Precautionary statements

Prevention Observe good industrial hygiene practices.
Response Wash thoroughly after handling.
Storage Store away from incompatible materials.
Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information This product is not hazardous according to Regulation (EC) No 1272/2008 as amended, therefore a hazard label does not apply.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

SECTION 4: First aid measures

General information Get medical attention if any discomfort develops.

4.1. Description of first aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.
Skin contact Wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

4.2. Most important symptoms and effects, both acute and delayed Under normal conditions of intended use, this material does not pose a risk to health.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards This product is not flammable.

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media None known.

5.2. Special hazards arising from the substance or mixture None.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Special fire fighting procedures Move containers from fire area if you can do so without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid contact with skin and eyes.
For emergency responders Keep unnecessary personnel away.

6.2. Environmental precautions Environmental manager must be informed of all major spillages.

6.3. Methods and material for containment and cleaning up Sweep up or gather material and place in appropriate container for disposal.

6.4. Reference to other sections For personal protection, see Section 8 of the SDS.
For waste disposal, see Section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene practices. Wear appropriate personal protective equipment (See Section 8).

7.2. Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

7.3. Specific end use(s) Thermally Conductive Silicone Gap Filler Material used together with Part B.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	MAK	5 mg/m ³	Respirable fraction.
		10 mg/m ³	Inhalable fraction.
	STEL	20 mg/m ³	Inhalable fraction.
		10 mg/m ³	Respirable fraction.

Austria. MAK List

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	MAK	5 mg/m3	Respirable fraction.
		5 mg/m3	Respirable fume.
	10 mg/m3	Inhalable fraction.	
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fume.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	MAK	10 mg/m3	Respirable fraction.
		0,5 mg/m3	Inhalable fraction.
	STEL	2 mg/m3	Inhalable fraction.

Belgium. Exposure Limit Values.

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,2 mg/m3	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	Dust.
		1,5 mg/m3	Respirable fraction.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	STEL	3 mg/m3	
	TWA	0,3 mg/m3	

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	MAC	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	MAC	0,5 mg/m3	

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Type	Value
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	5 mg/m3

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	0,1 mg/m3	Respirable dust.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	Ceiling	2 mg/m3	
	TWA	1 mg/m3	

Denmark. Exposure Limit Values

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TLV	5 mg/m3	Total
		2 mg/m3	Respirable.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TLV	0,2 mg/m3	

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Respirable dust.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	10 mg/m ³	Total dust.
		0,2 mg/m ³	Total dust.
		0,1 mg/m ³	Respirable dust.

Finland. Workplace Exposure Limits

Components	Type	Value	Form
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,2 mg/m ³	Inhalable dust.
		0,02 mg/m ³	Respirable.

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Aluminium oxide (CAS 1344-28-1)	VME	10 mg/m ³

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	4 mg/m ³	Inhalable dust.
Aluminium oxide (CAS 1344-28-1)	TWA	1,5 mg/m ³	Respirable dust.
		4 mg/m ³	Inhalable dust.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	1,5 mg/m ³	Respirable dust.
		0,2 mg/m ³	Inhalable fraction.
		0,02 mg/m ³	Respirable fraction.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	AGW	10 mg/m ³	Inhalable fraction.
Aluminium oxide (CAS 1344-28-1)	AGW	1,25 mg/m ³	Respirable fraction.
		10 mg/m ³	Inhalable fraction.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	AGW	1,25 mg/m ³	Respirable fraction.
		0,5 mg/m ³	Inhalable fraction.

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Inhalable
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	10 mg/m ³	Respirable.
		5 mg/m ³	

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	6 mg/m ³	Respirable.

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³	
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	STEL	5 mg/m ³	Total dust.
	TWA	2,5 mg/m ³ 1 mg/m ³	Total dust. Respirable dust.

Ireland. Occupational Exposure Limits

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Respirable dust.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	10 mg/m ³ 0,2 mg/m ³	Total inhalable dust.

Italy. OELs

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	1 mg/m ³	Respirable fraction.
Aluminium oxide (CAS 1344-28-1)	TWA	1 mg/m ³	Respirable fraction.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,1 mg/m ³	Inhalable fraction.
		0,02 mg/m ³	Respirable fraction.

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	6 mg/m ³	
Aluminium oxide (CAS 1344-28-1)	TWA	6 mg/m ³	Decomposition aerosol.
		4 mg/m ³	

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	6 mg/m ³	
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Inhalable fraction.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	2 mg/m ³ 1 mg/m ³	Respirable fraction. Inhalable fraction.
		0,5 mg/m ³	Respirable fraction.

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TLV	10 mg/m ³	
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TLV	1 mg/m ³	Inhalable fraction.
		0,1 mg/m ³	Respirable fraction.

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	2,5 mg/m ³	Inhalable fraction.
Aluminium oxide (CAS 1344-28-1)	TWA	1,2 mg/m ³ 2,5 mg/m ³	Respirable fraction. Inhalable fraction.

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Type	Value	Form
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	1,2 mg/m ³	Respirable fraction.
		0,2 mg/m ³	Inhalable fraction.
		0,05 mg/m ³	Respirable fraction.

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³	
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,2 mg/m ³	

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Aerosol
		1,2 ppm	Aerosol
		2 mg/m ³	Aerosol
		0,5 ppm	Aerosol

Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	4 mg/m ³	Inhalable fraction.
		1,5 mg/m ³	Respirable fraction.
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Inhalable fraction.
		1,5 mg/m ³	Respirable fraction.
		0,1 mg/m ³	
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,5 mg/m ³	

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value	Form
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,5 mg/m ³	Inhalable fraction.

Spain. Occupational Exposure Limits

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³	
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,2 mg/m ³	

Sweden. Occupational Exposure Limit Values

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Total dust.
		2 mg/m ³	Respirable dust.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,2 mg/m ³	Total dust.
		0,1 mg/m ³	Respirable dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	3 mg/m ³	Respirable dust.
Aluminium oxide (CAS 1344-28-1)	STEL	24 mg/m ³	Fume and respirable dust.
	TWA	3 mg/m ³	Respirable dust.
		3 mg/m ³	Fume and respirable dust.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	0,5 mg/m ³	Inhalable dust.

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Respirable dust.
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	TWA	10 mg/m ³	Inhalable dust.
		0,5 mg/m ³	

Biological limit values

Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)

Components	Value	Determinant	Specimen	Sampling time
Ammonium Manganese Pyrophosphate (CAS 10101-66-3)	20 µg/l	Mangan	Blood	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines Follow standard monitoring procedures. No exposure standards allocated.

8.2. Exposure controls

Appropriate engineering controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Risk of contact: Wear approved safety goggles.

Skin protection

- Hand protection

Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the glove supplier.

- Other

If prolonged or repeated contact is likely, chemical resistant clothing is recommended.

Respiratory protection In case of inadequate ventilation, use respiratory protection.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

Environmental exposure controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Violet.

Odour	Slight.
Odour threshold	Not relevant.
pH	Not relevant.
Melting point/freezing point	Not relevant.
Initial boiling point and boiling range	Not relevant.
Flash point	Not relevant.
Evaporation rate	Not relevant.
Flammability (solid, gas)	Not relevant.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not relevant.
Flammability limit - upper (%)	Not relevant.
Explosive limit - lower (%)	Not relevant.
Explosive limit – upper (%)	Not relevant.
Vapour pressure	Not relevant.
Vapour density	Not relevant.
Solubility(ies)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not relevant.
Auto-ignition temperature	Not relevant.
Decomposition temperature	Not relevant.
Viscosity	Not available.
Explosive properties	Not relevant.
Oxidising properties	Not relevant.
9.2. Other information	
Bulk density	Not relevant.
Density	2,10 (25 °C)
VOC (Weight %)	Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	None.

SECTION 11: Toxicological information

General information	Under normal conditions of intended use, this material does not pose a risk to health.
Information on likely routes of exposure	
Inhalation	Vapours may irritate throat and respiratory system and cause coughing.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	May cause eye irritation on direct contact.
Ingestion	Ingestion may cause irritation and malaise.
Symptoms	Under normal conditions of intended use, this material does not pose a risk to health.
11.1. Information on toxicological effects	
Acute toxicity	Under normal conditions of intended use, this material does not pose a risk to health.
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory sensitisation	Not classified.

Skin sensitisation	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Mixture versus substance information	None known.
Other information	None known.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not relevant.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	The product is insoluble in water.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied.
EU waste code	07 02 17 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

SECTION 14: Transport information

ADR	Not regulated as dangerous goods.
RID	Not regulated as dangerous goods.
ADN	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code	This substance/mixture is not intended to be transported in bulk.
---	---

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended
Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended
Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended
Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances
Not listed.

Directive 94/33/EC on the protection of young people at work
Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Not available.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.
PNEC: Predicted No-Effect Concentration.
PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.

References

ESIS (European chemical Substances Information System)
Registry of Toxic Effects of Chemical Substances (RTECS)
HSDB® - Hazardous Substances Data Bank

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

Training information

Follow training instructions when handling this material.

Disclaimer

The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Gap Filler 1000SR
Registration number -
Synonyms None.
Product code Part B; GB 7 mils; Potlife 60 mins
Issue date 14-March-2014
Version number 04
Revision date 06-January-2016
Supersedes date 28-September-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Thermally Conductive Silicone Gap Filler Material used together with Part A.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier The Bergquist Company
Address: 18930 West 78th Street
Chanhassen, MN. 55317
Non-Emergency calls: 1-800-347-4572
Contact person: AEHMSDS@henkel.com

1.4. Emergency telephone number

Chemical Emergency
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (Collect Calls Accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word Not applicable.
Hazard statements Not applicable.

Precautionary statements

Prevention Observe good industrial hygiene practices.
Response Wash thoroughly after handling.
Storage Store away from incompatible materials.
Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information This product is not hazardous according to Regulation (EC) No 1272/2008 as amended, therefore a hazard label does not apply.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

SECTION 4: First aid measures

General information Get medical attention if any discomfort develops.

4.1. Description of first aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.
Skin contact Wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

4.2. Most important symptoms and effects, both acute and delayed Under normal conditions of intended use, this material does not pose a risk to health.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards This product is not flammable.

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media None known.

5.2. Special hazards arising from the substance or mixture None.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Special fire fighting procedures Move containers from fire area if you can do so without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid contact with skin and eyes.
For emergency responders Keep unnecessary personnel away.

6.2. Environmental precautions Environmental manager must be informed of all major spillages.

6.3. Methods and material for containment and cleaning up Sweep up or gather material and place in appropriate container for disposal.

6.4. Reference to other sections For personal protection, see Section 8 of the SDS.
For waste disposal, see Section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Provide adequate ventilation. Avoid contact with skin and eyes. Observe good industrial hygiene practices. Wear appropriate personal protective equipment (See Section 8).

7.2. Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

7.3. Specific end use(s) Thermally Conductive Silicone Gap Filler Material used together with Part A.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	MAK	5 mg/m ³	Respirable fraction.
		10 mg/m ³	Inhalable fraction.
	STEL	20 mg/m ³	Inhalable fraction.
		10 mg/m ³	Respirable fraction.

Austria. MAK List

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	MAK	5 mg/m ³	Respirable fume.
		5 mg/m ³	Respirable fraction.
	STEL	10 mg/m ³	Inhalable fraction.
		20 mg/m ³	Inhalable fraction.
		10 mg/m ³	Respirable fume.
		10 mg/m ³	Respirable fraction.

Belgium. Exposure Limit Values.

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	1 mg/m ³	Respirable fraction.

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³	Dust.
		1,5 mg/m ³	Respirable fraction.

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	MAC	4 mg/m ³	Respirable dust.
		10 mg/m ³	Total dust.

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	0,1 mg/m ³	Respirable dust.

Denmark. Exposure Limit Values

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TLV	5 mg/m ³	Total
		2 mg/m ³	Respirable.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Respirable dust.
		10 mg/m ³	Total dust.

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Aluminium oxide (CAS 1344-28-1)	VME	10 mg/m ³

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	4 mg/m ³	Inhalable dust.
		1,5 mg/m ³	Respirable dust.
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Inhalable dust.
		1,5 mg/m ³	Respirable dust.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	AGW	10 mg/m ³	Inhalable fraction.
Aluminium oxide (CAS 1344-28-1)	AGW	1,25 mg/m ³	Respirable fraction.
		10 mg/m ³	Inhalable fraction.
		1,25 mg/m ³	Respirable fraction.

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Inhalable
		10 mg/m ³	Respirable.

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	6 mg/m ³	Respirable.

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³

Ireland. Occupational Exposure Limits

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Respirable dust.
		10 mg/m ³	Total inhalable dust.

Italy. OELs

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	1 mg/m ³	Respirable fraction.
Aluminium oxide (CAS 1344-28-1)	TWA	1 mg/m ³	Respirable fraction.

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	6 mg/m ³	
Aluminium oxide (CAS 1344-28-1)	TWA	6 mg/m ³	Decomposition aerosol.
		4 mg/m ³	

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	6 mg/m ³	
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Inhalable fraction.
		2 mg/m ³	Respirable fraction.

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value
Aluminium oxide (CAS 1344-28-1)	TLV	10 mg/m ³

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	2,5 mg/m ³	Inhalable fraction.
		1,2 mg/m ³	Respirable fraction.

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	2,5 mg/m ³	Inhalable fraction.
		1,2 mg/m ³	Respirable fraction.

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	STEL	5 mg/m ³	Aerosol
		1,2 ppm	Aerosol
		2 mg/m ³	Aerosol
	TWA	0,5 ppm	Aerosol

Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	4 mg/m ³	Inhalable fraction.
		1,5 mg/m ³	Respirable fraction.
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Inhalable fraction.
		1,5 mg/m ³	Respirable fraction.
		0,1 mg/m ³	

Spain. Occupational Exposure Limits

Components	Type	Value
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m ³

Sweden. Occupational Exposure Limit Values

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	5 mg/m ³	Total dust.
		2 mg/m ³	Respirable dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value	Form
Aluminium hydroxide (CAS 21645-51-2)	TWA	3 mg/m ³	Respirable dust.
Aluminium oxide (CAS 1344-28-1)	STEL	24 mg/m ³	Fume and respirable dust.
		3 mg/m ³	Respirable dust.
	TWA	3 mg/m ³	Fume and respirable dust.

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m ³	Respirable dust.
		10 mg/m ³	Inhalable dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines	Follow standard monitoring procedures. No exposure standards allocated.
8.2. Exposure controls	
Appropriate engineering controls	Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
Individual protection measures, such as personal protective equipment	
General information	Use personal protective equipment as required. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Risk of contact: Wear approved safety goggles.
Skin protection	
- Hand protection	Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the glove supplier.
- Other	If prolonged or repeated contact is likely, chemical resistant clothing is recommended.
Respiratory protection	In case of inadequate ventilation, use respiratory protection.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.
Environmental exposure controls	Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	White.
Odour	Slight.
Odour threshold	Not relevant.
pH	Not relevant.
Melting point/freezing point	Not relevant.
Initial boiling point and boiling range	Not relevant.
Flash point	Not relevant.
Evaporation rate	Not relevant.
Flammability (solid, gas)	Not relevant.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not relevant.
Flammability limit - upper (%)	Not relevant.
Explosive limit - lower (%)	Not relevant.
Explosive limit – upper (%)	Not relevant.
Vapour pressure	Not relevant.
Vapour density	Not relevant.
Solubility(ies)	Insoluble in water.
Partition coefficient (n-octanol/water)	Not relevant.
Auto-ignition temperature	Not relevant.
Decomposition temperature	Not relevant.
Viscosity	Not available.
Explosive properties	Not relevant.
Oxidising properties	Not relevant.
9.2. Other information	
Bulk density	Not relevant.
Density	2,10 (25 °C)

VOC (Weight %) Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	None.

SECTION 11: Toxicological information

General information Under normal conditions of intended use, this material does not pose a risk to health.

Information on likely routes of exposure

Inhalation	Vapours may irritate throat and respiratory system and cause coughing.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	May cause eye irritation on direct contact.
Ingestion	Ingestion may cause irritation and malaise.

Symptoms Under normal conditions of intended use, this material does not pose a risk to health.

11.1. Information on toxicological effects

Acute toxicity	Under normal conditions of intended use, this material does not pose a risk to health.
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Mixture versus substance information	None known.
Other information	None known.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not relevant.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	The product is insoluble in water.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied.
EU waste code	07 02 17 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code This substance/mixture is not intended to be transported in bulk.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Not available.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.
PNEC: Predicted No-Effect Concentration.
PBT: Persistent, bioaccumulative and toxic.
vPvB: Very Persistent and very Bioaccumulative.

References

ESIS (European chemical Substances Information System)
Registry of Toxic Effects of Chemical Substances (RTECS)
HSDB® - Hazardous Substances Data Bank

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

Training information

Follow training instructions when handling this material.

Disclaimer

The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.