Henkel

SAFETY DATA SHEET

1. Identification

Product identifier Gap Filler 1400SL

Other means of identification

Product code Part A

Recommended use Thermally Conductive Silicone Gap Filler Material used together with Part B.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name
Address
The Bergquist Company
18930 West 78th Street
Chanhassen. MN. 55317

Telephone Non-Emergency calls: 1-800-347-4572

E-mail AEHMSDS@henkel.com

Emergency phone number Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887

(Collect Calls Accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word Not applicable.

Hazard statement Not applicable.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This product is not hazardous according to OSHA 29 CFR 1910.1200 requirements, therefore a

hazard label does not apply.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

4. First-aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.

Skin contact Wash skin with soap and water. Get medical attention if irritation persists after washing.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance. **Ingestion** Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

Most importantUnder normal conditions of intended use, this material does not pose a risk to health.

symptoms/effects, acute and

delayed

Gap Filler 1400SL SDS US

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Get medical attention if any discomfort develops.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

None.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

None known.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

General fire hazards This product is not flammable.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Sweep up or gather material and place in appropriate container for disposal. For waste disposal,

see section 13 of the SDS.

Environmental precautions

Environmental Manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Avoid inhalation of dust and contact with skin and eyes. Observe good industrial hygiene practices. Wear appropriate personal protective equipment (See Section

8).

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Follow standard monitoring procedures. **Exposure guidelines**

Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Risk of contact: Wear approved safety goggles. Eye/face protection

Skin protection

Hand protection Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the

glove supplier.

Use suitable protective gloves if risk of skin contact. If prolonged or repeated contact is likely, Other

chemical resistant clothing is recommended.

In case of inadequate ventilation, use respiratory protection. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance Yellow liquid.

Physical state Liquid.
Form Liquid.
Color Yellow.
Odor Slight.

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Not available.

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.

Relative density 2.6

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not relevant.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot applicable.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition None.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contactMay cause eye irritation on direct contact. **Ingestion**Ingestion may cause irritation and malaise.

Gap Filler 1400SL SDS US

Symptoms related to the physical, chemical and toxicological characteristics Under normal conditions of intended use, this material does not pose a risk to health.

Information on toxicological effects

Under normal conditions of intended use, this material does not pose a risk to health. Acute toxicity

Not classified. Skin corrosion/irritation Not classified. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified. Not classified. Skin sensitization Not classified. Germ cell mutagenicity Not classified. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified. Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not classified. **Aspiration hazard Further information** None known.

12. Ecological information

The product is not classified as environmentally hazardous. **Ecotoxicity**

Persistence and degradability No data available. Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water.

Other adverse effects None known.

13. Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal instructions** Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and This substance/mixture is not intended to be transported in bulk.

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	>1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date30-December-2014Revision date03-September-2015

Version # 02

NFPA ratings



References ESIS (European chemical Substances Information System)

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

Disclaimer The data contained herein are furnished for information only and are believed to be reliable.

However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind,

including lost profits.

Gap Filler 1400SL SDS US

Henkel

SAFETY DATA SHEET

1. Identification

Product identifier Gap Filler 1400SL

Other means of identification

Product code Part B

Recommended use Thermally Conductive Silicone Gap Filler Material used together with Part A.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name
Address
The Bergquist Company
18930 West 78th Street
Chanhassen. MN. 55317

Telephone Non-Emergency calls: 1-800-347-4572

E-mail AEHMSDS@henkel.com

Emergency phone number Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887

(Collect Calls Accepted)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word Not applicable.

Hazard statement Not applicable.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information This product is not hazardous according to OSHA 29 CFR 1910.1200 requirements, therefore a

hazard label does not apply.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

4. First-aid measures

Inhalation Move to fresh air. Get medical attention if symptoms occur.

Skin contact Wash skin with soap and water. Get medical attention if irritation persists after washing.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance. **Ingestion** Rinse mouth thoroughly. Get medical attention if any discomfort occurs.

Most importantUnder normal conditions of intended use, this material does not pose a risk to health.

symptoms/effects, acute and

delayed

Gap Filler 1400SL SDS US

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Get medical attention if any discomfort develops.

None known.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

None.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

Fire fighting

equipment/instructions

General fire hazards

Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Avoid contact with skin and eyes. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Sweep up or gather material and place in appropriate container for disposal. For waste disposal,

see section 13 of the SDS.

This product is not flammable.

Environmental precautions

Environmental Manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling

Provide adequate ventilation. Avoid inhalation of dust and contact with skin and eyes. Observe good industrial hygiene practices. Wear appropriate personal protective equipment (See Section

8).

Conditions for safe storage, including any incompatibilities Store in closed original container in a dry place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.	-
,		15 mg/m3	Total dust.	

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Follow standard monitoring procedures. **Exposure guidelines**

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne Appropriate engineering

controls

levels below recommended exposure limits. Individual protection measures, such as personal protective equipment

Risk of contact: Wear approved safety goggles. Eye/face protection

Skin protection

Hand protection Use suitable protective gloves if risk of skin contact. Suitable gloves can be recommended by the

glove supplier.

Use suitable protective gloves if risk of skin contact. If prolonged or repeated contact is likely, Other

chemical resistant clothing is recommended.

In case of inadequate ventilation, use respiratory protection. Respiratory protection Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance White liquid.

Physical state Liquid.
Form Liquid.
Color White.
Odor Slight.

Odor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Not available.

Flammability limit - upper

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.

Relative density 2.6

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not relevant.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot applicable.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition None.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contactMay cause eye irritation on direct contact. **Ingestion**Ingestion may cause irritation and malaise.

Gap Filler 1400SL SDS US

Symptoms related to the physical, chemical and toxicological characteristics Under normal conditions of intended use, this material does not pose a risk to health.

Information on toxicological effects

Under normal conditions of intended use, this material does not pose a risk to health. Acute toxicity

Not classified. Skin corrosion/irritation Not classified. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified. Not classified. Skin sensitization Not classified. Germ cell mutagenicity Not classified. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified. Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not classified. **Aspiration hazard Further information** None known.

12. Ecological information

The product is not classified as environmentally hazardous. **Ecotoxicity**

Persistence and degradability No data available. Bioaccumulative potential No data available.

Mobility in soil The product is insoluble in water.

Other adverse effects None known.

13. Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal instructions** Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and This substance/mixture is not intended to be transported in bulk.

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	>1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

6/6

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 30-December-2014 **Revision date** 03-September-2015

Version # 02

NFPA ratings



References ESIS (European chemical Substances Information System)

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

DisclaimerThe data contained herein are furnished for information only and are believed to be reliable.

However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel products. Henkel further disclaims any liability for consequential or incidental damages of any kind,

including lost profits.

Gap Filler 1400SL SDS US