

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	Gena Callus Off	DATE:	10/14/2004
ITEM:	01548, 01547, 01546, 01545, 01544	REV.	NEW

Section 1. Material Identification and Information**Hazardous Ingredients:**

Component	CAS #	%	TOXICOLOGICAL DATA
Alcohol Denat.	64-17-5	79.00%	ACGIH TLV/TWA: 1000ppm OSHA PEL/TWA: 1000ppm
Salicylic Acid	54-21-7	15.00%	None Established

Section 2. Physical / Chemical Characteristics

Boiling Point:	N/A	Specific Gravity:	Not Determined
Vapor Pressure:	Not Determined	(@ 25°C)	
(mm Hg and Temperature)		Melting Point:	N/A
Vapor Density:	Not Determined	Evaporation Rate:	N/A
(Air = 1)		Water Reactive:	N/A
Solubility in Water:	Soluble	pH:	3.5
Appearance:	Clear, Semi-Viscous Colorless Liquid		
Odor:	Characteristic		

Section 3. Fire and Explosion Hazard Data

Flash Point and Method Used:	< 73°F (Tag Closed Cup)
Flammability Classification:	Extremely Flammable
Auto-Ignition Temperature:	N/A
Flammability Limits in Air % by Volume:	LEL: N/A UEL: N/A
Extinguisher Media:	CO ₂ , Dry Chemical, and Water Spray
Special Fire Fighting Procedures:	Fire should be fought from a safe distance. Firefighters should wear full face, self-contained breathing apparatus and full protective clothing.
Unusual Fire and Explosion Hazards:	Closed containers expose to excessive heat may rupture. Do not crush or puncture containers.

Section 4. Reactivity Hazard Data

Stability: ☒ Stable ☐ Unstable
Conditions to Avoid: Use or storage near open flames, sparks, other heat sources.
Incompatibility (Materials to Avoid):
Strong acids and oxidizing agents.

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	Gena Callus Off	DATE:	10/14/2004
ITEM:	01548, 01547, 01546, 01545, 01544	REV.	NEW

Hazardous Decomposition:

Irritating vapors and toxic gases when involved in fire.

Hazardous Polymerization:

☐ May Occur ☒ Will Not Occur

Section 5. Health Hazard Data**Primary Routes of Entry:**

☒ Inhalation ☒ Skin Absorption ☐ Ingestion ☒ Eye Contact

Carcinogen Listed In:

☐ NTP ☐ IARC Monograph ☐ OSHA ☒ Not Listed

Health Hazards:

Eye Contact:	Liquid and vapor may cause mild to severe eye irritation.
Skin Contact:	Repeated contact may cause irritation and drying of the skin.
Inhalation:	Vapor may cause irritation to the upper respiratory tract.
Ingestion:	May cause gastrointestinal irritation.

Medical Conditions Generally Aggravated by Exposure:

Pre-existing respiratory and skin disorder.

Emergency First Aid Procedures:

Eye Contact:	Flush eyes with plenty of water to ensure complete flushing. If irritation persists, seek medical attention.
Skin Contact:	Wash thoroughly with mild soap and water. If irritation persists, seek medical attention.
Inhalation:	Remove victim to fresh air at once. If breathing is difficult, seek medical attention.
Ingestion:	DO NOT INDUCE VOMITING. Drink enough water to dilute. Consult physician immediately.

Section 6. Control and Protective Measures**Respiratory Protections (Specific Type):**

None required, when used with adequate ventilation.

Personal Protective Equipment:

None required under normal conditions of use. When handling large quantities (e.g., > 1 gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133).

Ventilation to be Used:

☒ Local Exhaust ☐ Other (Specify)

Other Protective Clothing and Equipment:

None

Hygienic Work Practices:

Good Manufacturing Practices. Wash hands thoroughly after using this product and before eating, drinking, or smoking.

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	Gena Callus Off	DATE:	10/14/2004
ITEM:	01548, 01547, 01546, 01545, 01544	REV.	NEW

Section 7. Precautions for Safe Handling and Use / Leak Procedures**Steps to be Taken if Material is Spilled or Released:**

Exclude sources of ignition and ventilate the area. Avoid breathing vapors. Refer to protective measures in Section 6. Dispose of any leaking containers per site instructions after placing in safe fireproof containers with leaking material absorbed by earth or other non-flammable absorbent.

Waste Disposal Methods:

Dispose of in accordance with federal, state, or local regulations.

Precautions to be taken in Handling and Storing:

Keep away from excessive heat, open flames, sparks, and other possible source of ignition. Do not store in damaged or unmarked containers or storage devices.
For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment.

Other Precautions and/or Special Hazards:

Empty containers may contain residual amounts of product.

Section 8. Transportation Information

Shipping Name: Flammable Liquid, N.O.S. (Ethyl Alcohol)
Hazard Class: 3
UN/NA Number: UN1993

Section 9. Other Information**Hazardous Material Identification System (HMIS):**

Health Hazard: 3
Flammability Hazard: 4
Reactivity Hazard: 0
PPE Rating: C

National Fire Protection Association (NFPA) Ratings:

Health: 3
Fire: 4
Reactivity: 0