

[Close this window](#)

SDS

**Common Name:** CONCENTRATED GLASS CLEANER**Manufacturer:** W.W. GRAINGER**SDS Revision Date:** 6/1/2016**SDS Format:** GHS-US**Item Number(s):** 49NW21**Manufacturer Model Number(s):**

## SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

- [1. PRODUCT AND COMPANY IDENTIFICATION](#)
- [2. HAZARDS IDENTIFICATION](#)
- [3. COMPOSITION / INFORMATION ON INGREDIENTS](#)
- [4. FIRST AID MEASURES](#)
- [5. FIRE FIGHTING MEASURES](#)
- [6. ACCIDENTAL RELEASE MEASURES](#)
- [7. HANDLING AND STORAGE](#)
- [8. EXPOSURE CONTROLS / PERSONAL PROTECTION](#)
- [9. PHYSICAL AND CHEMICAL PROPERTIES](#)
- [10. STABILITY AND REACTIVITY](#)
- [11. TOXICOLOGICAL INFORMATION](#)
- [12. ECOLOGICAL INFORMATION](#)
- [13. DISPOSAL CONSIDERATIONS](#)
- [14. TRANSPORT INFORMATION](#)
- [15. REGULATORY INFORMATION](#)
- [16. OTHER INFORMATION](#)

SAFETY DATA SHEET

DATE PREPARED: 06/01/2016

SDS NO: W.W. GRAINGER INC.\_CONCENTRATED GLASS CLEANER

CONCENTRATED GLASS CLEANER

## 1. PRODUCT AND COMPANY IDENTIFICATION



PRODUCT NAME: CONCENTRATED GLASS CLEANER

GENERAL USE: INDOOR AND OUTDOOR GLASS CLEANER

PRODUCT DESCRIPTION: CONCENTRATED NON-AMMONIATED GLASS CLEANER

CHEMICAL FAMILY: SOLVENT/DETERGENT BLEND

MANUFACTURED FOR:  
W.W. GRAINGER INC.  
100 GRAINGER WAY  
LAKE FOREST, IL 60045

CUSTOMER SERVICE: 800-472-4643

24 HR. EMERGENCY TELEPHONE NUMBERS:  
CHEM-TEL (MEDICAL AND TRANSPORTATION): 800-255-3924  
POISON CONTROL CENTER (MEDICAL): 800-222-1222

## 2. HAZARDS IDENTIFICATION



GHS CLASSIFICATIONS:

HEALTH:

EYE IRRITATION, CATEGORY 2A  
ACUTE TOXICITY (ORAL), CATEGORY 4  
SKIN IRRITATION, CATEGORY 2

PHYSICAL: FLAMMABLE LIQUIDS, CATEGORY 3

GHS LABEL:

EXCLAMATION MARK  
FLAME

SIGNAL WORD: WARNING

HAZARD STATEMENTS:

H319: CAUSES SERIOUS EYE IRRITATION.  
H315: CAUSES SKIN IRRITATION.  
H302: HARMFUL IF SWALLOWED.  
H333: MAY BE HARMFUL IF INHALED.  
H336: MAY CAUSE DROWSINESS OR DIZZINESS.  
H226: FLAMMABLE LIQUID AND VAPOUR.

PRECAUTIONARY STATEMENT(S):

PREVENTION:

P280:  
WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.

P261: AVOID BREATHING FUME, GAS, MIST, VAPORS, OR SPRAY.

P210:

KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING.

P233: KEEP CONTAINER TIGHTLY CLOSED.

P240: GROUND AND BOND CONTAINER AND RECEIVING EQUIPMENT.

P241: USE EXPLOSION-PROOF ELECTRICAL, VENTILATING, LIGHTING EQUIPMENT.

P242: USE NON-SPARKING TOOLS.

P243: TAKE ACTION TO PREVENT STATIC DISCHARGES.

P273: AVOID RELEASE TO THE ENVIRONMENT.

P102: KEEP OUT OF REACH OF CHILDREN.

P264: WASH HANDS THOROUGHLY AFTER HANDLING.

RESPONSE:

P304+P340:

IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.

P310: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.

P301 + P310:

IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.

P330: RINSE MOUTH.

P303+P361+P353:

IF ON SKIN (OR HAIR):

TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER [OR SHOWER].

P332+P313:

IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.

P362: TAKE OFF CONTAMINATED CLOTHING.

P305+P351+P338:

IF IN EYES:

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P337+P313:

IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

P370+P378:

IN CASE OF FIRE: USE DRY CHEMICAL, FOAM OR WATER MIST TO EXTINGUISH.

STORAGE:

P403+P233: STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED.

P210:

KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING.

DISPOSAL:

P501:

DISPOSE OF CONTENTS/CONTAINER ACCORDING TO ALL LOCAL, STATE AND FEDERAL REGULATIONS.

EMERGENCY OVERVIEW:

PHYSICAL APPEARANCE: BLUE LIQUID

IMMEDIATE CONCERNS: EYE & SKIN IRRITANT

POTENTIAL HEALTH EFFECTS:

EYES: IRRITATING, AND MAY INJURE EYE TISSUE IF NOT REMOVED PROMPTLY.

SKIN: CONTACT MAY CAUSE MODERATE TO SEVERE IRRITATION.

SKIN ABSORPTION: HARMFUL IF ABSORBED THROUGH SKIN.

INGESTION: HARMFUL IF SWALLOWED.

INHALATION:

HIGH CONCENTRATIONS MAY LEAD TO CENTRAL NERVOUS SYSTEM EFFECTS (DROWSINESS, DIZZINESS, NAUSEA, HEADACHES)

REPRODUCTIVE TOXICITY:

TERATOGENIC EFFECTS: NO LISTED SUBSTANCE

CARCINOGENICITY: NOT ESTABLISHED

MUTAGENICITY: NO LISTED SUBSTANCE

ROUTES OF ENTRY: EYE, SKIN, INGESTION, INHALATION.

TARGET ORGAN STATEMENT: BLOOD, KIDNEY, LIVER, CENTRAL NERVOUS SYSTEM

CANCER STATEMENT: NONE

WARNING CAUTION LABELS: IRRITANT

PHYSICAL HAZARDS: COMBUSTIBLE MATERIAL.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS



CHEMICAL NAME	WT. %	CAS
ETHYLENE GLYCOL BUTYL ETHER	10 - 15	111-76-2
MONOETHANOLAMINE	0 - 3	141-43-5
ISOPROPANOL	2 - 5	67-63-0
SODIUM LAURYL SULFATE	0 - 1	151-21-3
DYE	<0.2	N/A
WATER	60 - 70	7732-18-5

### 4. FIRST AID MEASURES



#### EYES:

IMMEDIATELY FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES, WHILE HOLDING EYELIDS OPEN. REMOVE CONTACT LENSES, IF PRESENT, AFTER THE FIRST 5 MINUTES, THEN CONTINUE RINSING EYE. SEEK MEDICAL ATTENTION IMMEDIATELY.

#### SKIN:

REMOVE CONTAMINATED CLOTHING. IMMEDIATELY FLUSH WITH WATER FOLLOWED BY WASHING WITH MILD SOAP. SEEK MEDICAL ATTENTION.

#### INGESTION:

GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING UNLESS INSTRUCTED TO DO SO BY POISON CENTER OR PHYSICIAN.

#### INHALATION:

REMOVE VICTIM TO FRESH AIR AND MONITOR. SEEK MEDICAL ADVISE IF IRRITATION PERSISTS.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE:

EYES: SEVERE BURNING SENSATION, TEARING, REDNESS, SWELLING.

SKIN: CONTACT CAUSES SKIN IRRITATION.

INGESTION: IRRITATION OF MOUTH, THROAT, ALONG WITH STOMACH UPSET, VOMITING.

#### INHALATION:

IRRITATION OF NOSE, THROAT AND LUNGS WITH COUGHING, SNEEZING, POSSIBLE DIFFICULTY BREATHING.

#### ACUTE TOXICITY:

SEVERELY IRRITATING TO EYES. CAUSES MODERATE TO SEVERE SKIN IRRITATION. HARMFUL IF SWALLOWED.

CHRONIC EFFECTS: NOT ESTABLISHED

#### NOTES TO PHYSICIAN:

PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE.

### 5. FIRE FIGHTING MEASURES



FLAMMABLE CLASS: II (100-140 F)

GENERAL HAZARD: COMBUSTIBLE LIQUID

EXTINGUISHING MEDIA:

USE DRY CHEMICAL, CARBON DIOXIDE, OR WATER SPRAY WHEN FIGHTING FIRES INVOLVING THIS MATERIAL.

HAZARDOUS COMBUSTION PRODUCTS: CARBON MONOXIDE FROM COMBUSTION

EXPLOSION HAZARDS:

FIRE EXPOSED CONTAINERS MAY BURST DUE TO INCREASED PRESSURE FROM HEAT.

FIRE FIGHTING PROCEDURES:

USE AN EXTINGUISHING AGENT SUITABLE FOR SURROUNDING FIRE.

FIRE FIGHTING EQUIPMENT: NO SPECIAL REQUIREMENTS.

SENSITIVE TO STATIC DISCHARGE: YES

HAZARDOUS DECOMPOSITION PRODUCTS: NOT ESTABLISHED

## 6. ACCIDENTAL RELEASE MEASURES



SMALL SPILL:

AVOID RUNOFF INTO STORM SEWERS AND DITCHES WHICH LEAD TO WATERWAYS.

LARGE SPILL:

AVOID WALKING IN MATERIAL. PREVENT PRODUCT FROM ENTERING INTO STREAM, SOIL, STORM SEWER OR OTHER BODIES OF WATER.

ENVIRONMENTAL PRECAUTIONS:

WATER SPILL: AVOID DISCHARGES INTO OPEN WATERWAYS.

LAND SPILL: AVOID DISCHARGE TO SOIL.

AIR SPILL:

NA = NOT APPLICABLE

GENERAL PROCEDURES:

ISOLATE SPILL OR LEAK AREA IMMEDIATELY. KEEP UNAUTHORIZED PERSONNEL AWAY. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. PREVENT ENTRY INTO WATERWAYS, SEWERS, OR CONFINED AREAS. ABSORB WITH DRY EARTH, SAND OR OTHER NONCOMBUSTIBLE MATERIAL AND TRANSFER TO CONTAINERS.

RELEASE NOTES: ELIMINATE ALL IGNITION SOURCES. VENTILATE AREA WELL.

SPECIAL PROTECTIVE EQUIPMENT:

EYE PROTECTION, RUBBER GLOVES, RUBBER BOOTS TO PROTECT FEET.

## 7. HANDLING AND STORAGE



GENERAL PROCEDURES: CLOSE CONTAINER AFTER USE.

HANDLING:

AVOID CONTACT WITH SKIN AND EYES. WASH HANDS BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

STORAGE: STORE IN CLOSED CONTAINER AWAY FROM HEAT, SPARK OR OPEN FLAME.

STORAGE TEMPERATURE: (40 DEG. F) MINIMUM TO (110 DEG. F)

MAXIMUM STORAGE PRESSURE: STORE AT AMBIENT ATMOSPHERIC PRESSURE.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION



EXPOSURE GUIDELINES:

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

CHEMICAL NAME		EXPOSURE LIMITS				SUPPLIER OEL	
		OSHA PEL PPM	MG/M3	ACGIH TLV PPM	MG/M3	PPM	MG/M3
ETHYLENE GLYCOL	TWA	50	240	20	97	NL	NL
BUTYL ETHER	STEL					NL	NL
MONOETHANOLAMINE	TWA	3	6	3	7.5	NL	NL
	STEL			6	15	NL	NL
ISOPROPANOL	TWA	400	980	200	490	NL	NL
	STEL			400	960	NL	NL

ENGINEERING CONTROLS: USE IN WELL VENTILATED AREA.

PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE: CHEMICAL SPLASH GOGGLES AND FULL FACE-SHIELD.

SKIN: RUBBER OR OTHER CHEMICAL RESISTANT GLOVES.

RESPIRATORY:

A RESPIRATOR IS NOT NEEDED UNDER NORMAL AND INTENDED CONDITIONS OF PRODUCT USE.

WORK HYGIENIC PRACTICES:

WASH WITH SOAP AND WATER AFTER HANDLING. DO NOT EAT, DRINK OR SMOKE WHILE USING PRODUCT.

## 9. PHYSICAL AND CHEMICAL PROPERTIES



PHYSICAL STATE: LIQUID

ODOR: SOLVENT, CHARACTERISTIC

ODOR THRESHOLD: NOT ESTABLISHED

COLOR: BLUE

PH: 11.0 TO 12.0

PERCENT VOLATILE: >98

FLASH POINT AND METHOD: 57.78 DEG. C (136 DEG. F) TAG CLOSED CUP (TCC)

FLAMMABLE LIMITS: 4.0 TO 10.6

AUTOIGNITION TEMPERATURE: NOT ESTABLISHED

VAPOR PRESSURE: APPROX. 1.2 KPA AT 25 DEG. C (77 DEG. F)

VAPOR DENSITY: APPROX. 4 AIR = 1

BOILING POINT:

212 DEG. F  
100 DEG. C

FREEZING POINT:  
32 DEG. F  
0 DEG. C

THERMAL DECOMPOSITION: NOT AVAILABLE

SOLUBILITY IN WATER: COMPLETE

EVAPORATION RATE (WATER =1): <1.0

DENSITY: 8.12 AT 20 DEG. C (68 DEG. F)

SPECIFIC GRAVITY: APPROX. 0.973 GRAMS/ML.

VISCOSITY: WATER THIN.

(VOC): 20.410% BY WEIGHT

## 10. STABILITY AND REACTIVITY



REACTIVITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

STABILITY: STABLE UNDER NORMAL STORAGE AND USE CONDITIONS.

CONDITIONS TO AVOID: NONE KNOWN.

HAZARDOUS DECOMPOSITION PRODUCTS:  
UNDER NORMAL CONDITIONS OF STORAGE AND USE, HAZARDOUS DECOMPOSITION PRODUCTS SHOULD NOT BE PRODUCED.

INCOMPATIBLE MATERIALS: STRONG ACIDS, OXIDIZERS.

## 11. TOXICOLOGICAL INFORMATION



ACUTE:

CHEMICAL NAME	ORAL LD50 (RAT)	DERMAL LD50 (RABBIT)	INHALATION LC50 (RAT)
ETHYLENE GLYCOL BUTYL ETHER	1300 MG/KG (RAT)	>2000 MG/KG (RABBIT)	>3.1 MG/L
MONOETHANOLAMINE	1089 MG/KG (RAT)	2504 MG/KG (RABBIT)	APPROX. 1.48 MG/L
ISOPROPANOL	5045 MG/KG (RAT)	12800 MG/KG (RABBIT)	16000 PPM
SODIUM LAURYL SULFATE	1200 MG/KG (RAT)	>2000 TO 20000 MG/KG (RABBIT)	>3900 MG/M3 (RAT)

EYES: CAUSES EYE IRRITATION.

DERMAL LD50: >2000 MG/KG GUINEA PIG

SKIN ABSORPTION: NOT ESTABLISHED

ORAL LD50: APPROX. 1300 MG/KG MALE AND FEMALE RATS.

INHALATION LC50: NOT ESTABLISHED

EYE EFFECTS: SEVERE EYE IRRITANT.

SKIN EFFECTS: MODERATE SKIN IRRITANT.

CARCINOGENICITY:

CHEMICAL NAME	NTP STATUS	IARC STATUS	OSHA STATUS
ETHYLENE GLYCOL BUTYL ETHER	NO LISTED SUBSTANCE	GROUP 3 - NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY TO HUMANS	NO LISTED SUBSTANCE

IARC:

3-GROUP 3: NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY TO HUMANS.

IRRITATION: IRRITANT

CORROSIVITY: NO DATA AVAILABLE. CONTACT ENV. DEPT.

SENSITIZATION: NO PRODUCTS WERE FOUND.

NEUROTOXICITY:

CENTRAL NERVOUS SYSTEM EFFECTS MARKED BY DIZZINESS, HEADACHE, NAUSEA, UNCONCIOUSNESS.

GENETIC EFFECTS: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

REPRODUCTIVE EFFECTS: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

TARGET ORGANS:

MAY CAUSE DAMAGE TO BLOOD, KIDNEY, LIVER WITH PROLONGED OR REPEATED EXPOSURE TO HIGH CONCENTRATIONS OF VAPORS.

MUTAGENICITY: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

## 12. ECOLOGICAL INFORMATION



ENVIRONMENTAL DATA: NOT ESTABLISHED

ECOTOXICOLOGICAL INFORMATION: NOT AVAILABLE

AQUATIC TOXICITY (ACUTE): NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

96-HOUR LC50: NOT ESTABLISHED

96-HOUR EC50: NOT ESTABLISHED

NOTES: NOT ESTABLISHED

CHEMICAL FATE INFORMATION: THIS PRODUCT IS BIODEGRADABLE.

## 13. DISPOSAL CONSIDERATIONS



DISPOSAL METHOD:

ANY METHOD IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL LAWS. BEST METHOD IS TO RECYCLE OR REUSE FOR INTENDED PURPOSE. IF DISCARDED, THIS MATERIAL AND ITS CONTAINERS SHOULD BE TREATED AS HAZARDOUS WASTE BASED ON THE CHARACTERISTICS OF IGNITIBILITY AS DEFINED UNDER FEDERAL RCRA REGULATIONS (40 CFR 261). CONSULT LOCAL AUTHORITIES FOR DISPOSAL INTO PUBLIC SEWER.



FOR LARGE SPILLS:  
CONSULT WITH LOCAL AND STATE AUTHORITIES FOR LARGE VOLUME DISPOSAL.

PRODUCT DISPOSAL:  
SMALL QUANTITIES (LESS THAN 1 GALLON) OF USED MATERIAL MAY BE FLUSHED TO  
SANITARY SEWER WITH COPIOUS AMOUNTS OF WATER. LARGER QUANTITIES MUST BE  
DISPOSED OF BY A LICENSED DISPOSAL COMPANY.

EMPTY CONTAINER:  
RINSE CONTAINER WITH CLEAR WATER. OFFER CONTAINER FOR RECYCLING, OR DISPOSE  
OF IN TRASH.

RCRA/EPA WASTE INFORMATION: HAZARDOUS WASTE

RCRA HAZARD CLASS: IGNITABILITY

## 14. TRANSPORT INFORMATION



DOT (DEPARTMENT OF TRANSPORTATION):  
PROPER SHIPPING NAME: COMPOUND, CLEANING LIQUID

TECHNICAL NAME:  
NA = NOT APPLICABLE

PRIMARY HAZARD CLASS/DIVISION:  
NA = NOT APPLICABLE

PLACARDS:  
NA = NOT APPLICABLE

LABEL: NO SPECIAL REQUIREMENTS.

OTHER SHIPPING INFORMATION:  
UNDER 49 CFR 173.150(F), THIS PRODUCT HAS BEEN RECLASSIFIED AS A  
COMBUSTIBLE LIQUID AND, AS SUCH, MEETS THE REQUIREMENTS OF EXCEPTIONS FOR  
CLASS 3 (FLAMMABLE LIQUIDS) FOR DOMESTIC TRANSPORTATION BY GROUND ONLY.

SPECIAL SHIPPING NOTES: NONE

AIR (ICAO/IATA):  
SHIPPING NAME: CONTACT MANUFACTURER FOR MORE INFORMATION.

VESSEL (IMO/IMDG):  
SHIPPING NAME: CONTACT MANUFACTURER FOR MORE INFORMATION.

## 15. REGULATORY INFORMATION



UNITED STATES:

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION:

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):  
311/312 HAZARD CATEGORIES:  
HEALTH: ACUTE  
FIRE: YES  
PRESSURE GENERATING: NO  
REACTIVITY: NO  
ACUTE: YES  
CHRONIC: YES

313 REPORTABLE INGREDIENTS:  
2-BUTOXYETHANOL 111-76-2 (CATEGORY: N230 CERTAIN GLYCOL ETHERS)

## EPCRA SECTION 313 SUPPLIER NOTIFICATION:

CHEMICAL NAME	WT. %	CAS
ETHYLENE GLYCOL BUTYL ETHER	10 - 15	111-76-2

## 302/304 EMERGENCY PLANNING:

EMERGENCY PLAN: NO LISTED SUBSTANCE

## TSCA (TOXIC SUBSTANCE CONTROL ACT):

TSCA REGULATORY: ALL INGREDIENTS ARE LISTED ON THE TSCA CHEMICAL INVENTORY.

## STATES WITH SPECIAL REQUIREMENTS:

CHEMICAL NAME	REQUIREMENTS
ETHYLENE GLYCOL BUTYL ETHER	MASSACHUSETTS RIGHT TO KNOW SUBSTANCE PENNSYLVANIA RIGHT TO KNOW SUBSTANCE NEW JERSEY RIGHT TO KNOW SUBSTANCE
MONOETHANOLAMINE	MASSACHUSETTS RIGHT TO KNOW SUBSTANCE NEW JERSEY RIGHT TO KNOW SUBSTANCE NEW YORK RIGHT TO KNOW SUBSTANCE PENNSYLVANIA RIGHT TO KNOW SUBSTANCE
ISOPROPANOL	MASSACHUSETTS RIGHT TO KNOW SUBSTANCE NEW JERSEY RIGHT TO KNOW SUBSTANCE PENNSYLVANIA RIGHT TO KNOW SUBSTANCE
SODIUM LAURYL SULFATE	NEW JERSEY RIGHT TO KNOW SUBSTANCE PENNSYLVANIA RIGHT TO KNOW SUBSTANCE

CALIFORNIA PROPOSITION 65: NO LISTED SUBSTANCE

CARCINOGEN: CONTAINS AN INGREDIENT LISTED UNDER IARC GROUP 3.

**16. OTHER INFORMATION**

PREPARED BY: REG

DATE PREPARED: 06/01/2016

## HMIS RATING:

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	C

## NFPA CODES:

2  
2  
0

## MANUFACTURER DISCLAIMER:

THIS COMPANY CANNOT ANTICIPATE ALL CONDITIONS OF HANDLING AND USE OF THIS PRODUCT. THEREFORE, THIS COMPANY ACCEPTS NO RESPONSIBILITY FOR RESULTS OBTAINED BY THE APPLICATION OF THIS INFORMATION, OR THE SAFETY AND SUITABILITY OF THE PRODUCT EITHER ALONE OR IN COMBINATION WITH OTHER PRODUCTS. IT IS THE RESPONSIBILITY OF THE EMPLOYER AND/OR USER TO PROVIDE A SAFE WORKPLACE, USING HEALTH AND SAFETY INFORMATION CONTAINED HEREIN AS A GUIDE. THIS COMPANY WILL ACCEPT NO LIABILITY FOR DAMAGES OR LOSSES INCURRED

FROM THE IMPROPER HANDLING AND USE OF THIS PRODUCT.