

SAFETY DATA SHEET**HALAD® 569LXM**

Revision Date: 19-Dec-2014

Revision Number: 4

1. Product Identifier & Identity for the Chemical

Statement of Hazardous Nature Hazardous according to the criteria of NOHSC, Non-Dangerous Goods according to the criteria of ADG.

1.1. Product Identifier

Product Name HALAD® 569LXM

Other means of Identification

Synonyms: None
Product Code: HM007407

Recommended use of the chemical and restrictions on use

Recommended Use Fluid Loss Additive

Uses Advised Against No information available

Supplier's name, address and phone number

Manufacturer/Supplier Halliburton Australia Pty. Ltd.
15 Marriott Road
Jandakot
WA 6164
Australia

ACN Number: 009 000 775
Telephone Number: 61 (08) 9455 8300
Fax Number: 61 (08) 9455 5300

E-Mail address: fdunexchem@halliburton.com

Emergency phone number

61 (08) 9455 8300

Australian Poisons Information Centre

24 Hour Service: - 13 11 26
Police or Fire Brigade: - 000 (exchange): - 1100

2. Hazard Identification

Statement of Hazardous Nature Hazardous according to the criteria of NOHSC, Non-Dangerous Goods according to the criteria of ADG.

Classification of the hazardous chemical

Skin Corrosion / irritation	Category 1 - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318

Label elements, including precautionary statements**Hazard Pictograms**

**Signal Word**

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage

Precautionary Statements**Prevention**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P280 - Wear protective gloves/eye protection/face protection

Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 P363 - Wash contaminated clothing before reuse
 P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
 P310 - Immediately call a POISON CENTER or doctor/physician
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

P405 - Store locked up

Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Contains**Substances**

Sodium silicate

CAS Number

1344-09-8

Other hazards which do not result in classification

None known

Australia Classification

For the full text of the R/H-phrases mentioned in this Section, see Section 16

Classification

C - Corrosive.

Risk Phrases

R34 Causes burns.

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Sodium silicate	1344-09-8	10 - 30%	Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Met. Corr. 1 (H290)

4. First aid measures

Description of necessary first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
Skin	Remove contaminated clothing and laundry before reuse. In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.
Ingestion	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

Symptoms caused by exposure

May cause severe eye irritation. May cause severe skin irritation.

Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

5. Fire Fighting Measures

Suitable extinguishing equipment

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Specific hazards arising from the chemical

Special Exposure Hazards

Decomposition in fire may produce toxic gases. Use water spray to cool fire exposed surfaces.

Special protective equipment and precautions for fire fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Spills of this product are very slippery.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Neutralize to pH of 6-8. Contain spill with sand or other inert materials. Scoop up and remove. Do NOT spread spilled product with water.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Avoid breathing mist. Wash hands after use. Launder contaminated clothing before reuse.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities**Storage Information**

Store in a cool well ventilated area. Keep container closed when not in use. Keep from freezing. Store away from acids.

Other Guidelines

No information available

8. Exposure Controls/Personal Protection

Control parameters - exposure standards, biological monitoring**Exposure Limits**

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Sodium silicate	1344-09-8	Not applicable	Not applicable

Appropriate engineering controls**Engineering Controls**

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment (PPE)**Respiratory Protection**

Dust/mist respirator. (N95, P2/P3)

Hand Protection

Impervious rubber gloves.

Skin Protection

Full protective chemical resistant clothing.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls

No information available

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid

Color: Dark brown

Odor: Ammonia

Odor Threshold: No information available

PropertyValues

Remarks/ - Method

pH:

11 - 12

Freezing Point/Range

0 °C

Melting Point/Range

No data available

Boiling Point/Range

100 - 110 °C

Flash Point

No data available

Evaporation rate

No data available

Vapor Pressure

No data available

Vapor Density

No data available

Specific Gravity

1.1 - 1.2

Water Solubility

Soluble in water

Solubility in other solvents

No data available

Partition coefficient: n-octanol/water

No data available

Autoignition Temperature

No data available

Decomposition Temperature

No data available

Viscosity

No data available

Explosive Properties

No information available

Oxidizing Properties

No information available

9.2. Other information**VOC Content (%)**

No data available

10. Stability and Reactivity

10.1. Reactivity

Not applicable

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc. Strong acids.

10.6. Hazardous Decomposition Products

Sulfur dioxide. Carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on routes of exposure**Principle Route of Exposure** Eye or skin contact, inhalation.**Symptoms related to exposure****Most Important Symptoms/Effects**

May cause severe eye irritation. May cause severe skin irritation.

Numerical measures of toxicity**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium silicate	1344-09-8	1153 mg/kg (Rat) 1100 mg/kg (Mouse) 3400 mg/kg (Rat) 5150 mg/kg (Rat)	4640 mg/kg (Rabbit) > 5000 mg/kg (Rat) (similar substance – Potassium silicate)	> 2.06 mg/L (Rat) 4 h (similar substance – Potassium silicate)

Immediate, delayed and chronic health effects from exposure**Inhalation** May cause respiratory irritation.**Eye Contact** Causes severe eye irritation.**Skin Contact** Causes severe skin irritation.**Ingestion** May be harmful if swallowed.**Chronic Effects/Carcinogenicity** No data available to indicate product or components present at greater than 1% are chronic health hazards.**Exposure Levels**

No data available

Interactive effects

Skin disorders.

Data limitations

No data available

Substances	CAS Number	Skin corrosion/irritation
Sodium silicate	1344-09-8	Corrosive to skin (rabbit)

Substances	CAS Number	Eye damage/irritation
Sodium silicate	1344-09-8	Corrosive to eyes (rabbit)

Substances	CAS Number	Skin Sensitization
Sodium silicate	1344-09-8	Did not cause sensitization on laboratory animals (mouse) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Sodium silicate	1344-09-8	No information available

Substances	CAS Number	Mutagenic Effects
Sodium silicate	1344-09-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.
Substances	CAS Number	Carcinogenic Effects
Sodium silicate	1344-09-8	No information available.
Substances	CAS Number	Reproductive toxicity
Sodium silicate	1344-09-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Substances	CAS Number	STOT - single exposure
Sodium silicate	1344-09-8	May cause respiratory irritation.
Substances	CAS Number	STOT - repeated exposure
Sodium silicate	1344-09-8	No significant toxicity observed in animal studies at concentration requiring classification.
Substances	CAS Number	Aspiration hazard
Sodium silicate	1344-09-8	Not applicable

12. Ecological Information

Ecotoxicity

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sodium silicate	1344-09-8	EC50(72h): 207 mg/L (biomass) (Desmodesmus subspicatus)	LC50(96h): 1108 mg/L (Danio rerio) LC50(96h): 260 – 310 mg/L (Oncorhynchus mykiss)	EC0(20m): 3454 mg/L (Pseudomonas putida) EC0(18h): > 348 mg/L (Pseudomonas putida)	EC50(48h): 1700 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Sodium silicate	1344-09-8	The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Sodium silicate	1344-09-8	No information available

12.4. Mobility in soil

No information available

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

Safe handling and disposal methods

Disposal should be made in accordance with federal, state, and local regulations.

Disposal of any contaminated packaging

Follow all applicable national or local regulations.

Environmental regulations

Not applicable

14. Transport Information**Transportation Information**

UN Number:	Not restricted
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

Special precautions during transport

None

HazChem Code

None Allocated

15. Regulatory Information**Safety, health and environmental regulations specific for the product****International Inventories****Australian AICS Inventory**

Product contains one or more components not listed on inventory.

New Zealand Inventory of Chemicals

Product contains one or more components not listed on inventory.

EINECS Inventory

This product does not comply with EINECS

US TSCA Inventory

Product contains one or more components not listed on the inventory.

Canadian DSL Inventory

Product contains one or more components not listed on the inventory.

Poisons Schedule number

None Allocated

16. Other information, including date of preparation or last revision**Date of preparation or review****Revision Date:** 19-Dec-2014**Revision Note**

SDS sections updated 2

Full text of R-phrases referred to under Sections 2 and 3

R34 Causes burns.

Full text of H-Statements referred to under sections 2 and 3

None

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Key abbreviations or acronyms used

Not applicable

Key literature references and sources for data

www.ChemADVISOR.com/

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet