

SAFETY DATA SHEET

Revision Date 01/30/2015 REVISION NUMBER: 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name HDA-2500, Liquid Heavy Duty Acid Cleaner

Other means of identification

 Product code
 117833

 UN/ID No.
 3264

 Synonyms
 NONE

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available.
No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rochester Midland Corporation

155 Paragon Drive

Rochester, New York 14624 USA

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1B
Corrosive to metals	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes severe skin burns and eye damage

May cause cancer

May be corrosive to metals



Appearance Clear, Colorless

Physical state Liquid

Odor Characteristic

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

IF SWALLOWED. Rinse mouth. DO NOT induce vomit

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
Nitric Acid	7697-37-2	15 - 20	*
Phosphoric acid	7664-38-2	15 - 20	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediately call a POISON CENTER or doctor/physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

117833 HDA-2500, Liquid Heavy Duty Acid Cleaner

Revision Date 01/30/2015

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

Cool exposed containers with water spray. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Increases the combustibility of, and can ignite, many organic materials such as wood, turpentine, etc. Contain runoff for proper disposal.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upDike to contain. Pick up with absorbant material. Put in suitable container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling DANGER. Concentrated acidic liquid. Avoid contact with eyes, skin and clothing. Do not

breathe mist or vapors. Read and follow label instructions. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near

oxidizing agents. Do not store near organic materials. Do not store in metal containers.

Incompatible materials

Avoid contact with:. Metals. Reaction will generate hydrogen gas. This gas is flammable

and/or explosive in presence of ignition source.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Nitric Acid 7697-37-2	STEL: 4 ppm TWA: 2 ppm	(vacated) STEL: 4 ppm (vacated) STEL: 10 mg/m³ (vacated) TWA: 2 ppm (vacated) TWA: 5 mg/m³ TWA: 2 ppm TWA: 5 mg/m³	25 ppm	
Phosphoric acid 7664-38-2	STEL: 3 mg/m³ TWA: 1 mg/m³	(vacated) STEL: 3 mg/m³ (vacated) TWA: 1 mg/m³ TWA: 1 mg/m³	WA: 1 mg/m³	

Appropriate engineering controls

ENGINEERING CONTROLSGeneral mechanical and/or local exhaust as needed if mist or vapors cause irritation.

Corrosion resistant equipment recommended. Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/face protection Goggles and face shield are recommended to minimize eye contact.

Skin and body protection Chemical resistant gloves are recommended to minimize skin contact. Appropriate

protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine

None to boiling.

level of PPE required that is consistent with safe use of this product.

RESPIRATORY PROTECTION Use an approved NIOSH organic vapor respirator below the TLV. If TLV is exceeded or

overexposure is likely, use positive pressure or self contained breathing apparatus.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceClear, ColorlessOdorCharacteristic

Color No information available Odor threshold No information available

Property Values Remarks • Method

pH 1.0

Melting point/freezing point No information available

Boiling point / boiling range > 100 °C / 212 °F

Flash point Evaporation rate No information available

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific gravity 1.211 - 1.231

Water solubility

No information available
Solubility in other solvents

No information available

Revision Date 01/30/2015

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

Other Information

Softening point
VOC (EPA METH.24) (G/L):

Density

Bulk density

No information available
No information available
No information available
No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight. Avoid contact with:. Oxidizing materials.

Incompatible materials

Avoid contact with:. Metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source.

Hazardous Decomposition Products

When heated to high temperatures, the following may be produced:. Toxic Fumes. Oxides of Nitrogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Causes burns.

Ingestion Causes burns.

PRODUCT COMPOSITION CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Nitric Acid 7697-37-2	-	-	= 67 ppm (Rat) 4 h
Phosphoric acid 7664-38-2	= 1530 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	> 850 mg/m³ (Rat) 1 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Revision Date 01/30/2015

SensitizationNo information available. **Germ cell mutagenicity**No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION CAS#	ACGIH	IARC	NTP	OSHA
Nitric Acid	-	Group 2A	-	X
7697-37-2		_		

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 8500 mg/kg

 ATEmix (dermal)
 15167 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

36.49% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

PRODUCT COMPOSITION CAS#	Partition coefficient
Nitric Acid 7697-37-2	-2.3

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

UN/ID No. 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (NITRIC ACID, PHOSPHORIC ACID)

Hazard Class 8
Packing Group ||

Description 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA DSL/NDSL** Complies **EINECS/ELINCS** Complies Does not Comply **ENCS** Complies **IECSC** Does not Comply **KECL PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION CAS#	SARA 313 - Threshold Values %
Nitric Acid - 7697-37-2	1.0

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD
YES
CHRONIC HEALTH HAZARD
YES
FIRE HAZARD
No
Sudden release of pressure hazard
REACTIVE HAZARD
YES

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION CAS#	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Nitric Acid 7697-37-2	1000	1000
Phosphoric acid 7664-38-2	5000	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
Nitric Acid 7697-37-2	1356	Listed	Listed
Phosphoric acid 7664-38-2	Listed	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA

Health hazards 3 Flammability 0 Instability 1

Physical and Chemical Properties ACID

HMIS

Health hazards 3 Flammability 0 Physical hazards 1 Personal protection C

Prepared By EH&S DEPARTMENT

Revision Date 01/30/2015

Revision Note Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***