

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): Ninguna (C): No aplicable
METHOD:	None
FLAMMABLE LIMITS IN AIR	
LOWER (%):	No aplicable
UPPER (%):	No aplicable
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	As for surrounding fire. Product will not burn.
FIRE FIGHTING PROCEDURES:	Corrosive material. Avoid exposure to dusts, mists, and splashes. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES**SPILL PROCEDURES:**

SMALL SPILLS:	Mop up all possible. Flush residue with water.
LARGE SPILLS:	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS: Not applicable

ENVIRONMENTAL PRECAUTIONS: Not applicable

METHODS FOR CLEANING UP: Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	Caution: Concentrated acidic liquid. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Store only in original container and keep closed. Store in a cool, dry area. Store in a well ventilated area. To dilute, add small portions of product to cool water.
OTHER PRECAUTIONS:	Do not reuse container. Read and follow label instructions. Keep out of reach of children.
SPECIFIC USE(S):	Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**PROTECTIVE EQUIPMENT:**

EXPOSURE CONTROLS:	Use in a well ventilated area.
RESPIRATORY PROTECTION:	None normally required.
PROTECTIVE GLOVES:	Rubber or plastic gloves recommended to minimize skin contact.
EYE PROTECTION:	Goggles. Face shield.
OTHER PERSONAL PROTECTION EQUIPMENT:	Appropriate protective clothing as needed to prevent skin contact. Rubber boots. Eyewash fountains and safety showers must be easily accessible.
VENTILATION:	Not normally required. General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Corrosion resistant equipment recommended. When cleaning aluminum of galvanized surfaces, use explosion proof equipment to remove any hydrogen gas.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Clear red. Liquid. Mild odor.
BOILING POINT (F):	245° F (C) No aplicable
VAPOR PRESSURE:	Como el agua
VAPOR DENSITY (AIR=1):	Como el agua

9. PHYSICAL AND CHEMICAL PROPERTIES

SOLUBILITY IN WATER: Not determined
SPECIFIC GRAVITY: 1.37 - 1.39
VOC Content (%): NE
EVAPORATION RATE: Menos que el agua
PH: < 0

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: If evaporated to dryness, as in a fire, material may burn, releasing: Soot. Smoke. Oxides of Phosphorus. Carbon Monoxide.
INCOMPATIBILITY (MATERIALS TO AVOID): Do not mix with: Alkalines. Chlorine containing materials. Peroxides. Reducing agents. Avoid contact with aluminum, zinc, other soft metals or galvanized metals.
CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established
EFFECTS OF CHRONIC EXPOSURE: Not established.
OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: Not applicable.
PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Phosphoric acid 7664-38-2	55 max.	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Phosphoric acid 7664-38-2	55 max.	2270 kg 5000 lb	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Phosphoric acid 7664-38-2	55 max.	Listed

HDA-5600

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Phosphoric acid 7664-38-2	55 max.	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Phosphoric acid 7664-38-2	55 max.	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Phosphoric acid 7664-38-2	55 max.	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***