



MATERIAL SAFETY DATA SHEET

REVISION DATE: 06/17/2011

REVISION NUMBER: 3

DATE PRINTED: 06/17/2011

PREPARED BY:

EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **HEAVY KLEEN, Extra Strength Powdered Cleaner**

PRODUCT CODE: 120598

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 3/3

Fire: 0/0

Reactivity: 1/1

Special/Protective Equipment: CORR/C

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
USA

Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Severe burns to mucous membranes of mouth, throat and digestive tract. May be fatal if swallowed.

SKIN CONTACT: Corrosive; Prolonged contact causes severe burns which may not be immediately painful or visible.

INHALATION: Inhalation of dust or mist may cause nose and respiratory irritation. Possible tissue damage. May cause delayed lung damage.

EYE CONTACT: Causes severe eye burns. May cause permanent eye damage. May cause blindness.

CHRONIC EFFECTS: Irritant dermatitis; possible respiratory damage from inhalation of dust or mist.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
SODIUM HYDROXIDE 1310-73-2	35 max.	Not applicable	2 mg/m ³
Sodium dodecylbenzene sulfonate 25155-30-0	10 max.	Not applicable	Not applicable
SODIUM CARBONATE 497-19-8	20 min.	Not applicable	Not applicable
Trisodium phosphate, Crystal 10101-89-0	10 min.	Not applicable	Not applicable
Sodium metasilicate 6834-92-0	25 max.	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Drink several glasses of water or milk. If vomiting occurs, give additional water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

SKIN: Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Continue rinsing until "slippery" feeling is gone. Get medical attention.

HEAVY KLEEN, Extra Strength Powdered Cleaner

4. FIRST AID MEASURES

INHALATION:	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
EYES:	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
NOTES TO PHYSICIAN:	None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): None (C): None
METHOD:	None
FLAMMABLE LIMITS IN AIR	
LOWER (%):	No data
UPPER (%):	No data
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	Product will not burn.
FIRE FIGHTING PROCEDURES:	Corrosive material. Avoid exposure to dusts, mists, and splashes. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:	Reclaim as much as possible. Flush residue with water.
LARGE SPILLS:	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS:	Not applicable
ENVIRONMENTAL PRECAUTIONS:	Not applicable
METHODS FOR CLEANING UP:	Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	DANGER: Concentrated, caustic material. Avoid contact with eyes, skin and clothing. Do not breathe dusts or mists. Store indoors. Store only in original container and keep closed. Store in a cool, dry area. Store in a well ventilated area. Keep container closed when not in use. Addition of product to water will cause a rise in temperature. If added to water and allowed to concentrate in one area, or added too rapidly, or added to hot water, steam, spattering, or eruption of hot solution may result. Mix only with cool water. NEVER add water to product.
OTHER PRECAUTIONS:	Empty containers may retain product residue, follow MSDS/label precautions even after container is emptied. Contact with certain food sugars can release hazardous amounts of carbon monoxide gas in enclosed vessels. Read and follow label instructions.
SPECIFIC USE(S):	Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:	Use in a well ventilated area.
RESPIRATORY PROTECTION:	Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is likely.
PROTECTIVE GLOVES:	Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin contact.
EYE PROTECTION:	Goggles and face shield are recommended to minimize eye contact.

HEAVY KLEEN, Extra Strength Powdered Cleaner

OTHER PERSONAL PROTECTION EQUIPMENT:	Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. Eyewash fountains and safety showers must be easily accessible. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.
VENTILATION:	General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Corrosion resistant equipment recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Powder. Odorless.	
BOILING POINT (F):	Not determined	(C) Not determined
VAPOR PRESSURE:	None	
VAPOR DENSITY (AIR=1):	Not determined	
SOLUBILITY IN WATER:	Not determined	
SPECIFIC GRAVITY:	Not determined	
VOC Content (%):	Not determined	
EVAPORATION RATE:	Not determined	
PH:	13.4 +/- 0.5 (@ 1%)	

10. STABILITY AND REACTIVITY

STABILITY DATA:	STABLE
POLYMERIZATION:	Will Not Occur.
HAZARDOUS DECOMPOSITION:	Oxides of Carbon. Oxides of Nitrogen.
INCOMPATIBILITY (MATERIALS TO AVOID):	Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or explosive in presence of ignition source. Avoid contact with: Acids. Organic matter. May cause violent reactions.
CONDITIONS/HAZARDS TO AVOID:	Addition of water to powder will cause violent boiling and spattering.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:	Not Established
EFFECTS OF CHRONIC EXPOSURE:	Not established.
OTHER TOXIC EFFECTS:	Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:	No data at this time
CHEMICAL FATE INFORMATION:	No data at this time.
MOBILITY:	Not applicable.
PERSISTENCE/DEGRADABILITY:	Not applicable
BIOACCUMULATIVE POTENTIAL:	Not applicable
OTHER ADVERSE EFFECTS:	Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:	Dispose in accordance with Federal, State and Local regulations.
--------------------------------	--

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

HEAVY KLEEN, Extra Strength Powdered Cleaner

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
SODIUM HYDROXIDE 1310-73-2	35 max.	Listed	Listed	Listed	Not Listed
Sodium dodecylbenzene sulfonate 25155-30-0	10 max.	Listed	Listed	Listed	Not Listed
SODIUM CARBONATE 497-19-8	20 min.	Listed	Listed	Listed	Not Listed
Trisodium phosphate, Crystal 10101-89-0	10 min.	Not Listed	Not Listed	Not Listed	Not Listed
Sodium metasilicate 6834-92-0	25 max.	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
SODIUM HYDROXIDE 1310-73-2	35 max.	1000 lb 454 kg	Not Listed	Not Listed
Sodium dodecylbenzene sulfonate 25155-30-0	10 max.	1000 lb 454 kg	Not Listed	Not Listed
SODIUM CARBONATE 497-19-8	20 min.	Not Listed	Not Listed	Not Listed
Trisodium phosphate, Crystal 10101-89-0	10 min.	2270 kg 5000 lb	Not Listed	Not Listed
Sodium metasilicate 6834-92-0	25 max.	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
SODIUM HYDROXIDE 1310-73-2	35 max.	Listed
Sodium dodecylbenzene sulfonate 25155-30-0	10 max.	Listed
SODIUM CARBONATE 497-19-8	20 min.	Listed
Sodium metasilicate 6834-92-0	25 max.	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
SODIUM HYDROXIDE 1310-73-2	35 max.	Listed
Sodium dodecylbenzene sulfonate 25155-30-0	10 max.	Listed
Trisodium phosphate, Crystal 10101-89-0	10 min.	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
SODIUM HYDROXIDE 1310-73-2	35 max.	Listed
Sodium dodecylbenzene sulfonate 25155-30-0	10 max.	Listed
Trisodium phosphate, Crystal 10101-89-0	10 min.	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

HEAVY KLEEN, Extra Strength Powdered Cleaner

PRODUCT COMPOSITION CAS#	%	PARTK:
SODIUM HYDROXIDE 1310-73-2	35 max.	Listed
Sodium dodecylbenzene sulfonate 25155-30-0	10 max.	Listed
Trisodium phosphate, Crystal 10101-89-0	10 min.	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

***** END OF MSDS *****