

SAFETY DATA SHEET

Revision Date 01/30/2015 REVISION NUMBER: 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name HI VIS SPRAY GEL

Other means of identification

Product code 118947 UN/ID No. 1814 Synonyms NONE

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rochester Midland Corporation

155 Paragon Drive

Rochester, New York 14624 USA

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes severe skin burns and eye damage May be corrosive to metals



Appearance Clear, Brown Viscous

Physical state Liquid

Odor Mild Odor

118947 HI VIS SPRAY GEL Revision Date 01/30/2015

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

Unknown Acute Toxicity

8% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
POTASSIUM HYDROXIDE	1310-58-3	5 - 10	*
Diethylene glycol butyl ether	112-34-5	1 - 2	*
SODIUM HYDROXIDE	1310-73-2	10 - 15	*
Corn Carbohydrate	9005-25-8	1- 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediately call a POISON CENTER or doctor/physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Revision Date 01/30/2015

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal

Protection.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

Methods for cleaning up Pick up and transfer to properly labeled containers. Flush residue with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling DANGER: Concentrated, caustic material. Avoid contact with eyes, skin and clothing. Do

not breathe mist or vapors.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Contact with certain

food sugars can release hazardous amounts of carbon monoxide gas in enclosed vessels.

Do not reuse container.

Incompatible materials Strong acids. Avoid contact with aluminum, zinc, other soft metals or galvanized metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

118947 HI VIS SPRAY GEL Revision Date 01/30/2015

Exposure Guidelines

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
POTASSIUM HYDROXIDE 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	-
Diethylene glycol butyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	NA	-
SODIUM HYDROXIDE 1310-73-2	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m³ TWA: 2 mg/m³	10 mg/m ³
Corn Carbohydrate 9005-25-8	TWA: 10 mg/m ³	(vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	-

Appropriate engineering controls

ENGINEERING CONTROLS Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Goggles and face shield are recommended to minimize eye contact.

Skin and body protection Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin

contact. Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this

product.

RESPIRATORY PROTECTION If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear, Brown Viscous Odor Mild Odor

Color No information available Odor threshold No information available

Property Values Remarks • Method

pH 14.0

Melting point/freezing point No information available

Boiling point / boiling range 104 °C / 220 °F

Flash point - None to boiling.

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific gravity 1.27 - 1.29

Water solubility
Solubility in other solvents
No information available
No information available

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

Other Information

Softening point No information available

VOC (EPA METH.24) (G/L): 0

Density 10.63 lbs/gal

Bulk density No information available

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Strong acids. Avoid contact with aluminum, zinc, other soft metals or galvanized metals.

Hazardous Decomposition Products

Oxides of Carbon. Oxides of Nitrogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Causes burns.

Ingestion Can burn mouth, throat, and stomach. Causes burns.

PRODUCT COMPOSITION CAS#	Oral LD50	Dermal LD50	Inhalation LC50
POTASSIUM HYDROXIDE 1310-58-3	= 214 mg/kg (Rat)	-	-
Diethylene glycol butyl ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
SODIUM HYDROXIDE 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. Germ cell mutagenicity No information available. Carcinogenicity No information available. **Reproductive Toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Aspiration hazard** No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 8% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5466 mg/kg **ATEmix (dermal)** 11020 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

17% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION CAS#	Algae/aquatic plants	Fish	Crustacea
Diethylene glycol butyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	100: 48 h Daphnia magna mg/L EC50
SODIUM HYDROXIDE 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION CAS#	Partition coefficient
POTASSIUM HYDROXIDE 1310-58-3	0.83

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

UN/ID No.

Proper shipping name POTASSIUM HYDROXIDE SOLUTION

Hazard Class

Packing Group

5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY. Description

15. REGULATORY INFORMATION

International Inventories

TSCA Complies Complies DSL/NDSL Complies **EINECS/ELINCS** Does not Comply **ENCS IECSC** Complies **KECL** Does not Comply **PICCS** Does not Comply **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION CAS#	SARA 313 - Threshold Values %
Diethylene glycol butyl ether - 112-34-5	1.0

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD

CHRONIC HEALTH HAZARD

FIRE HAZARD

Sudden release of pressure hazard

REACTIVE HAZARD

YES

No

YES

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION CAS#	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
POTASSIUM HYDROXIDE 1310-58-3	1000	
SODIUM HYDROXIDE 1310-73-2	1000	

US State Regulations

118947 HI VIS SPRAY GEL Revision Date 01/30/2015

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
POTASSIUM HYDROXIDE 1310-58-3	1571	Listed	Listed
Diethylene glycol butyl ether 112-34-5			Listed
SODIUM HYDROXIDE 1310-73-2	1706	Listed	Listed
Corn Carbohydrate 9005-25-8		Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA

Health hazards 3 **Flammability** 0

Instability 1

Physical and Chemical Properties ALKALI

HMIS

Health hazards 3 Flammability 0 Physical hazards 1 Personal protection D

Revision Date

01/30/2015

Revision Note Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***