



# SAFETY DATA SHEET

Revision Date 04/06/2015

REVISION NUMBER: 4

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** HLC-1600 PLUS, Liquid Chlorinated Non-Foaming Heavy Duty Cleaner

### Other means of identification

**Product code** 102190

**UN/ID No.** 1824

**Synonyms** NONE

### Recommended use of the chemical and restrictions on use

**Recommended Use** Cleaning agent.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Rochester Midland Corporation  
155 Paragon Drive  
Rochester, New York 14624 USA

#### **Importer**

Rochester Midland Limited  
143 Mills Road  
Ajax, ON L1S 2H2  
Canada

### Emergency telephone number

#### **EMERGENCY TELEPHONE**

INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

CANUTEC: 613-996-6666

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

#### **Emergency Overview**

**DANGER**

#### **Hazard statements**

Causes severe skin burns and eye damage

May be corrosive to metals



**Appearance** Clear Yellow

**Physical state** Liquid

**Odor** Slight chlorine

**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
Keep only in original container

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Immediately call a POISON CENTER or doctor/physician  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting  
Absorb spillage to prevent material damage

**Precautionary Statements - Storage**

Store locked up  
Store in corrosive resistant container

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

No information available

**Other Information**

- Very toxic to aquatic life with long lasting effects.
- Very toxic to aquatic life.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
SODIUM HYDROXIDE	1310-73-2	10 - 15	*
POTASSIUM HYDROXIDE	1310-58-3	5 - 10	*
Sodium hypochlorite	7681-52-9	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES**

**First aid measures**

**General advice** Immediately call a POISON CENTER or doctor/physician.

---

<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
<b>Skin contact</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
<b>Inhalation</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
<b>Ingestion</b>	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media**

Water fog, carbon dioxide, foam, dry chemical.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

No information available.

**Explosion data**

**Sensitivity to Mechanical Impact** NONE.

**Sensitivity to Static Discharge** NONE.

**Protective equipment and precautions for firefighters**

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use water spray to cool nearby containers and structures exposed to fire.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** DANGER: Concentrated, alkaline liquid. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Contents may develop pressure upon prolonged storage; loosen closure cautiously before opening. Do not reuse container. Read and follow label instructions. Keep out of reach of children.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep/store only in original container. Empty containers may retain product residue, follow MSDS/label precautions even after container is emptied. Contact with certain food sugars can release hazardous amounts of carbon monoxide gas in enclosed vessels.

**Incompatible materials** Mix only with water. Interaction with ammonia-containing materials may liberate ammonia gas or chloramine derivatives of ammonia. Contact with acids will release chlorine vapors.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
SODIUM HYDROXIDE 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
POTASSIUM HYDROXIDE 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	-

**Appropriate engineering controls**

**ENGINEERING CONTROLS** General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Corrosion resistant equipment recommended. Showers. Eyewash stations.

**Individual protection measures, such as personal protective equipment**

- Eye/face protection** Goggles and face shield are recommended to minimize eye contact.
- Skin and body protection** Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.
- RESPIRATORY PROTECTION** Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is likely.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Slight chlorine
<b>Appearance</b>	Clear Yellow	<b>Odor threshold</b>	No information available
<b>Color</b>	Light Yellow		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
<b>pH</b>	14.0		
<b>Melting point/freezing point</b>	No information available		
<b>Boiling point / boiling range</b>	100 °C / 212 °F		
<b>Flash point</b>	-	None to boiling.	
<b>Evaporation rate</b>	No information available		
<b>Flammability (solid, gas)</b>	No information available		

<b>Flammability Limit in Air</b>	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
<b>Vapor pressure</b>	No information available
<b>Vapor density</b>	No information available
<b>Specific gravity</b>	1.22 - 1.24
<b>Water solubility</b>	No information available
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available

**Other Information**

<b>Softening point</b>	No information available
<b>VOC (EPA METH.24) (G/L):</b>	No information available
<b>Density</b>	10.221 lbs/gal
<b>Bulk density</b>	No information available

**10. STABILITY AND REACTIVITY**

**REACTIVITY**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

**Incompatible materials**

Mix only with water. Interaction with ammonia-containing materials may liberate ammonia gas or chloramine derivatives of ammonia. Contact with acids will release chlorine vapors.

**Hazardous Decomposition Products**

Chlorine gas. Oxygen.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

<b>Product Information</b>	Causes severe skin burns and eye damage
<b>Inhalation</b>	Causes burns.
<b>Eye contact</b>	Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin contact</b>	Causes burns.
<b>Ingestion</b>	Causes burns.

<b>PRODUCT COMPOSITION</b>	<b>Oral LD50</b>	<b>Dermal LD50</b>	<b>Inhalation LC50</b>
<b>CAS#</b>			

SODIUM HYDROXIDE 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
POTASSIUM HYDROXIDE 1310-58-3	= 214 mg/kg ( Rat )	-	-
Sodium hypochlorite 7681-52-9	= 8200 mg/kg ( Rat )	> 10000 mg/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION CAS#	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

**Reproductive Toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6741 mg/kg  
ATEmix (dermal) 12351 mg/kg

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

7.935% of the mixture consists of component(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION CAS#	Algae/aquatic plants	Fish	Crustacea
SODIUM HYDROXIDE 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Sodium hypochlorite 7681-52-9	-	4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static	0.033 - 0.044: 48 h Daphnia magna mg/L EC50 Static

**Persistence and degradability**

No information available.

**Bioaccumulation**

PRODUCT COMPOSITION CAS#	Partition coefficient
POTASSIUM HYDROXIDE 1310-58-3	0.83

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

**14. TRANSPORT INFORMATION**

**UN/ID No.** 1824  
**Proper shipping name** SODIUM HYDROXIDE SOLUTION  
**Hazard Class** 8  
**Packing Group** II  
**Description** 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Complies  
**DSL/NDSL** Complies  
**EINECS/ELINCS** Does not Comply  
**ENCS** Does not Comply  
**IECSC** Complies  
**KECL** Does not Comply  
**PICCS** Complies  
**AICS** Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

<b>ACUTE HEALTH HAZARD</b>	YES
<b>CHRONIC HEALTH HAZARD</b>	No
<b>FIRE HAZARD</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>REACTIVE HAZARD</b>	YES

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION CAS#	Hazardous Substances RQs (in LBS)	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
SODIUM HYDROXIDE 1310-73-2	1000	
POTASSIUM HYDROXIDE 1310-58-3	1000	
Sodium hypochlorite 7681-52-9	100	

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
SODIUM HYDROXIDE 1310-73-2	1706	Listed	Listed
POTASSIUM HYDROXIDE 1310-58-3	1571	Listed	Listed
Sodium hypochlorite 7681-52-9	Listed	Listed	Listed

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. OTHER INFORMATION**

**NFPA**

Health hazards 3

Flammability 0

Instability 2

Physical and Chemical Properties CORR

**HMIS**

Health hazards 3

Flammability 0

Physical hazards 2

Personal protection C



Prepared By  
Revision Date  
Revision Note  
Disclaimer

EH&S DEPARTMENT  
04/06/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**\*\*\* END OF SDS \*\*\***