
SAFETY DATA SHEET

1 Identification of the substance or preparation and of the company/undertaking

1.1 Product identifier

Product Name: HYDRAZINE REAGENT MO354.1
Datasheet Number: 777083-1 1. 0. 0
Product Part Number: 777083
Part of: MO354 (OTHER REAGENTS IN THIS KIT: MO354.2 - MO354.3)
Head Office: Willhelmsen Ships Service AS
Address: Strandveien 20, N1324 Lysaker, Norway, Tel:(+47) 67 58 45 50

1.2 Relevant identified uses of the substance or mixture and uses advised against

Reagent

1.3 Details of the supplier of the safety data sheet

Name of Supplier: For quotations contact your local Customer Services
Address of Supplier: Wilhelmsen Ships Service AS
Willem Barentszstraat 50
3165AB Rotterdam
+31 4877 888
The Netherlands
Telephone: +31 4877 777
Fax:
Responsible Person: , Product HSE Manager, Tel.: +31 10 4877775
Email: WSS.GLOBAL.SDSINFO@wilhelmsen.com

1.4 Emergency telephone number

-ONLY TO BE USED IN CASE OF AN INCIDENT-
NCEC: +44 1865 407333, CHEMTREC (800) 424 9300
American Chemistry Council +1 703 527 3887,
Greece +30 210 7793777
Australia: +61 3 9630 0998
Giftinformasjonssentralen in Norway Tel.: +47 22591300

2 Hazards identification

2.1 Classification of the substance or mixture

- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Skin Irrit. 2
- Eye Irrit. 2

2.2 Label elements



- Signal Word: Warning
- Symbols: Xi, GHS07

2 Hazards identification (....)

Hazard phrases

- Causes skin irritation.
- Causes serious eye irritation.

Precautionary Phrases

- Wash thoroughly after handling.
- If eye irritation persists: Get medical advice/attention.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash before reuse.

Risk Phrases

- Irritating to eyes and skin (R36/38)

Safety Phrases

- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26)
- Wear suitable protective clothing, eye/face protection and gloves (S36/37/39)

2.3 Other hazards

- Odour: Perceptible odour
- Appearance: Liquid, colourless, miscible with water
- Inhalation: In cases of severe exposure, coughing may develop, In cases of severe exposure, shortness of breath may develop
- Ingestion: The ingestion of significant quantities may cause dizziness, confusion, headache or stupor

3 Composition/information on ingredients

3.1 Mixtures

Chemical Name	Concentration	CAS Number	EC Number	R/H Phrases*	Symbols
SULPHURIC ACID	5-10%	231-639-5	7664-93-9	R35	C
CLP classification: Eye Irrit. 2, Skin Irrit. 2 Skin Corr. 1A,				H319, H315 H314	GHS05

*See Section 16

4 First aid measures

4.1 Description of first aid measures

- IF ON SKIN: Gently wash with plenty of soap and water.
- When in doubt or symptoms persist, seek medical attention
-
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Seek medical attention if irritation persists
-
- IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

4 First aid measures (....)

- When in doubt or symptoms persist, seek medical attention
-
- IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
- When in doubt or symptoms persist, seek medical attention

4.2 Most important symptoms and effects, both acute and delayed

- Possible redness and irritation of affected areas
- The ingestion of significant quantities may cause dry throat
- May cause coughing
- May cause wheeziness

4.3 Indication of immediate medical attention and special treatment needed

-

5 Fire-fighting measures

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

5.2 Special hazards arising from the substance or mixture

- Smoke from fires is toxic. Take precautions to protect personnel from exposure
- See Section 10

5.3 Advice for firefighters

- Wear chemical protection suit and positive-pressure breathing apparatus
-

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8
- Wash thoroughly after dealing with spillage

6.2 Environmental Precautions

- Do not flush spilt material into any public water system
- Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

- Contain leaking liquid in earth or sand and remove to safe place when solid
- Place in sealable container
- Seal containers and label them
- Ventilate the area and wash spill site after material pick-up is complete
- Wash thoroughly after dealing with spillage

6.4 Reference to other sections

- None
-

7 Handling and storage

7 Handling and storage (...)

7.1 Precautions for safe handling

- Do not get in eyes, on skin, or on clothing.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Eyewash bottles should be available
- Ensure adequate ventilation
- See Section 8

7.2 Conditions for safe storage, including any incompatibilities

- Keep in a cool, dry, well ventilated place
- Keep container tightly closed.
- Keep only in original container.

7.3 Specific end use(s)

- Restricted to professional users
-

8 Exposure controls/personal protection

8.1 Control parameters

- SULPHURIC ACID
TLV (TWA) 1 mg/m³ ()

8.2 Exposure controls

- Ensure adequate ventilation

Occupational exposure controls

- Wear neoprene or nitrile gloves
- Wear goggles giving complete eye protection



Gloves



Goggles

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Odour: Perceptible odour
- Appearance: Liquid, yellow, miscible with water
- pH <2
- Boiling point >35 °C
- Completely soluble in water
- Flash point >93 deg C (CC)

9.2 Other information

- None
-

10 Stability and reactivity

10 Stability and reactivity (....)

10.1 Reactivity

- This article is considered stable under normal conditions

10.2 Chemical stability

- This article is considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Keep away from heat (S15)

10.5 Incompatible materials

- Incompatible with alkalis (strong bases)
- Incompatible with reducing agents

10.6 Hazardous Decomposition Products

- Decomposition products may include sulphur oxides
-

11 Toxicological information

11.1 Information on toxicological effects

- No experimental data available

Inhalation

- In cases of severe exposure, dry throat may develop
- May cause coughing
- May cause wheeziness

Contact with skin

- May cause redness and irritation

Contact with eyes

- May cause irritation

Ingestion

- The ingestion of significant quantities may cause dry throat
-

12 Ecological information

12.1 Toxicity

- Not available

12.2 Persistence and degradability

- No information available

12.3 Bioaccumulation Potential

- Low bioaccumulation potential

12.4 Mobility in soil

- Not available
-

12 Ecological information (...)

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Other Adverse Effects

- No information available
-

13 Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Dispose of contents/container to an authorised waste collection point

Classification

- EU Waste class: 16-05-06
-

14 Transport information



Corrosive

14.1 UN Number

- UN2796

14.2 UN Proper Shipping Name

- SULPHURIC ACID SOLUTION

14.3 Transport hazard class(es)

- 8

14.4 Packing group

- II

14.5 Environmental hazards

- On available data, substance is not harmful to the environment

14.6 Special precautions for user

- When supplied as part of a kit: The kit may be transported under classification UN3316 CHEMICAL KIT

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

- Not applicable

Other information

Road/Rail (ADR/RID)

Proper Shipping Name:	SULPHURIC ACID		
ADR UN No.:	UN2796	ADR Hazard Class:	8
ADR Packing Group:	II	ADR subrisk:	-
ADR Flashpoint:	-		

14 Transport information (...)

Sea (IMDG)

Proper Shipping Name:	SULPHURIC ACID SOLUTION		
IMDG UN No.:	UN2796	IMDG Hazard Class.:	8
IMDG Pack Group.:	II	IMDG EmS:	F-A, S-B
IMDG subrisk:	-	IMDG Flashpoint:	-

Air (ICAO/IATA)

Proper Shipping Name:	SULPHURIC ACID SOLUTION		
ICAO Un No.:	UN2796	ICAO Hazard Class.:	8
ICAO Packing Group.:	II	ICAO subrisk:	-
ICAO Flashpoint:	-		

DOT / CFR (US Department of Transportation)

DOT Proper Shipping Name:	SULPHURIC ACID SOLUTION		
Hazardous Material:	SULPHURIC ACID		
Hazard Class:	8	Identification Number:	UN2796
Product RQ (lbs):	-	DOT subrisk:	-
DOT Flashpoint:	-		

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This Safety Data Sheet has been prepared in accordance with article 31 and annex II in REACH and Directive 453/2010/EU.
- This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC)
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.

15.2 Chemical Safety Assessment

None

16 Other information

Text of R and S phrase codes used in this safety data sheet:- H314: Causes severe skin burns and eye damage.; H315: Causes skin irritation.; H319: Causes serious eye irritation.; R35: Causes severe burns.

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

The most up-to-date version of this MSDS can be found on www.wilhelmsen.com/shipsservice

HYDRAZINE REAGENT MO354.1

16 Other information (....)

OTHER CONTACT INFORMATION MAJOR CHEMICAL OFFICES

For addresses of other Wilhelmsen Ships Service offices, please refer to www.wilhelmsen.com/shipsservice

Wilhelmsen Ships Service Level 1, 39 Park Street South Melbourne, Vic 3205 Australian Tel:+61 3 9630 0900
Emergency 24hrs: +61 3 9630 0998

Wilhelmsen Ships Service INC 210 Edgewater Street US-10305 Staten Island New York United States Telephone
daytime: (+1) 718 815 1310 Fax: (+1) 718 233 3268

Wilhelmsen Ships Service INC 2200 W. Pacific Coast Highway US-90810 Long Beach California, United States
Tel (+1) 562 624 8888 Fax (+1) 562 624 1011

Wilhelmsen Ships Service INC 701 Ashland Ave. Ashland Center Two, Bay 12 US- 19032 Folcroft Pennsylvania
United States Tel (+1) 610 586 7801 Fax (+1) 215 701 0646

Wilhelmsen Ships Service INC. 9400 New Century Drive US-77507 Pasadena Texas United States Telephone
daytime: (+1) 281 867 2000 Fax: (+1) 281 867 2800

Wilhelmsen Ships Service Ltd. Unit 3A NewtonsCourt Crossways DA2 6QL Dartford, Kent United Kingdom Tel
(+44) 1322 282 412 Fax (+44) 1322 284 774

Wilhelmsen Ships Service Ltda Rua Bispo Lacerda nos.61/67 Del Catilho BR 21051120 Rio de Janeiro Brazil Tel
(+55) 21 25 82 8000 Fax (+55) 21 25 82 8001

Wilhelmsen Ships Service (S) Pte Ltd 186 Pandan Loop Singapore 128376 Tel (+65) 6395 4545

Wilhelmsen Ships Service Co., Ltd 12-31 Torihama-cho Kanazawa-ku Yokohama-shi JP-236 0002, Japan Tel
(+81) 45 775 0012 Fax (+81) 45 775 0070

Wilhelmsen Ships Service Hellas SA 100, D. Moutsopoulou & Serifou str GR-185 41 Piraeus Greece Tel (+ 30)
210 4239100 Fax (+ 30) 210 4212480

WMS AS U.A.E. Fl 24 Executive Heights, Tecom C Sheikh Zayed Road (East) Dubai United Arab Emirates Tel
(+971) 4 382 3888

