

# MATERIAL SAFETY DATA SHEET (Page 1 of 3)

This form is regarded to be in compliance with 29 CFR Part 1910.1200

---

## SECTION 1 : IDENTIFICATION

---

### **PRODUCT NAME: EZ FLOW, HAND SANITIZER (62% ALCOHOL/VOL)**

Manufacturer's Name: EZ Flow Nail Systems                      Proprietary Blend  
Address :                      13720 Rosecrans Ave.                      CAS #  
City, State, Zip :              Santa Fe Springs, CA.              90670  
Business Telephone : (526)229-3229  
Emergency Telephone :(800)535-5053

---

## SECTION 2: PHYSICAL DATA

---

Specific Gravity 25/25 : .852 @ 60/60F                      Boiling Point :    Deg C. 201 F  
Vapor Pressure : 38mm Hg @ 20 C                      Physical State : Liquid  
Vapor Density [Air =1] : 1.26                      Evaporation Rate: 1.5  
Autoignition Temp: 951 F                      Odor : Odorless  
Solubility in Water : SOLUBLE                      IN WATER

---

## SECTION 3 : FIRE AND EXPLOSION HAZARD DATA

---

Flash Point (Closed Cup F) : Deg 268 F

Extinguishing Media : [ ]Water [X]CO<sub>2</sub> [ ]Dry Chemical [X]Foam [ ]Water Fog

Special Fire Fighting Procedures : Protect from heat and flame

Unusual Fire and Explosion Hazards : Dense Smoke May be Generated, Carbon Monoxide, Carbon Dioxide, and other oxides may be generated.

**NFPA FLAMMABILITY CODE : 1**

---

## SECTION 4 : REACTIVITY DATA

---

Stability : Presents no significant reactivity hazard, not pyrophoric nor reactive with water.

Incompatibility (Materials to avoid): AVOID CONTACT WITH OXIDIZERS

Hazardous Combustion or Decomposition Products:

Burning liberates CO, CO<sub>2</sub> and smoke. Does not form explosive mixtures with organic materials. Does not undergo explosive decomposition and is shock stable. It is not an oxygen donor

Hazardous Polymerization :

Will NOT undergo spontaneous exothermic polymerization.

**NFPA REACTIVITY CODE : 0**

# MATERIAL SAFETY DATA SHEET (Page 2 of 3)

**PRODUCT NAME: EZ FLOW, HAND SANITIZER (62% ALCOHOL/VOL)**

-----  
SECTION 5 : SPILL OR LEAKAGE PROCEDURES  
-----

Cleanup of spills or accidental release of material:  
Soak up with suitable absorbent.

Waste Disposal Methods :

Incineration or sanitary landfill in accordance with local, state and federal regulations and consistent with good ecological practices.

-----  
SECTION 6 : SPECIAL PROTECTION INFORMATION  
-----

Respiratory : Use NIOSH/MSHA Approved Respirator if TLV is exceeded

Ventilation : General Mechanical

Protective Gloves : Volatile Resistant if skin contact is anticipated

Eye Protection : Splash proof goggles if handling methods warrant them.

Other Protective Equipment :

-----  
SECTION 7 : EMERGENCY AND FIRST AID PROCEDURES  
-----

Eye (contact) : In the event of accidental contact with eyes, irrigate copious amounts of water; if irritation persists obtain medical advice.

Skin (contact): Remove contaminated clothing. Flush exposed areas with copious amounts mild soap and water. Material may remove some of the natural oils in the skin. If irritation persists obtain medical advice.

Inhalation : Move to fresh air. Give artificial respiration if breathing has stopped.

Ingestion : Give either 10 grains of potassium permanganate or one tablespoon of medical charcoal in a tumbler full of water. Emetics or stomach tube should be used by a physician. Give gastric lavage followed by saline catharsis

