

HEMOSTATIC SOLUTION

Page 1 of 5

Section 1 – Identification

Product Name: Hemostatic Solution with

Aluminum Chloride

Active Ingredient: Aluminum Chloride

Manufacturer: Keystone Industries

480 S Democrat Rd, Gibbstown, NJ 08027

Information Contacts: (856) 663-4700 **Toll Free:** (800) 333-3131

Emergency Phone Numbers: (800) 535-5053


Family: Topical Astringent

Product Use: Professional Dental Gingival Care

Product #: 25-03677 & 25-04777 Section 2 — Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.



- H335 May cause respiratory irritation
- H302 Harmful if swallowed
- Corrosive.
- Please read entire MSDS for additional information.









Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye Corrosive. May cause redness, pain, blurred vision, eye burns, and permanent eye damage.

Skin Corrosive. May cause redness, pain, and skin irritation / burn.

Ingestion Corrosive. May cause sore throat, abdominal pain, nausea, and irritate throat, and stomach. Tissue

burns.

Inhalation Inhalation is not an expected hazard unless mist is heated to high temperatures. Mist or vapor

inhalation can cause irritation to the nose, throat, and upper respiratory tract

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
				TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Aluminum Chloride	7446-70-0	231-208-1	Aluminum Chloride	N/E	N/E	Not listed	25-36
N/E – None Established N/R – Not Reviewed	N/DA – No Data A N/A – Not Applica						
May contain the following:	FD&C Blue, D&	&C Violet #2,					

(items in parenthesis relate to 1999/45/EC)

Aluminum Chloride: Danger Symbol – GHS05 (C) Hazard Statement – H303 (N/A), H313 (N/A), H314 (R34), H400 (R50)

 $Precautionary\ Statement-P273\ (S61),\ P280\ (S36/37/39),\ P305+351+338\ (S26)$

See Section 16 for Hazard and Precautionary Statement Key.

Section 4 – First Aid Measures

First Aid for Eye Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek

immediate medical attention.

First Aid for Skin Immediately wipe excess material from skin with a dry cloth; then wash skin with plenty of soap and

water for at least 15 minutes. Seek medical attention. Remove contaminated clothing and shoes while

washing.

First Aid for Ingestion If victim is conscious and alert, give 2-3 glasses of water to drink and do not induce vomiting. Seek

immediate medical attention. To prevent aspiration of swallowed product, lay victim on side with

head lower than waist. Vomiting may occur spontaneously.



HEMOSTATIC SOLUTION

Page 2 of 5

First Aid for Inhalation

Remove victim from immediate source of exposure and assure that the victim is still breathing. If breathing is difficult, administer oxygen if available. If victim is not breathing, administer CPR. Seek medical help.

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

Extinguishing Media: Not combustible. Use extinguishing method suitable for surrounding fire.

Fire Fighting Firefighters should wear NIOSH/MSHA approved self contained breathing apparatus and full Instructions: protective clothing. Keep unnecessary people away, isolate hazard area and deny entry. Evacuate residents who are downwind of fire. Dike area to prevent runoff and contamination of water sources.

Unusual Hazards: Evacuate all personnel.

Section 6 – Accidental Release Measures

Spill or Release Procedures Minor spills – Clean up immediately, avoid contact with skin and eyes. Mop / wipe area and clean with soapy water Dike or retain dilution water for disposal.

Major spills – Clear area of personnel. Restrict access to area. Avoid contact with skin and eyes, and dilute area with soapy water. Collect contaminated water and dispose of properly. Dike or retain dilution water for disposal. Large spills should be handled according to a predetermined plan.

See section 8 & section 12.

Section 7 – Handling and Storage

Handling Limit all unnecessary personal contact. Avoid breathing vapors. Wear appropriate PPE. Do not get into eyes or

on skin. Avoid breathing vapors and mists. This product reacts with bases liberating heat and causing

spattering.

Storage Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when

not in use. Keep in original container provided by manufacturer.

Explosion Hazard None.

Section 8 – Exposure Controls / Personal Protection

Engineering General exhaust is adequate under normal operating conditions; however local exhaust ventilation at the point

Controls of generation is preferred. Personal hygiene is an important work exposure control measure.

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face Safety glasses / goggles or splash shields are required when handling. Ensure eye bath is on hand.

Protection

Skin Protection Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole

body suit.

Respiratory Protection A NIOSH/MSHA approved air purifying respirator with an organic vapor/acid cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exsposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepeice airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA repsirator regulations found in 29 CFR 1910.134 or European

Standard EN 149.

Section 9 – Physical and Chemical Properties

Appearance	Odor & Odor Threshold	PН	Specific Gravity	Viscosity	% Volatile
Clear / Pale Liquid	Characteristic Odor	N/A	(H2O = 1):1.1	N/A	N/A



HEMOSTATIC SOLUTION

Page 3 of 5

Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water
		Log Po/w					(20°C)
N/A	N/DA	N/DA	N/A	N/A	N/A	N/A	N/A

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Section 10 – Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable under normal conditions

Strong oxidizing agents, alcohols

Hazardous Decomposition Products:

Hazardous Polymerization:

Aluminum Oxide; HCl gas Will not occur

Conditions to Avoid: Heat and incompatible materials

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA	N/ DA

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/ DA	N/DA	N/ DA

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Chemical Late Information	
Biodegradability	N/DA. This material is not expected to significantly bio-accumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	UN2581, Aluminum Chloride Solution, 8, III
Identification Number:	UN2581
Marine Pollutant:	No
Special Provisions:	IB3, T4, TP1
Emergency Response Guidebook (ERG) #:	154
IATA (DGR):	
Proper Shipping Name:	UN2581, Aluminum Chloride Solution, 8, III
Class or Division:	8
UN or ID Number:	UN2581
Packaging Instructions:	III
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	UN2581, Aluminum Chloride Solution, 8, III



HEMOSTATIC SOLUTION

Page 4 of 5

Class or Division:	8
UN or ID Number:	UN2581
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	N/A
Other Information:	This product can qualify as a consumer commodity (limited quantity exception)

Section 15 – Regulatory Information

US Federal Regulations	Thurson —
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	Aluminum Chloride CAS # 7446-70-0 (Acute & chronic health hazard)
RCRA	This product does not contain any chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product contains chemicals regulated under Section 304 as extremely hazardous
(TPQ)	chemicals for emergency release notification ("CERCLA" List): None
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are:
	Aluminum Chloride CAS # 7446-70-0 (Acute & chronic health hazard)
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting
	requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization
	Act of 1986 and 40 CFR Part 372:
	• None
TSCA Section 8(b): Inventory:	This product does contain chemicals listed on the TSCA inventory or otherwise complies
	with TSCA pre-manufacture notification requirements.
TSCA Significant New Use Rule:	Aluminum Chloride CAS # 7446-70-0
	None of the chemicals in this material have a SNUR under TSCA.
tate Regulations	
CA Right-to-Know Law:	None
California No Significant Risk	N.
Rule:	None
MA Right-to-Know Law:	Aluminum Chloride CAS # 7446-70-0
NJ Right-to-Know Law:	Aluminum Chloride CAS # 7446-70-0
PA Right-to-Know Law:	Aluminum Chloride CAS # 7446-70-0
FL Right-to-Know Law:	None
ANID: 1 IZ I	I AT

MN Right-to-Know Law:
International Regulations

CDSL: Canadian Inventory	Aluminum Chloride CAS # 7446-70-0
(on Canadian Transitional List)	

None



HEMOSTATIC SOLUTION

Page 5 of 5

Labeling according to EC directives - 1272/2008 (CLP) AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:







For Hemostatic Solution (finished product):

- DANGER SYMBOLS: GHS05 (C) Corrosive. GHS07 (Xi) Warning
- HAZARD STATEMENT: **H314** (**R34**), **H335** (**R37**), **H302** (**R22**).
- PRECAUTIONARY STATEMENT: **P102** (**S2**), Keep out of reach of children. **P210** (**S15**), Keep away from heat/sparks/open flames/hot surfaces. **P260** (**S23**), Do not breathe dust/fume/gas/mist/vapors/spray. **P280** (**S36/37/39**), Wear protective gloves/clothing/eye protection/face protection. **P309+314** (**S45**), If exposed or you feel unwell, get medical advice/attention. **P405** (**S1**), Store locked up. **P501** (**S56**), Dispose of contents/ container in appropriate way.

Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

(items in parenthesis relate to 1999/45/EC)


Danger Symbols:

GHS05 (C) – Corrosive. GHS07 (Xi) – Warning / Irritant.

Hazard Statement: H314 (R34), Causes severe skin burns and eye damage. H335 (R37), May cause respiratory irritation. H302 (R22), Harmful if swallowed. H303 (N/A), Maybe harmful in contact with skin. H400 (R50), Very toxic to aquatic life.

Precautionary Statement: P102 (S1 or S2), Keep out of reach of children. P210 (S15), Keep away from heat/sparks/open flames/hot surfaces. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P305+334 (S26), In case of contact with eyes, rinse immediately with water. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P404 (S7), Store in a closed container. P403+235 (S3/9), Store in a well ventilated place. Keep cool. P405 (S1), Store locked up. P501 (S56), Dispose of contents/ container in appropriate way. P273 (S61), Avoid release to environment. P305 + 351 + 338 (S26), If in eyes, rinse with water, remove contacts.

Hazard Rating System (Pictograms)



MSDS Prepared by:	WME
Revision History:	03/29/11 Initial
	05/01/13 Changed manufacturer from Deepak to Keystone, changed address and telephone number SWR

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone components.